Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.09

LIBEATY

RECORD

FEB 17 1923 A

U.S. Department of Agriculture.

FRUIT TREES
GRAPE VINES AND BERRIES

ORNAMENTALS
TREES, SHRUBS AND VINES

BULBS, ROSES FLOWERING PLANTS, ETC

LANDSCAPING

DESCRIPTIVE, ILLUSTRATED PRICE CATALOG

PIONEER NURSERY OF MONROVIA
ESTABLISHED IN EIGHTEEN SEVENTY SIX
MONROVIA, LOS ANGELES COUNTY, CALIFORNIA





ATALOG and PRICES of DECIDUOUS, CITRUS and TROPICAL FRUIT TREES, BERRIES, NUTS ORNAMENTAL TREES SHRUBS, VINES, ROSES FLOWERING PLANTS

TOGETHER WITH INSTRUCTIONS for PLANTING AND CARE, PROPER LOCATIONS, SEASONS OF PLANTING AND HELPFUL HINTS for GROWING

1876-1923

Forty seven years of nursery and landscape experience is at your disposal—cheerfully

PIONEER NURSERY OF MONROVIA A. J. CASEBEER, President A. S. JOHNSON, Sec'y-Treasurer GEO. H. JACKSON, Nursery Mgr

A. J. CASEBEER, President A. S. JOHNSON, Sec'y-Treasurer GEO. H. JACKSON, Nursery Mgr OFFICE AND SALESYARD: OPPOSITE SANTA FE DEPOT TELEPHONE MAIN 421 MEN MONROVIA, CALIFORNIA

A WORD TO OUR CUSTOMERS

PLEASE READ CAREFULLY.

THE INFORMATION CAREFULLY COMPILED HERE WILL SAVE YOU MUCH MISUNDERSTANDING, CON-FUSION, UNCERTAINTY, DAMAGE AND LOSS.

ORDERS

Please use the order sheet sent with this catalogue. Be sure to fill out the spaces, giving your Post Office Address, also, stating how you wish your plants shipped; whether by parcel post, express or freight, giving express or freight offices. If in doubt as to the best way to ship, ask us to use our best judgment. Also state whether we shall substitute if out of the size or variety wanted. We always label substitutes with their correct names—see "Substitution" below. Order early. Many varieties are always sold out early in the season.

Note: The Pioneer Nursery books all orders with the understanding that same shall be void should injury befall the stock from flood, drought, frost or any other cause beyond its control.

DELIVERIES

Many requests are received for delivery of deciduous fruit trees in the fall. This is seldom possible because many varieties do not complete their growth or ripen their wood until late in December and some years there are no early frosts to cause the leaves to drop. Therefore digging is seldom completed until early in January. There is no advantage in fall planting of fruit trees in California. January and February are the best months to plant, March almost as good, especially under irrigation. There is a decided advantage in planting evergreen praamental trees and shrubs in the fall, however, except those likely to be injured by frost. They make a good root growth while the ground is still warm, and have the benefit of the entire amount of the winter rains. Plant ornamentals early.

We endeavor to make shipments and deliveries promptly. During the rush season, from Jan. 1, to April 15, the orders come so fast that there may be a few days delay. Inquiries always couteously answered. A few days delay seldom makes any difference with the plants. If you must have your plants immediately during the rush season—come and get them. We send hundreds of autos away loaded every week.

We deliver retail orders within 25 miles of Monovia free, by truck on our regular trips to each locality. This includes Los Angeles proper and Hollywood, but not Santa Monica, Long Beach or other beach cities. For further distances or special trips a small charge is made, seldom covering the cost to us.

TERMS, PRICES AND QUANTITIES

Prices are cash. Please send cash with order when goods are shipped. Orders delivered by truck are payable on delivery. If longer terms of payment are desired, please arrange to that effect with our office when order is placed. For advance orders of fruit trees, 20% deposit at time order is placed is required to hold the stock. Orders to be sent parcel post should include an additional 10% to 20% of the amount to pay postage—any surplus will be refunded.

Small assorted orders are figured at rates given for single trees—each. Ten assorted varieties all of one class such as ten different apples will be figured at rate for ten—but not ten of mixed classes, such as peaches, pears, figs, etc. Five trees all of one variety such as five Hale peaches, figured at ten rate. Twenty-five assorted trees all of one class, such as apples, may be figured at 100 rates, but not 25 of assorted classes. Ten assorted varieties all of one

For family orchards where many varieties are wanted prices may be figured at the each rate, and for orders of 30 or more assorted trees we will allow a 5% discount; for 50 or more assorted trees, 10% discount. This discount applies only to deciduous fruit trees, and to cash with order only. Fifty trees will occupy about one-half an acre.

SUBSTITUTIONS

Please state whether we may substitute a similar variety if out of kind ordered. We can often furnish as good, sometimes new or improved kinds unfamiliar to our customers, even better than the original selection. We always correctly label all trees sent, and invoice with name of variety sent. Where no instructions are given as to substitution we reserve the right to substitute under the above conditions. We never knowingly label a tree incorrectly, change the name of a tree or substitute without notifying the purchaser of the fact. We never substitute on large orders without advising our customers in advance.

PACKING

All trees and plants carefully labeled and secuerly picked in the best manner to secure safe shipments. We make no charge for packing retail orders, except extra heavy, tall or bushy trees or plants, requiring extra covering or large crates or boxes. These are always subject to a charge at cost to us.

To dealers or agents who receive wholesale prices or discounts, packing is always charged, at cost.

SHIPPING FACILITIES

We are well located for making shipments, our nursery being just opposite the Santa Fe Depot in Monrovia, with both freight and express offices at our door. In addition we have the Southern Pacific and the Pacific Electric freight service, additional express service via the Pacific Electric, and Parcel Post. If no instruction as to method of shipment is given we use our best judgment as to the route which will be safest and most economical to our customers.

All goods travel at purchaser's risk and expense. In case stock arrives damaged, or in dry or bad condition, notify and call the attention of your agent to the damage at once, when receiving stock; if possible have him note this, or do it yourself, on freight bill or express receipt, when paying transportation charges. Make claim for adjustment against the transportation company. Always state to what point you want orders shipped and if any special requirements, give explicit directions for marking packages. For local truck deliveries give careful directions for finding the place.

All shipments and all truck deliveries carry an inspection certificate signed by the Horticultural Inspector of this district. A copy of the invoice is also mailed to the Horticultural Commissioner of the county to which stock is shipped if outside of Los Angeles County; also to state officials of other states if required by their regulations.

In case any portion or item of a shipment is held up by an inspector same may be cleaned at our expense provided the cost will not exceed the price of the articles. In any case the customer is advised to receive that portion of a shipment not held up, and the rejected item will be adjusted by us on notification.

Notice should be sent immediately of any trouble over inspection, by wire if the value of the shipment and perishable character of stock held warrant it. Do not return stock until we authorize return, but see that stock is watered and kept in good condition, as we can only allow credit if stock is returned to us in good live condition.

GUARANTEE

The Pioneer Nursery will exercise every care to send out only healthy well grown, thrifty, living trees when they leave our nursery, clean and free from dangerous insects and diseases, passing horticultural inspection before shipment, well and carefully packed.

It is mutually agreed between the purchaser and the Pioneer Nursery that should any stock not prove true to name the Pioneer Nursery shall not be liable for any greater amount than the sum paid for such stock, or that said stock may be replaced by mutual agreement.

There is no guarantee expressed or implied, that trees will live and grow. This is dependent upon the care, correct planting and after treatment, as well as upon weather conditions, soil, watering and many other factors beyond our control. Therefore, we do not guarantee trees to grow except by especial agreement, when an extra price is charged for such insurance. In the absence of such a contract, we do not guarantee to replace trees free of charge.

However to encourage planting and as a matter of liberal treatment, if instructions contained in "Hints on Transplating Trees," are carefully followed, we will agree to make replacements on deciduous trees which fail to live,-at half the purchase price.

If any tree appears to be in poor condition when received, notice should be given immediately, preferably in writing, so we can give your claim the proper investigation and allowance.

Notice: Fresh balled trees and plants will often lose their foliage and even die back at the top, especially he larger sizes. We cannot allow claims for replacement such as these, where the stock shows that it will in the larger sizes. eventually recover.

ERRORS AND SHORTAGES

Customers are requested to notify us at once of any errors or shortages, or stock in poor condition, so that we may rectify it at once. All claims must be made within one week after receipt of shipment, otherwise it will be assumed that the goods are satisfactory and in accordance with the invoice.

REFERENCES

Orders from unknown correspondents must be accompanied by cash or satisfactory reference. No goods sent C. O. D. to unknown parties unless accompanied by one-fourth cash.

Address all communications to

PIONEER NURSERY OF MONROVIA MONROVIA, CALIFORNIA

HINTS ON TRANSPLANTING DECIDUOUS TREES

The situation of the orchard having been decided upon, the ground should be deeply plowed, subsoiled and thoroughly pulverized. The holes should be dug at least a foot larger in every direction than actually required by the roots when spread out in their natural position. In many soils, especially heavy soils or those with hard pan, it is advisable to dynamite the holes. This is always best done while dry, and should never be done in sticky or clay soils if very damp. Water should be run into dynamited holes before planting the tree, otherwise it may settle too deep. Immediately before planting, be sure to examine the roots carefully, and cut away to a smooth surface all bruised, lacerated and broken roots and rootlets with a sharp knife. When the trees are received they should be immediately unpacked and the roots laid in a trench and well covered with soil, which should then be thoroughly wet down. If delayed in transit, thereby becoming dry and suffering from exposure—the bark showing signs of shrivelling—it is a good plan to immerse the trees in a tank over night, and the following day bury root and top completely in damp soil for a few days, until they become normal, and may be safely planted out. Never put manure and especially fresh manure in contact with the roots of any tree. If you use manure at all be sure it is well rotted and then thoroughly mixed with earth, and it is better even then not to put it directly on the roots. For fresh manure dig the hole extra deep, put in the manure, cover it with 3 or 4 inches of earth and plant the tree above that. Be sure to water plentifully to avoid air spaces and drying out at the roots. In planting, the top soil should be broken down into the hole and worked carefully in between every root and fiber, filling up every crevice, that every root may be in contact with the soil, and the whole made quite firm as the filling up progresses. The tree, when planted, may, in light soils, stand from two to three inches deeper than it did in the nursery; but in heavy clay

The ground should be kept loose and free from weeds. It is advantageous to spead around the tree for a distance of two or three feet each way a mulch of rough manure or litter, which conserves the moisture and prevents the ground from drying out and baking. We recommend that the trunks of trees be whitewashed to protect them from sunburn; also the use of tree protectors or tree wraps. These may be homemade from folded newspapers or building paper, but they may be purchased from us at a cost of 1½ to 2½ c each and are much more easily applied and last much longer. They protect the trees from rabbits, from sunburn and in a measure from borers.

If the location is subject to high winds, plant with largest branches towards the prevailing wind, and lean the tree slightly in that direction.

We advise pruning directly after planting. If strong winds prevail, prune with the upper bud pointing against the wind. Unbranched trees should be cut back to 18 to 30 inches if planted in orchard; for dooryard or other situations they may be left taller. Ordinarily about two-thirds of the top should be removed from all branched trees, but this must be done according to the best judgment of the operator, as no definite rule can be given, the object being to secure a well-balanced head. The leading shoot is usually cut back to make a good branching form. Unbranched figs, persimmons and walnuts are usually not pruned until the second year. Grapes should be trimmed to one stem and this cut back to 6 inches, except on extra large vines.

TREES AND PLANTS WITH LEAVES

BALLED OR IN POTS OR CANS

Plants or trees established, that is, grown for some time and well rooted,—in pots or cans, are by far the safest to plant. They are usualy not so well shaped, so bushy or so well colored as plants balled from the ground. They may, however, eventually make equally as good specimens, as they are ready to make a quick growth; whereas a freshly balled plant suffers a shock and a set back. Purchasers must choose between safety and quick growth on one hand, and size and looks on the other. Established plants, if the container is removed with care, very seldom die or suffer in any way. Fresh balled plants on the other hand, are subject to considerable loss. ject to considerable loss.

Lift balled plants carefully, placing the hands or arms under the ball, and do not attempt to handle it very wet or soft. Never lift by the stem or top. Do not use fresh manure near the fresh planted ball, pack earth firmly and solidly around the ball. Never remove the burlap or the ropes or strings with which it is tied. All

will rot away in a few weeks and offer no obstruction to the new roots. After planting firmly the string may be cut at the base of the tree. Always stake and tie all tall, heavy or slender trees or shrubs, as they may became loosened by the wind, especially after watering. Water plentifully and regularly, especially in hot weather. Balled trees with much foliage are helped by shading wherever possible, when transplanted in warm weather. Many evergreen trees and shrubs require a partial defoliating, and some kinds an entire removal of foliage, for successful balling. Where possible, sprinkling the foliage and entire tops several times a day if a very hot spell should occur, will often help to make an evergreen tree pull through.

TIME OF PLANTING

Deciduous trees and plants, berries and dormant stock of all kinds may be planted at any time after the season's growth is completed and the wood has hardened. Plants should always be bare of leaves, except strawberries, and if the leaves have not dropped naturally, or have begun to start growth late in the spring, they should be defoliated by hand. December is early enough to start planting, and as rains are usually late in Southern California, and a full selection of trees are not available until after January 1st, we strongly recommend January or February as the best months to plant deciduous trees. March planting is often successful, but the risk is greater. In April there is usually a large per cent loss and May is decidedly too late, and we cannot entertain any claims for loss of deciduous trees purchased in April or May, but make a special discount for stock bought during those months. The above does not apply to plants or trees in balls or cans, or to evergreen or citrus stock, which may be planted at any time, and we especially recommend the planting of balled citrus trees late in the season, and with proper attention to wavering they may be planted with better success in August than in December or January. This also applies to palms and other tropical plants, and planting need not cease with the advent of warm weather, only the class set out should be changed. To insure success, water often and abundantly the first season.

DISTANCE FOR PLANTING

| | Distance Apart | | Distance Apart |
|---------------------------|----------------|-----------------------------------|---------------------|
| Varieties. | Each Way. | Varieties. | Each Way. |
| Standard Apples | | Almonds | |
| Standard Pears | | Walnuts | 40 to 50 feet |
| Strong-growing Cherries | 20 to 24 feet | Grapes | 7 to 10 feet |
| Duke and Morello Cherries | 18 to 20 feet | Currants and Gooseberries | 4 by 6 feet |
| Standard Plums and Prunes | 20 to 24 feet | Raspberries and Blackberries3 t | o 4 by 5 to 7 feet |
| Peaches and Nectarines | | Strawberries for field culture1 t | o 1½ by 4 to 5 feet |
| Apricots | 24 to 30 feet | Strawberries for garden culture | 1 to 2 feet |

Number of Trees or Plants on an Acre at Given Distances Apart.

| Distance Apart Each Way | Square Method | Equilateral Triangle Method | Distance Apart Each Way | Square Method | Equilateral Triangle Method |
|----------------------------|---------------|--------------------------------|----------------------------|---------------|--------------------------------|
| 1 foot | 43,560 | 50,300 | 15 feet | 193 | 222 |
| 2 feet | 10,890 | 12,375 | 16 feet | 170 | 195 |
| 3 feet | 4,840 | 5,889 | 18 feet | 134 | 154 |
| 4 feet | 2,722 | 3,130 | 20 feet | 109 | 125 |
| 5 feet | 1,742 | 2,011 | 22 feet | 90 | 104 |
| 6 feet | 1,210 | 1,387 | 24 feet | 75 | 86 |
| 7 feet | 807 | 928 | 25 feet | 69 | 70 |
| 8 feet | 680 | 785 | 30 feet | 48 | 55 |
| 9 feet | 537 | 620 | 35 feet | 35 | 40 |
| 10 feet | 435 | 502 | 40 feet | 27 | 31 |
| 12 feet | 302 | - 348 | 50 feet | 18 | 20 |
| 14 feet | 302 | 348 | | | |

Rule. Square Method. Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which, divided into the number of feet in an acre, (43,560) will give the number of plants or trees to the acre.

Rule. Equilateral Triangle Method. Divide the number required to the acre "square method" by the dec-l .886. The result will be the number of plants required to the acre by this method. imal .886.

ABOUT WEIGHTS AND SHIPPING

The question of freight charges to distant points is a matter of serious consideration to such customers, and we are therefore submitting a few figures to give a clearer insight into the subject.

The general run of deciduous fruit trees, either in bales or cases, average about as follows: 6 to 8 ft., 2 pounds each; 4 to 6 ft., 1½ pounds each; 3 to 4 ft., 1 pound each; 2 to 3 ft., one-half of a pound each. Grapevines, one-third of a pound each.

Deciduous ornamental trees from 6 to 8 ft. and up to 12 to 15 ft.. 3 to 6 pounds each. Potted plants in from 3- to 6-inch pots, packed in boxes, weigh from 4 to 12 pounds each. Citrus trees, balled, packed in boxes, 40 pounds each, and with naked roots, 3 pounds each.

Palms, packed in boxes, with ball of earth, 2- to 3-ft. plants, 40 pounds, and gradually increasing to 110 pounds each on 5- to 6-ft. plants.

Grape cuttings 14 to 16 inches long, 80 pounds to the thousand cuttings, in either bales or boxes.

Eucalyptus, cypress, about 100 to the flat, 50 pounds per flat; hedge plants from 50 to 100 to the box. according to size, 50 pounds per flat.

Stock in cans. pints and quarts, 3 to 5 pounds each, gallon cans 6 to 14 pounds, 5 gallon cans 40 to 65 pounds. 8 to 10 gallon cans 75 to 125 pounds each.

Balled and burlapped trees range in weight according to size, approximately as follows: 2 ft., 35 to 50 lbs.; 3 ft., 40 to 60 lbs; 4 ft., 50 to 85 lbs.; 5 ft., 75 to 120 lbs.; and larger size according.


CONSULT US

Many problems confront the prospective planter, especially those who are newcomers to California. The Pioneer Nursery has been in the business of growing things for 47 years; experimenting, comparing, and observing the behavior, growth and results of all varieties of both fruits and ornamental plants. Besides our own individual experience we have the reports of our many customers, whose varied environments and locations comprise all the conditions likely to be met with throughout Southern California; and give a basis for a comprehensive survey of the likes and dislikes, the strong points and weaknesses of each particular plant, or variety of fruit. variety of fruit.

All this accumulated experience is at your service-FREE.

It has been said that advice which costs nothing is worth just what it costs. We are not going to set a value on our advice, but we expect to get our return from our satisfied customers. We are still serving some whose first purchases were made over 40 years ago.

Besides the decision as to the original planting, the inexperienced grower finds new perplexities arising in the growth and care of his trees and plants. Pruning, watering, insect enemies and disease, all present their problems. We are glad to help here also, and can nearly always supply what is required to meet the emergency in each case.



JONATHAN BANANA
THE BEST RED AND THE BEST YELLOW APPLES FOR SOUTHERN CALIFORNIA

DECIDUOUS FRUIT TREES, BERRIES AND NUT FRUITS

FOR DELIVERY AFTER JANUARY 15, 1923

APPLES

Descriptions are necessarily brief. We try to bring out the distinctive qualities, and note the good and the bad points of each variety. Some apples fail entirely where others succeed well. Selections should be made of varieties adapted to each section. Disregard of this principle has led to many failures, and the comment, "Oh, apples are no good in Southern California." Some are not, that is true; other apples are very good indeed. There are three principal divisions:—Orange section; Valley and Coast section; Mountain or Cold Winter section. We list some varieties especially adapted to each, viz:

Orange section. Banana, Bismark, Fall Pippin, Rad June, Yellow Transparent, Roxbury Russet and Delicious. Valley and Coast section. Ark. Beauty, Gravenstein, Banana, Newtown Pippin, Red Astrachan, Twenty Ounce Pippin, Yellow Bellflower, Wht. Wint. Pearmain, Delicious. Mountain section. Jonathan, Rome Beauty, Stayman's Winesap, Winesap, Delicious, King David, Newton Pippin, Summer Champion.

We Have an Especially Fine Stock of Apples This Season

| Size | Each | | 25 of a Variety |
|---------------------------------|----------------|--------|-----------------|
| Extra Grade | | \$6.00 | \$50.00 |
| 4-6 ft. | | 5.50 | 45.00 |
| 3-4 ft | | 4.50 | 45.00 |
| 2-3 ft | | 3.50 | 28.00 |
| For 250 or more trees—write for | price per 1,00 | 00. | |

SUMMER APPLES. Varieties are named in the order of ripening.

Yellow Transparent. Yellow, mellow, crisp, slightly acid, bears young and heavily. Bruises easily, bursts when too ripe. Much better than the Early Harvest; cooks well.

Red June. Deepest crimson, ripens June till Sept., Heavy bearer, fine eating. Too small for market.

Early Harvest. Flat yellow, only fair bearer but better than Astrachan in Orange section. Bruises easily.

Red Astrachan. Striped, acid, crisp, good cooking; good in Mountain and Valley section. Very irregular in Orange localities.

EARLY FALL APPLES.

Twenty Ounce. Marketed before fully ripe. It attains a large size early and sells at high prices as fancy green cooking apples. Very large, heavy bearer, dull red stripes when ripe; rather tough.

Summer Champion. One of the earliest shipping apples in Beaumont, not yet tested at other points.

Banana. (Winter Banana.) The very best all around apple for Orange section, and one of the best everywhere. Pears at 2 or 3 years old, and heavily every vear. Yellow. flattened, occasionally pink cheek. Can be used for cooking by July 15; ripe for eating from Aug. 20 to Oct. 1 in Orange section: later in Mountain sections. Fine for eating and cooking, though some persons complain of lack of flavor.

Fall Pippin. Probably next to Banana, the best apple for Orange sections. Very large, dull yellow, heavy bearer, good eating and cooking apple.

Maiden Blush. Flat, yellow, tender, bruises easily; good for cooking and eating.

Gravenstein. Striped, crisp, juicy; best early shipping apple. especially for Sonoma Co., and surrounding territory. Good everywhere, especially valleys. Slow to bear—usually 5 years.

Kew Garden. Green striped English apple with English flavor. Good bearer.

LATE FALL AND WINTER APPLES.

Jonathan. Fine red apple, early winter in mountain sections; but fall apple in Orange sections, where it is probably the best red apple..

Rhode Island Greening. Bears well in Orange sections, but quality not so good as in Mountain sections.

Arkansas Beauty. Pinkish red, sometimes striped: very prolific in Valley sections; valuable, but known only in a few localities.

Roxbury Russet. Succeeds well in Orange sections and bears young. Fine for baking.

Bismark, Naturally dwarf tree. Extra large fruit, light red striped. Very tart, fine cooker, bears young and heavily. Fine family apple in Orange sections and elsewhere.

Delicious. Succeeds everywhere. Oblong irregular shape, splendid quality and flavor, red and yellow.

Yellow Bellflower. This variety has given apple growing in Southern California a bad name. Every-body plants one and they succeed only in a very few localities—usually in rich, damp Valley and Coast sections, irregular elsewhere.

WINTER APPLES.

- Rome Beauty. Splendid commercial apple for Mountain section, reddish striped, with yellow cheek.
- David. Red commercial apple for Mountain section; considered better than Jonathan.
- Stayman's Winesap. Next to Jonathan, Delicious and Rome Beauty, probably the most important winter apple for Mountain sections. Red striped.
- White Winter Pearmain. Greenish, juicy, heavy bearer. The leading late apple for Coast and Valley sections, and best bearing late for Orange sections. Trees bear at 5 or 6 years.
- ewton Pippin. Yellowish green, flat. The leading Watsonville apple. Fine for Coast and Valley sec-tions and good nearly everywhere. Flavor pre-ferred to Pearmain by many. Good cooker. Newton Pippin.
- Arkansas Black. Darkest crimson, very late; colors better than most red apples in the Valley and Orange section. Good keeper and good quality.
- CRABS. All varieties usually bear well.
- Transcendent. Yellow, red cheek, good size, the most acid, fine for jelly.
- Hysloy. Very large, dark crimson, becomes mealy when overripe.
- Red Siberian. Medium size, dark red striped.
- Whitney. Said to be extra large and fine flavored, not so tart as some.
- ARF APPLES. (On Paradise Root.) These roots are often gnarled and curly, therefore many horticultural inspectors condemn them. Explain this to your inspector. Dwarfs grow about two-thirds the size of ordinary apples, bear early and heavily. If planted deep they may root above the graft and grow larger. Fruit often larger than on standard trees trees.

Prices-4 ft., \$1.25; 3 ft., \$.75; 2 ft., \$.50. Varieties: Bismark, Banana, Fall Pippin, Red June.

PEACHES, PLUMS, PRUNES AND PEARS

| Size | Each | Ten or More Assorted | Per Hundred 25 of a Variety |
|-------------|--------|-------------------------|--------------------------------|
| Extra grade | \$.85 | \$7.50 | \$65,00 |
| 4-6 ft. | .75 | 6.50 | 50.00 |
| 3-4 ft. | .60 | 5.00 | 40.00 |
| 2-3 ft. | .45 | 4.00 | 35.00 |

Write for prices per 1,000-stating varieties wanted. Myrobolan Roots—\$5.00 per 100 extra for all stock on Myrobolan roots, but very few varieties to offer.

- ACHES. Grouped according to classes and named in order of ripening in each group. Date of ripening varies both as to where grown and from year to year according to the season. Thus the same variety in the same place may ripen May 25th one year and the next year not until July 10. Therefore the dates given are only approximate. PEACHES.
- TRA EARLY. Sem shipping and family. Semi-Clings, White, for eating,
 - Alexander. White, red cheek, rather watery, standard early. June.

 Mayflower. Deeper red; said to be earlier and more prolific. Both are valuable for earliness only.

 - Special—Red Bird Cling. New, very white, with distinct scarlet cheek and markings. Prettier and larger than other early peaches; commands extra prices on market, better shipper than most earlies. Flavor only fair.
 - Price-4-6 ft., \$1.00; 3-4 ft. \$.85.
 - ellow, Admiral Dewey or Triumph. Slightly cling but may be sliced. Earliest of all yellows. Deep red all over, covered with whitish bloom. Good quality, skin easily broken in picking. Last of

- YELLOW FREESTONES. For all purposes for which a peach can be used.
 - Imperial. Yellow with large red cheek. July 1. The first real yellow freestone. Overbears, should be well pruned and heavily thinned or fruit will be small and poor.
- oster. Resembles Early Crawford closely, better, a few days earlier and does not split pits.
- Early Crawford. Standard early yellow; large, juicy, coarse, good bearer.
- Late Crawford. Two or three weeks after Early Crawford, slightly redder and firmer, not so likely to split the pits.
- H. Hale. Probably the best all around yellow peach. Considered an improvement on Elberta. Heavier, a week earlier. Deep red at stone. Rather tart until fully ripe. Not recommended for commercial canning although sometimes used, as it rags in the syrup.
- lberta. The most extensively planted of all peaches. Midseason, prolific, largest size; suitable for all uses, fine shipper. Early August; usually ripens when peaches are cheapest. Elberta.
- Muir. The favorite drying peach. Not red at pit, and no acid. Heavy bearer. Good canner, but not extra large.



LOVELL EVERYTHING A PEACH SHOULD BE

- ovell. The canner's favorite freestone, firmer, finer grain and less red at pit than Elberta; ripe about 3 weeks later, better flavor. Heavily planted, but less likely to be overstocked than a cling, as it may be either shipped or dried. Late August. Lovell.
- ngle's Mammoth. Fills dates between Lovell and Salway; larger than either, heavy bearer and good quality; rather coarse and sometimes splits pits. Engle's Mammoth.
- quality; rather coarse and sometimes splits pits.

 Curry Seedling. Another new peach between Lovell and Salway, from San Fernando valley, where it is considered better than either. Firmer than Engle's Mammoth. Bright red cheek, splendid quality. Stock limited.

 Salway. Sandard late; always heavy bearer, good size and quality, sometimes a little dry. Tree of slender, rather drooping habit. Sept.
- WHITE FREESTONES. Specially fine flavor for eating or slicing.
 - Saucer. Sometimes early May, the earliest of all peaches, but irregular. Distinct from all other peaches; flat with very small stone and flavor all its own. Very subject to leaf curl—spray with Lime Sulphur in December and March.

 Strawberry Free. Probably earliest of the highly flavored table peaches. July 10.
- flavored table peaches. July 10.

 Champion. About a week after Strawberry, beautiful creamy white with pink cheek, delicious flavor, juicy, rather soft for shipping. July 18.

 Geo. IV. Similar to Champion, silghtly broader shape, probably ten davs later. There are four or five other peaches of this class so much alike even experts have difficulty in distinguishing them. All are splendid table peaches. Among them are: Belle of Georgia, Mt. Rose, Buckhorn,

Early Belle, Carman. They vary one to two weeks in time of ripening. Carman is probably the best

Winter Freestone. The latest of all peaches. Usually ripe at Thanksgiving. Do not plant where frost comes early. Greenish; peculiar seedling flavor, comes early,

WHITE CLINGS. For eating and canning.

Strawberry Clings (McKevitt's and McClure's).

Beautiful creamy white with soft red cheek.

Large size, used a great deal for fruit stands, August.

Indian Blood Cling. Blood red flesh, beautiful when canned. The best quality of all clings for eating out of hand. Late August.

Heath Cling. White, rebearer, splendid quality. red cheek. Large, heavy

Sabichi Cling. Very late, Oct. and Nov. Good quality for that season.

YELLOW CLINGS. Particularly used for canning.

Ontario or Southern Tuscan Cling. Almost round, the earliest canning cling and one of the very best and heaviest bearers. Ripens wih Early Crawford.

Tuscan Cling—Northern. Similar, more pointed, one week later, not quite so regular a bearer, largely grown in Northern California. There is a later strain of this also.

range Cling. Largest of all, but ar bearer. Almost superseded by Tuscan. Orange Cling. but an irregular

Simms Cling. An improved Phillips, slightly earlier and a shade deeper yellow. Large size and heavy bearer, and follows Tuscan at the canneries.

hillips Cling. Almost all yellow, small red cheek, yellow to pit. Favorite with canneries. Not quite as heavy bearer as Tuscan. Phillips Cling.

Lemon Cling. At one time the favorite canning peach, but inclined to run small and superseded by Phillips and Simms. Very good quality and heavy bearer.

heavy beart.

Henrietta or Levi Late Cling. Very late and very heavy bearer; grows large if properly thinned. Dark red, except yellow cheek. Ripens three weeks after Phillips and useful to extend the canning season. Should be planted more. September.

Shamrock Cling. Similar to Henrietta, more yellow, regular and heavy bearer, needs heavy thinning. Considered best of all clings for family canning. Late Sept.

Several new varieties are recommended, ripening between Tuscan and Phillips: Selma, Peaks, Libbee, Palora and others.

PLUMS

UMS. Plums are scare this season and we cannot guarantee prices, as we look for a sharp advance later. Stock on Myrobolan roots is \$5.00 per 100 higher than list prices. We can supply a limited quantity only and only a few varieties: Satsuma, Late Satsuma, Beauty, Santa Rosa and Kelsey; also Improved French Prunes. PLUMS.

E BLOOD PLUMS. Similar to Satsuma with blood red (sometimes mottled) flesh. In order of ripening: Metheley, Santa Rosa, Sultan, Duarte, Satsuma, Late Satsuma. The four earlier ones are more regular bearers than the Satsuma is very large and firm, a good keeper and shipper, but most of the others are better quality. Santa Rosa is probably the favorite plum today in California. These are practically all shipped fresh. Some day the canners will wake up and find that they have overlooked a bet in not canning and pushing blood plums. Varieties listed in order of ripening: THE BLOOD PLUMS. Similar to Satsuma with blood

First. Amber yellow, medium, delicate flavor, good for canning. Last of June.

Beauty. Bright red, yellow flesh tinged with red. June 25th to July 10, ten days earlier than the Santa Rosa. Exceedingly prolific and good size and quality if heavily thinned. Lacks flavor if poorly grown.

Metheley. New; the earliest blood, flesh deep purplish red, heart shape. July 1-10; very sweet.

Climax. Red with yellow flesh, heart shape, sometimes light bearer, good quality.

Santa Rosa. Mottled blood flesh, wonderful ship-per; ripens to good quality, beautiful deep crim-son with bluish bloom. Regular heavy bearer and large size. Mid-July to August.

herry. A selected Myrobolan, small, very prolific, delicious as preserves.

Hale. Round, translucent, yellow, juicy, tart at pit. · Always loaded. Family.

Burbank. Red and yellow, firm yet juicy, good keeper and shipper. There are better plums but none more productive.

Sultan. Early large blood red. Very best quality.

Duarte. Blood plum; earlier, better quality and more regular bearer than Satsuma. Heart shape. Possibly not so large nor as good shipper, however. Occasionally a few will split. July 25 to

Wickson. Largest; heart shape, yellow shaded red, changing to beautiful amber red after picking. Delicious quality, highly fragrant, good shipping and eating plum. Occasional light crops.

Green Gage. Round, green, European class, very sweet, shy bearer in Southern California.


Satsuma. Round flattened, deep blood with blue bloom. Good keeper and shipper, better canned than eaten fresh. In some places irregular bearer. MidAugust.

Damson (Shropshire). like Concord grape. Medium, blue with bloom Freestone, tart, delicious canned and preserved.

ate Satsuma. Later than Satsuma, rounder, better quality, also irregular bearer. Late Satsuma.

Prize. Light fair bearer. Light red. large, almond shaped, freestone,

Irregular heart shaped, greenish yellow, firm flesh; a fine shipping and storage Extra heavy bearer. Medium quality but Kelsev. plum. sells well.



SUGAR FRENCH THE TWO SWEETEST AND BEST DRYING PRUNES

PRUNES

UNES. Plums of the European class mostly used for drying. Nearly all freestones and very sweet. Do not bear as young as plums of other classes. Some prunes do not bear well unless planted near other varieties for cross pollenization. All are better if interplanted. In the order of ripening: PRUNES.

Tragedy. Not used for drying; good canning and eating prune, deep blue, large, July.

Hungarian. Very large, dark brownish purple; eating and canning.

Sugar. Earlier, larger and sweeter than French, not quite so good a dryer. Heavy bearer in some localities, not so good in others.

Imperial. Very large, better adapted to Central California; needs pollenizer.

Standard. Very large, blue, sweet and fine for fresh fruit; needs pollenizer.

French (Petite). The standard drying prune and even better if canned fresh. Extra sweet, long oval, brown, with bloom.

Improved French. Select strain chosen for large size and heavy bearing qualities. We have several different strains in limited quantities.

Italian. Large, grown mostly in Northern California and Oregon.



BEURRE BARTLETT

WINTER BARTLETT

PEARS

ARS. Pears will do well on heavier and wetter soils than most other fruits, but also succeed in gravelly and sandy soils if the climatic conditions are right. Blight is the great enemy of pear growers and must be controlled by cutting out as soon as it appears or it will ruin any orchard. There are a few varieties practically blight proof but these are not of best quality, though good for home canning, and sell readily except in the vicinity of large Bartlett groves. Pears have maintained profitable prices with less fluctuation than most other fruits and the outlook is for a continued strong demand. Stock scarce this season. In the order of ripening:

Madalein. Extra early, small, soft, green, in clus-

Rostiezer. Medium small, long neck, bronzy brown, delicious, shy bearer.

an Juan. An early pear grown here when California still belonged to Mexico.

artlett. No doubt the best all purpose pear, but also almost the most susceptible to blight. Nothing else considered by the canneries, but some others are now planted largely for shipping. Plant this for the best, for home use, and others for use if the blight catches the Bartlett.

Seckel. Tree dwarf, bushy, fruit small, exceedingly spicy, late in bearing.

Clapp's Faovrite. Large, greenish brown, sugary.

Flemish Beauty. Large, flavor; irregular bearer. Large, beautiful color and fine

Le Conte. Smooth, light yellow, soft, not highly flavored, but fine canned; productive. Foliage beautiful, tree very ornamental, especially blight resistant.

ouise Bonne. Greenish with bronzed cheek, melt-ing, juicy, highest quality. Irregular bearer. Louise Bonne.

Beurre Hardy. Brown russet, smooth, sugary white flesh, irregular bearer, blights easily.

Beurre D'Anjou. Highest quality early winter pear, good commercial sort.

Beurre Bosc. Greatly resembles Bartlett, but Commercial planting increasing. Rather

Kieffer. ieffer. Very large, orange yellow with russet; coarse but sweet, good canned. Heavy cropper, bears young, every year and where no other pear succeeds. Above all it is practically blight proof.

// inter Bartlett. Variable according to location: smooth, yellowish, or sometimes heavily russeted or again with irregular knots. Heavy bearer; bears younger than any other—often at two years. Almost blight proof. The favorite in Imperial Almost blight proof. Valley.

Medium to small, smooth, lightly russet, very delicious quality, tree with many slender branches. Good bearer in the low valley locations, elsewhere rather short crops and irregular bearer.

Note. D'Anjou, Bosc and Winter Nelis \$5.00 per 100 extra.

DWARF PEARS, APRICOTS, QUINCES AND NECTARINES

| | | Ten or More | Per Hundred |
|-------------|--------|-------------|-----------------|
| Size | Each | Assorted | 25 of a Variety |
| Extra Grade | \$.85 | \$7.50 | \$70.00 |
| 4-6 ft. | .75 | 6.50 | 55.00 |
| 3-4 ft. | .60 | 5.50 | 45.00 |
| 2-3 ft. | .45 | 4.00 | 35.00 |

A few apricots on Myrobolan roots, 5c extra.

DWARF PEARS

DWARF PEARS (On quince roots). Shorter bushier growth, and bear younger and more heavily than standard. Specially desirable where space is limited. Good for heavy ground. Fruit as large or larger than on standard roots.

Dwarf Bartlett, Dwarf Winter Nellis.

Dwarf Florence, New, early, highly recommended

Seckel and Winter Bartlett are naturally rather dwarf except in extra good soil.

APRICOTS

APRICOTS on peach, apricot and a few on Myro, and almond roots. Succeed best on dry or well drained soil, in locations not subject to spring frost. May be grown without irrigation if properly cultivated. In order of ripening:

ewcastle. Two weeks the earliest; small but delicious. We have a heavy bearing strain. The favorite in Imperial, Coachella and Arizona. May and June.



ROYAL AN APRICOT HARD TO BEAT

Royal. The heaviest bearer and favorite in Southern California, where 90 per cent are this variety. Splendid quality. Late June and early July.

Blenheim. Almost identical with Royal, possibly larger; the favorite in Northern California.

Tilton. Slightly later than Royal and more oval shape. Likes hot climate. Very good at Hanford and in San Fernando Valley. Not quite as pro-ductive as Royal in many places.

Pringle Late. Introduced from Antelope Valley 15 years ago; has been a heavy regular bearer at Monrovia; slightly larger and a week later than Royal.

NECTARINES

NECTARINES. Same as the peach every way except smooth skin and higher flavor. No home orchard is complete without nectarines. It is a remarkable thing that a good flavored nectarine is seldom found on a fruit stand, and a poor one is seldom picked off a tree. Grow your own.

Downton. Earliest. Dull yellow with light red cheek, very large, delicious. July 10.

Yellow flesh, red cheek, fine quality, some-Boston. Yellow fles times shy bearer.

Stanwick Late. Yellowish green, red cheek, deli-

cious, good bearer.

Gower. The largest; very fine in dry, warr tions, not so sweet where cold and damp. red, very handsome, quite productive. warm loca-Bright

New White. Large late, greenish white, very high flavor, sometimes cracks.

QUINCES

- INCES. Heavy regular bearers, succeed almost everywhere but specially adapted to heavy and wet soil. Delicious for preserves and jelly; keep well and ship anywhere. Always scarce in Eastern states. A large shipping demand should be eventually developed. Tree beautiful in bloom. QUINCES.
 - Orange. Round, yellow, productive, sometimes sunburns. Early September.

 - Pineapple. Very similar but larger and better quality; in some locations much heavier bearer.

 Van Deman, The largest and best. Clear light yellow, pear shaped. Sometimes weighs two pounds, delicious quality. Usually heavy bearer.
 - Smyrna. The most productive; fruit covered with brown hairs until almost ripe. Very large, oval. medium neck, fine quality. Any other tree but a tough quince would break under the weight of fruit.
 - ngers. The stock on which other quinces are budded and a good late round green quince, bearing heavily with age. 15c less per tree than other Angers. varieties.

We have a few 4-year-old clumps of Angers 8 ft. high at \$2.00.

MEDLAR. Related to the quince; similar but prettier in foliage and flowers. Fruit flattened, deep russet, large open calyx. Must be kept till mellow. Valuable as a curiosity and for ornament.

Large Dutch. 3 ft. trees, 75c; 2 ft., 60c; 16 in., 50c.

PLUMCOTS

PLUMCOTS. True hybrids between the plum and approot. A valuable new fruit. The first varieties introduced were shy bearers, the new sorts we offer bear well and are already appearing on the market.

| | Each | Per 10 | |
|-------------|--------|--------|------------------|
| Extra grade | \$1.00 | \$9.00 | Write for prices |
| 4-6 ft. | .85 | 8.50 | in larger |
| 3-4 ft. | .75 | 6.50 | quantities. |
| 2-3 ft. | .50 | 4.50 | |

- pex. Ripe last of June and early July. Beautiful yellow, red cheek, like wax, wonderful new flavor, resembles both plum and apricot. Rather soft for shipping. Strong grower, beautiful foliage, occasional light group. shipping. Strong sional light crops.
- Sparks. This resembles an apricot as closely as Apex resembles a plum. Firm flesh, slightly cling, oval shape, brilliant red cheek quite distinct from ordinary apricot color. Late July and August.

CHERRIES


ERRIES. Where adapted cherries are exceedingly profitable. Price always good and demand unsatisfied. The only variety, however, which succeeds everywhere in Southern California is the Morello. Other varieties very shy bearers except in specially favored cherry growing localities, such as Beaumont and Yuciapa Even in such favored places it is better to plant several varieties together for pollenization. CHERRIES. pollenization.

On Mazzard and Mahaleb Roots.

| | Each | Per 10 | Per 100 |
|---------------|--------|---------|---------|
| Extra 5-7 ft. | \$1.25 | \$10.00 | \$90.00 |
| 4-5 ft. | 1.00 | 9.00 | 85.00 |
| 3-4 ft. | .85 | 7.50 | 70.00 |
| 2-3 ft. | .70 | 6.50 | 60.00 |

Black Tartarian. Large sweet black, standard. This and Bing are more often productive throughout Southern California than the lighter sweet cherries. but uncertain except in cherry sections. June.

Bing. Similar but more productive that the preceding. Larger, finer and later. Commands top prices in the cherry districts.



MORELLO CHERRY THE KIND WHICH BEARS EVERYWHERE

- Yellow, red cheek, cans white. Total-Royal Ann (Napoleon Bigarreau). oyal Ann (Napoleon Bigarreau). Yellow, red cheek, called a white cherry because it cans white. Totally unproductive in the warmer sections; very good in cherry districts, better if well pollenized.
- ambert. Large, late, bright red. Bing for fancy prices. Competes with
- Morello (English). A tart pie cherry, but good for eating. July. Heavy reliable bearer everywhere. Bears very young, sometimes second year. Branches low. This and Hachiya persimmon are at present the most profitable orchard trees—even in orange districts. Will be planted heavily in the future.

FIGS

S. Three markets—fresh, canned and dried. A unique combination of delicious flavor, healthfulness, adaptability in cooking, heavy sugar content and no acid, make increasing consumption a certainty. Be sure to select varieties adapted to your locality and the market you wish to reach. Calimyrna alone needs and must have caprification in order to bear. All others bears well alone, and are preferable for home use. Some varieties have a very early light crop, followed some weeks later by the main crop. Figs are more difficult to transplant than any other tree except persimmon. Small fig trees live better and often grow better than larger sizes—we recommnd 2 ft. and 3 ft. sizes, if stocky and well rooted. Figs have almost no insect enemies. FIGS.

| Each | 10 Assorted | 100 |
|--------|--------------------------------------|--|
| \$1.00 | \$9.00 | e=0.00 |
| .75 | 7.00 | \$70.00 60.00 |
| | | 40.00 30.00 |
| .25 | 2.25 1.80 | 20.00 15.00 |
| | \$1.00 $.90$ $.75$ $.60$ $.40$ $.25$ | $\begin{array}{cccc} \$1.00 & \$9.00 \\ .90 & \$.00 \\ .75 & 7.00 \\ .60 & 5.00 \\ .40 & 3.50 \\ .25 & 2.25 \end{array}$ |

- alimyrna. Must have caprification, best for commercial planting especially in the interior. Makes the best dried figs.
- Capri (Several Varieties). Used only to caprify the
- Calimyrna, fruit worthless.

 Abyssinian Capri. Entirely distinct from other Capri figs, different season.
- Celeste. Early, small, greenish brown, ripening almost black; sweet and delicious.
- Brunswick. Large, light brown, purple cheek, good bearer, good market variety. Brown Turkey is often called Brunswick.
- Brown Turkey. Resembles Brunswick; probably better, larger, slightly darker, better shipper. Oval, turbinate, no neck, stem at one side. Most profitable fresh fig near Los Angeles; growers often clearing \$500 per acre per year. Good in Imperial Valley. Bears young.
- Black Spanish. Slightly larger than Mission; said to be better in some localities.
- Mission. The standard black fig since introduced by the Mission fathers. Tree grows very large in Central California. The best black for drying, and sweetest of all black figs. Goodell Mission is a selected improved strain.
- White Symrna, (Adriatic type). Flat, white flesh, bears heavy early crop.

White Pacific. Same as Kadota.

Wnite Pacinic. Same as Kadota.

Kadota. (White Pacific; White Endich). The best all-purpose fig. especially for family use. Oblong, pronounced neck, golden yellow, amber flesh, occasionally pinkish, honey flavor, delicious fresh or canned. Demand excellent, but difficult to ship as very soft when ripe. Fine for local trade, and in especial demand from canners; small seeds, usually bears young. bears young.

hite Adriatic. Pink flesh, almost round, heavy bearer and continues to bear late in season. Next to Calimyrna, the principal drying fig of the inte-White Adriatic. rior valleys.

hite Genoa. Somewhat like Kadota but darker skin and redder flesh, very fine. White Genoa.

erdal Longue. Very large, dark green turning slightly brown, flesh carnation red. rich, sweet, Verdal Longue. nutty flavor, very distinct. Latest of all.



VERDAL LONGUE FIG THE LATEST-OCTOBER-RICH AND SWEET

POMEGRANATES

POMEGRANATES. A coming fruit, shipping demands and plantings increasing each season, especially in the San Joaquin and Imperial Valleys. Easily grown, require little water, stand great heat, very productive, good shippers.

| Size | Each | 10 Assorted | 100 |
|--------|--------|-------------|---------|
| 4 ft. | \$.85 | \$7.50 | \$60.00 |
| 3 ft. | .65 | 6.00 | 40.00 |
| 2 ft. | .40 | 3.50 | 30.00 |
| 18 in. | .30 | 2.50 | 22.00 |
| 12 in. | .20 | 1.50 | 14.00 |
| | | | |

Wonderful. The best; brilliant crimson, opal coloring; fine for market.

Very large, cream color, light red Paper Shell. cheek.

Sweet Fruited. Pulp less acid than other sorts.

MULBERRIES

MULBERRIES. Exceedingly hardy, standing all ex-tremes of heat and cold, living even on the desert with little or no water and will stand some degree of alkali. Russian is one of the best windbreaks for the desert. Hicks especially fast for a shade tree. Black Spanish the most valuable for fruit.

Hick's Everbearing. Often grows 10 ft. each year. Ripe fruit from June to October; like Russian but longer, somewhat insipid but good for pie. Splen-did shade tree for back yards, corrals or chicken

| Size | Each | Per 10 |
|-----------|--------|---------|
| 10-12 ft. | \$1.50 | \$12.00 |
| 8-10 ft. | 1.00 | 8.00 |
| 6-8 ft. | .75 | 6.50 |

Tea's Weeping. Very little and very poor fruit, but exceedingly ornamental. Ours are grafted high and make splendid natural arbors. Good strong tops, straight stems:

10 ft., \$3.00; 9 ft., \$2.75; 8 ft., \$2.50; 7. ft., \$2.00; 6 ft., \$1.50.

ussian. Fast growing, bushy, remarkably hardy, fruits heavily in May or June. Small and sweet.

| Size | Each | 10 Assorted | 100 |
|-----------------------------|--|------------------------|------------------|
| 6-8 ft. 4-5 ft. 3 ft. | $\begin{array}{c} \$.75 \\ .50 \\ .35 \end{array}$ | \$5.00 4.00 2.50 | \$30.00 20.00 |

We can obtain small seedlings for windbreaks in request. Extra large for large lots. Prices on reshade and chicken yards:

10-20 ft., $1\frac{1}{2}$ to 4-inch caliper, \$2.50 to \$10.00 each. Black Spanish (Persian). Large as Mammoth Blackberry; tart, juicy, dwarf. 4 ft., \$1.00; 3 ft., 75c; berry; ta 2 ft., 50c.

PERSIMMONS

PERSIMMONS. The coming market fruit. Strong demand and much interest has led to the formation of a Persimmon Association, and extensive planting is being planned. Recent development of the Lotus root has made propagation easier, as it buds and grafts more readily than other roots and transplants with less loss. Persimmons, however, are always uncertain in growth, especially when shipped, and we do not guarantee them to grow. Persimmons grow and bear equally well on either root

Persimmons on Lotus roots, California grown. 5 ft., \$2.50; 4 ft., \$2.00; 3 ft., \$1.75; 2 ft., \$1.50; 15 in., 60c; 12 in., 50c.

Hachiya. At present by far the best market variety. Long conical, deep red, very large, almost seedless, delicious when soft. Commands a premium of from 3c to 5c over other varieties. Drops fruit heavily during summer, sometimes making crop short. We have also a separate strain which does not seem to drop, bearing extra heavy crops, smaller size.

Okami? (Name uncertain). An improved Tanenashi, not so pointed, much better flavor, deeper red when ripe, better keeper, bears heavily in cluster every year; practically seedless, a splendid family fruit.

Saburosa. Medium size, conical, very dark tomato color. Fine quality. Distinguished by peculiar collar or fold at stem and under calyx. Good keeper, regular bearer, foliage brilliant red in autumn, an exceedingly ornamental tree.

Yemon. Flattened, somewhat square snape small point. Ripens very late, very astringent until fully ripe, keeps sometimes until March.

Broad con-

Tanenashi. (Smallest size trees only). Broad conical, light color, very large, seedless, flavor inferior to others. Heavy bearer, in large clusters. Pick carefully or stem pulls out with core of fruit.

Like Hachiya but longer (Smallest only.) and more slender—equally good.

Persimmons on American roots—Eastern grown. 5 ft., \$2.00; 4 ft., \$1.50; 3 ft., \$1.00; 2 ft., 75c. Hachiya, Tanenashi and Hiakume.

Hiakume is round with small point, usually seeded, with dark flesh; it may be eaten while still firm, but extra sweet when soft ripe. Heavy regular bearer, fine family fruit.

ALMONDS

MONDS. Almond growers are again prosperous; crops well cleaned up at good prices. Almonds may be grown with less water than other crops. They need loose well drained soil, and locations free from frosts. Withstand heat and drought. Trees are cheap this year, it looks like a good time to plant almonds. Two or more sorts should always be planted together for cross pollenization. ALMONDS. On Almond and

Peach Root Each Extra grade \$.85 \$7.50 \$60.00 3-4 ft. .60 5.00 35 00 2-3 ft. .45

I. X. L. The largest and finest, bears well in some places. Needs good pollenizers, and is uncertain bearer in many places.

Ne Plus Ultra. Large soft shell, better bearer than I. X. L. as a rule. Very strong growth.

Nonpareil. Thin shell, broad and flat, heaviest bearer of all, weeping habit.

Texas Prolific. Fairly hard shell, good bearer, good pollenizer.

Drake's Seedling. Recommended as the best pollenizer; firm shell, round, prolific.

WALNUTS

WALNUTS. As usual there is a strong demand for grafted trees and rather a short supply. We have a good stock on black walnut roots. Plant 40 to 50 ft. apart, or 60 ft. on rich valley soil.

| Size | Each | 10 | 100 |
|-----------------|---------------------|------------------|------------------|
| 12 ft. | \$3.50 | \$27.50 24.00 | \$225.00 |
| 10 ft. 8 ft. | $\frac{2.50}{2.25}$ | 22.00 | 200.00 |
| 6 ft. | 1.85 | 17.50 16.00 | 165.00 150.00 |
| 5 ft. 4 ft. | $1.75 \\ 1.50$ | 15.00 | 125.00 |
| 3 ft. | 1.00 | $7.50 \\ 5.00$ | ******* |
| 2 ft. | .60 | 5.00 | ******* |

Placentia. The leading variety for Southern Califor-

Somewhat larger, blooms later in spring, Eureka. Somewhat resists heat better.

We have small quantities of Franquette, May te, Parisienne, Wilson's Wonder, etc., mostl etc., mostly ette.

These are better adapted to Northern and Central California conditions—in fact are the only ones which succeed there.

WALNUTS. For shade, street trees and BLACK grafting:

| Size | Each | 10 | 100 |
|---------|--------|--------|---------|
| 6 ft. | \$.40 | \$3.50 | \$30.00 |
| 4-5 ft. | .35 | 2.50 | 20.00 |


PICANS

GRAFTED PECANS. Named varieties:

Stewart, large, cylindrical, shell mottled black. Has proved a heavy bearing sort in Monrovia. We will also have an assortment of the best Southern varieties. Pecans prefer deep valley soil.

4 ft., \$1.75 each; 3 ft., \$1.50 each. Seedling Pecans. 4 ft., 85c; 3 ft., 60c; 2 ft., 50c. Butternuts. 4 ft., \$1.00; 3 ft., 75c. Hazelnuts. 6 ft., \$2.00; 5 ft., \$1.50; 3.4 ft., 75c.

NEW PECANS. We have secured three new improved varieties from Texas: Krak-Ezy, Big Z and Bradley. These are the very finest Pecans from the pecan country. Price, 4 ft., \$2.00; 3 ft., \$1.75.



MISSION OLIVE THE RELIABLE VARIETY

OLIVES

OLIVES. Mission. Planted more heavily than any other variety. Oval shape, good size and reliable bearer. Olives will live and grow without watering, but bear well only when irrigated. Olives have had a slump the past two years but are on the upgrade. Plant now before prices of trees become high again.

| Size | Each | 10 | | 100 |
|----------------|------------|-------------------|-----|---------|
| 34 in. caliper | \$1.00 | \$8.50 | | \$90.00 |
| % in. caliper | .85 | 7.50 | | 75.00 |
| ½ in. caliper | .50 | 4.50 | | 40.00 |
| We can | supply Man | zanillo Sevillano | and | Asco- |

lano at slightly higher prices.

GRAPES AND SMALL FRUITS

For the past four years demand has been heavy, prices high and grapes exceedingly profitable. This has resulted in extensive planting. Whether good prices will continue with increased production each planter must decide for himself. We believe grapes will always be profitable in good grape territory with proper marketing facilities; but we would not put all the eggs in one basket. We believe there will be a great development in Concord and similar Eastern grapes in Southern California. This movement is already under way, and they have been very profitable.

Grapes are usually planted 8x8 ft., but large growing vines such as Thompson Seedless are often planted 10x8 or 10x10 ft. This type is usually grown on wires; most varieties, however, are trimmed to bush form. For pruning instructions write to the California State Experimental Station at Berkeley for bulletins on vine pruning.

Except in very dry climates all foreign grapes should be dusted with sulphur two to five times each sea-Plant deep, trim back roots, leave only one short shoot and cut this back to three or four buds.

No. 1 vines are well rooted with 6 inches to 2 feet of growth. No. 2 grapes are smaller with less growth and usually sell at two-thirds the price of No. 1.

CALIFORNIA OR FOREIGN GRAPES, NO. 1: each, \$1.50 per 10, \$8.00 per 100, \$50.00 per 1000.

Black Ferera. Large bunch, good bearer. Table grape.

Black Morocco. Very large berries, firm flesh, compact, fine late grape.

Black Malvoise. Oval berry, crisp, crackling, deli-

cious, strong grower.

Black Muscat. Small est, highest flavor. Small black, light grower, the spici-

Black Prince. Resembles Rose of Peru, bunches longer, ripens later, heavy bearer.

ornichon. Very late, long oval, blue black, does not crack with rain. Complaints of poor quality usually due to picking too green. Profitable. Cornichon.

Golden Chasselas. Golden yellow, large as Muscat and two weeks earlier.

Gros Colman. Sometimes called Very large, round, black. Good. called Fresno Beauty.

Malaga. The late white shipping grape, kee Christmas, but singularly one of the earliest grown in the Imperial Valley and Arizona. Such the hot sunshine, very productive. keeps till

Muscat. ..High flavored, very sweet, the great table grape and raisin grape.

Mission. Strong grower, heavy loose bunches, medium sized blue grape.

Red Emperor. Very long bunch, dark wine red,

splendid keeper and shipper, firm flesh.

Rose of Peru. Early, round, large bunch, heavy bearer, firm crisp black grape.



MUSCAT RICHLY FLAVORED-HONEY SWEET

Sweetwater. Extra early, white, small, delicate flavor, very sweet.

Sultana. Seedless, same as Thompson Seedless but a bush instead of a climber.

Thompson Seedless. The great seedless raisin grape, very heavy bearer, small, white. One of the earliest and the principal shipping grape from Imperial and Coachella.

Tokay. Bright red, solid flesh, does best in interior or at very high foothill location. High priced but productive only in suitable locations.

Zinfandel. Blue wine grape, small compact bunch. Heavy bearer.

Carignan. A blue wine grape, making a high class

AMERICAN OR EASTERN GRAPES. These all need wires or trellis. Splendid for covering arbors, pergolas and porches. There is no prettier or cooler place to spend a hot summer afternoon than under a shady grape vine, purple and fragrant with clustered fruit.

Prices-Concord, 25c each, \$2.25 per 10, \$20.00 per 100.

Other Eastern, 30c each, \$2.50 per 10; \$22.00 per 100

Sperial prices on Concords in large lots.

Concord. The universal favorite blue grape. Market demand heavy, and beginning to be largely planted. Good bearer.

Campbell's Early. Very early, sometimes colored by July 4th. Thick skin, sweet, large.

July 4th. Thick skin, sweet, large.

Catawba. Dark red, thick skin, late. Not so good here as back East.

Delaware. Light red, small, firm, very delicious. Does much better in California than in the East. Very fine.

White like Niagara, but 10 days earlier and even better.

Goethe. A hybrid with a European variety. Large pink grape, distinctive flavor.

Isabella. Blue black, small, late, very strong vine. Not as good as Concord.

Pierce (California Concord). Very late, twice as large as Concord in leaf, berry and vine, and much heavier bearer. Splendid variety but scarce.

Exactly like Concord but 2 weeks earlier. Worden. Cannot be distinguished.

Many persons suppose that Eastern grapes will not bear well in California because they are so seldom seen. This is a mistake as many small but highly profitable vineyards in the San Gabriel district prove.

BERRY FRUITS

BLACKBERRIES. Hardy, fast growing, succeed almost everywhere.

Extra Large, 15d doz.; \$7.50 per 100. 15c to 25c each. Standard, \$1.00

Crandall. Upright, stiff, the earliest and sweetest; very productive and hardy.

Mammoth. Trailing, needs support; very large, long, juicy berry. Heavy bearer.

Himalaya. Rank grower, needs high support, trim like grape; very late, tart until fully ripe; heavy bearer after second year.

Gardena Dewberry. Trailing, early, round, tart.

Cory Thornless. Strong, 25c each; \$2.50 doz., \$16.00 per 100. Simply a Mammoth with thorns removed. Even longer berry. We have found no other thornless which would bear. This is productive.

SPBERRIES. Red varieties succeed, but black caps only in certain places. Always in good demand. Very profitable where they are grown well. RASPBERRIES.

Strong Plants, red varieties, \$1.00 doz.; \$7.50

Golden, Purple and Blackcaps, \$1.80 doz.; \$10.00

uthbert. Old standard, still sticks while newer sorts come and go. Long season. Cuthbert.

Surprise. Ripens heavy crops in a short season. Good for market.

St. Regis. Everbearing, good crops as late as Thanksgiving. Fine family berry.
Golden Queen. Good yellow, fine flavor. For family

use.

Columbian. Purple, large. Intermediate between red and blackcap.

Blackcap. King of the Cliffs. Blackcaps need rich soil, plenty of water. Really prolific only in a few sections. This is the best variety.

a France. Great red everbearing. New, not thoroughly tried but looks promising. Very large bushes, berries slightly larger than ordinary. Like St. Regis bears all season with heavy fall crop. La France. Price, 50c each.

LOGANBERRIES. Tart but splendid flavor; needs trellis. Good market berry.
Strong rooted tips, \$2.00 per doz.; \$12.00 per 100.

STRAWBERRIES. Each locality has specially adapted varieties, but several have reached wide use and stood the test of several years' trial. Strawberries need water at least once a week and better oftener during bearing season.

randywine. Old reliable variety, long season, spe-cially good near Coast, and where winter berries are grown. Outclassed for spring crops in warm locations, by new sorts.

Klondyke. Until two years ago the favorite and heaviest yielding market sort. Now divides the honors with

arolina. New variety taking the country by storm. Exceedingly prolific, hardy, vigorous grower, berries pointed, good quality, stands handling and marketing. Not an everbearing or a winter variety, but probably the most profitable all around berry.

anner. One of the best new varieties yielder, fine appearance, splendid quality. Banner.

yielder, fine appearance, splendid quality.

The Ettersburg Berries. Hybrids originated by Albert Etter in Mendocino County, Calif. Crossed with strains of wild beach strawberries which make them deep rooting and hardy. Some varieties have succeeded on the desert where no other strawberries will grow. Need to be thoroughly tested in various locations to determine their value. We can supply over 10 varieties including Red Cross, Trebla, Beadarena, Ettersburg No. 89, No. 121 and other numbers; Fendalcina, Fantatic, etc.

California Beauty. Originated in Monrovia; rampant grower and bears from early spring to late October; good quality, almost everbearing.

regressive Everbearing. Well known standard everbearing, which means in California all summer but not all winter. Very prolific and exceedingly sweet, but likely to be small unless in very rich ground and given extra water. Price: 60c doz.; \$3.25 per 100 postpaid; \$3.00 per 100, not prepaid; 500 for \$12.00, not prepaid. Progressive Everbearing.



CRANDALL JUNE



MAMMOTH JULY



HIMALAYA AUGUST

inter Bearing Sorts, where frosts are not too severe, include Excelsior, A No. 1, Arizona Everbearing, Aroma and others. We can usually supply some of these.

Prcies: All except Progressive, 50c doz.; \$2.75 per 100 postpaid; \$2.00 per 100 not prepaid; 500 for \$8.00 not prepaid.

Write for prices on larger lots. We can often supply many varieties at very reasonable prices in large quantities.

RRANTS. Bear where winters are cold, also near Coast and in low, cool valley locations, such as El Monte. Shy bearers elsewhere except the Native Wild Currant with yellow flowers which produces abundantly and makes good jelly. CURRANTS.

*Native Wild Currant (Ribes tenuiflorum). Bears everywhere. Grows 4 to 6 ft. high. Plants, 25c to 50c each.

Red Currants. Cherry, Victoria, Fays and Perfection; also White and Black.

25c each; \$2.50 per doz.

GOOSEBERRIES. Also shy bearers except in locations specially adapted to them. Same price as Currants. Oregon Champion is best.

GARDEN PLANTS

ARTICHOKE. Globe. Divisions of large fruited varieties. 25c each; \$2.50 doz.

ASPARAGUS. Palmetto and others. Strong 1-year roots.

Extra grade, \$1.00 doz.; \$5.00 per 100.
Good grade, 50c doz., \$3.00 per 100.
We are seldom able to supply heavy old roots.
Most of the 2-year roots advertised are no larger than our 1-year. Write for quantity prices.

lary Washington. The best of a new race of asparagus originated through hybridizing by experts of the Dept. of Agriculture. Extra large productive and rust resistant. Very large roots \$1.50 doz. \$7.50 per 100. Mary Washington

We also supply Martha Washington, almost ood. Plants not quite so large, \$1.00 doz. \$5 good. per 100.

GARDEN HERBS. Lavender, Rosemary, Sage, Mint, Balm, Sweet Marjoram, Thyme. Pots and cans, 10c to 25c each; larger clumps, 35c to \$1.00.

Parsley makes a splendid border for walks; 40c doz.; \$2.00 per 100.

RHUBARB. Giant Winter Crimson and Strawberry,

the best spring sort.
Extra large, 20-30c each. Strong roots, 15c each; \$1.50 doz. Light, 10c each; \$1.00 doz.

Horseradish, 50c doz. Cauliflower, 20c doz.; \$1.00 per 100; Cabbage, etc., 15c doz.; 75c per 100. Tomatoes, 20 doz. Peppers, 40c doz. Egg Plant, 50c doz. Sweet Potatoes, from \$1.50 per 100 to \$4.00 per 1000 according to date wanted.

CITRUS TREES

All our citrus are on sour orange roots Prices unless otherwise noted-trees balled and burlapped.

1 inch caliper \$2.50 inch 5% inch caliper 3% inch caliper $\frac{2.00}{1.50}$ ½ inch ¼ inch $\frac{1.75}{1.25}$

For large quantities write for special prices. On account of the severe freeze last season some varieties are in very short supply. Many varieties we can supply only in the lighter grades. This is a blessing in disguise, as young thrifty trees usually grow best. Try

ORANGES

ORANGES. Washington Navel. The standard winter orange. Ripe Nov. 15 to about May 1.

Thompson Improved Navel. Smaller than Washing-ton, earlier, smoother skin, best for high foothill ton, earli locations.

Buckeye Navel. A new strain differing Slightly in shape.

Navelencia. Introduced as a late Navel. Good, but

seldom much later than others.

The late summer orange. e. Remains on tree w ge. Always highly without dropping profitable. sometimes for eighteen months.

Malta Blood. Skin deep reddish color, and flesh mot-tled red. May and June.

Ruby Blood. Rounder than preceding, very similar. Mediterranean Sweet. Medium size, very sweet when ripe. April to July.

t. Michael. Small, light yellow, very juicy, smooth skin. February to June.

LEMONS

LEMONS. Frosted easier than oranges, plant in warmer locations.

The standard; spreading growth, few Eureka. thorns, very productive.

Practically seedless. A selection from

Lisbon. Strong grower, thorny, stands hot interior well. Fruit unexcelled for quality.

Villa Franca. Grown considerably in San Diego County. Strong grower.

Variegated. Ornamental sort with variegated foliage. Fine for front yards.

Ponderosa. Fruit immense size, of good quality, tree dwarf.

MISCELLANEOUS

GRAPE FRUIT. (Pomelo.) Very scarce, 25c additional to above prices.

Marsh Seedless. Practically the only variety grown in California. Very large, almost seedless, heavy bearer.

CITRON OF COMMERCE. Lar rind, which is used candied. Large rough fruit, thick

BOUQUET DES FLEUERES. Grown for its beautiful appearance, thick, glossy, overlapping foliage, compact habit, and multitude of blossoms. Fruit showy but bitter.

CITRUS: RARE AND SCARCE SORTS

 $\frac{1}{2}$ inch \$2.00 $\frac{1}{4}$ inch 1.50 5% inch caliper \$2.75 3% inch caliper 1.75

We can sometimes furnish larger sizes at \$3.00 to \$5.00 each.

Bearss Seedless or Tahiti Lime. Large, round, almost thornless, broad spreading habit, very juicy; ripens nearly all the year.

Mexican Lime. Small fruit and small leaves, very

compact growth, productive.

Sweet Lime. Fruit resembles small orange. Juicy, refreshing but not sour.

TANGERINES and MANDARINS. These names are interchangeable and cover the same class of oranges—those which separate naturally from the rind, called Kid Glove oranges.

atsuma. Very flat, ripens early, usually Dec. 1, very good quality, drooping growth, very hardy against frost. Satsuma.

ancy. The most productive and profitable for shipping. Size about same as Satsuma, slightly thicker. Ripe February to August. Dancy.

Willow Leaf. Narrow leaves and slender growth. Fruit like Dancy, slightly later.

King. Very large, almost as big as a small orange; skin usually rough and puffed.

LARGE ORANGE TREES. We offer some large Valencias, trunks 2½ to 3½ inches in diameter, good bushy tops, 7-8 ft. high. Trunks show some frost cracks but in splendid growing condition. These trees should be boxed to transplant with foliage. Prices, \$12 to \$20 each. Or we will deliver, bare root, cut back and defoliated for \$5.00 each.

TROPICAL AND SEMI-TROPICAL FRUIT TREES

AVOCADOS

Send for our Special Avocado Circular

For practical purposes Avocadoes are classed as Mexican or Thin Skinned; and Hard Shell or Thick Skinned. The Hard Shell class is easily frosted, the Mexican is about as hardy as an orange. The Hard Shells are grown for shipping and for high class trade. Most of them ripen in the spring and summer. The Mexicans are for home and local use; are usually heavy bearers and ripen mostly in the fall. They are easier to grow, but if you have the proper location—frostless—the Hard Shells pay better. Avocado trees should be protected from the sun as soon as planted, by a screen of burlap over stakes, placed on the sunny side. Also whitewash the trunk and keep it whitewashed until shaded by foliage.

2-3 ft. 3-4 ft. Balled Trees 4-5 ft. 5-6 ft. 2-yr. root, Hard Shell 2-yr. root, Mexican \$3.00 \$4.00 \$5.00 \$6.00 3.253.75 4.75 5.50 Hard Shells: Fuerte, Spinks. Mexican: Ganter,

Above ready for immediate delivery.

Balled Trees 1-2 ft. 2-3 ft. 3-4 ft. \$2.00 1-yr. root, Hard Shell 1-yr. root, Mexican $^{\$2.50}_{2.25}$ \$3.00 1.75 2.75



FUERTE THE BEST ALL-AROUND AVOCADO

HARD SHELL VARIETIES. Puebla. This and Fuerte are sometimes classed as Leather Skins; intermediate between the Thick and Thin Skinned sorts. They are much hardier than the other Thick Skins and stood the freeze of January, 1922, much better. Puebla is medium size, specially valuable as ripening in December and January.

uerte. In our opinion the most valuable of all Avocadoes. Fairly hardy, good size, delicious quality. With us it bears young and regularly, but there have been some complaints of shy bearing. Ripe February to March. Long oval, slight neck, dark green with brown cheek.

Small tree but big fruit; ripe January to May. yon. Small tree but big fruit; ripe January to May. Slender dwarf tree, bears very young and heavily, fruit unexcelled for flavor and nutritious quality. Requires little space. "The Poor Man's Tree." Difficult to propagate, and tender for frost like all others of this class.

Dickenson. Medium size fruit, good bearer, ripe May to August.

Linda. The largest, two-pound fruit not uncommon. June, July, August. Not such a heavy bearer as Queen.

Queen. The best of the Knight importations. Bears young, large green pear shaped fruit of delicious quality. Productive, also a summer fruit.

Miller. Very rich delicious green fruit originated at Hollywood. Ripe July, August, September.

Colorado. Splendid purple fruit ripe February to June. One of the older varieties originated by Mr. Murrietta.

XICAN OR THIN SKINNED VARIETIES. reasonably hardy for frost. MEXICAN

anter. One of the oldest varieties and still one of the best. Bears young, and heavily every year, long green fruit, delicious quality. Ripe August to November. Principal defect, a black spot in the end of a few of the ripening fruits. Very large ornamental tree, which has stood unharmed in Valencia orchards which froze back 2 to 6 ft. of their tops.

Caliente. (Formerly Garcia.) Black, oval, medium small size. Specially valuable for early and heavy bearing. One-year trees often bear in nursery row; has not failed a good crop in eight years. Late July to October.

Northrup. Similar in appearance to above, possibly hardier, not quite so reliable in bearing.

Chappelow. Black, long neck, very hardy. The original tree in Duarte has produced 5000 fruit in one season. Young trees sometimes slow to bear. August to November.

Rodolph. Similar to Chappelow and bears better while young. August to October. Blake. Long green fruit, reliable bearer, originated in Pasadena. August to October.

Seedling Avocadoes. Fine for shade trees and road-side planting. Usually bear in from 5 to 8 years, even the small varieties bringing from 3c to 12c per fruit.

Hardy Mexican Seedlings, in pots and cans, 1 ft., 40c; 18 in., 50c; 2 ft., 65c.
Balled from field. 2 ft., 75c; 3 ft., \$1.00; 4 ft., \$1.50.

SEMI-TROPICAL FRUITS.

Banana, Orinoco. Ornamental clumps, several stems, makes tropical appearance quickly and sprouts readily if frosted. Fruits in warm sheltered locations.

Plants 11/2 to 6 ft., \$1.00 to \$3.50.

Carob Tree or St. John's Bread. (Ceratonia Siliqua.)
Dark green shade and street tree, shaped like Umbrella Tree. Very hardy for drought, stands considerable frost. Fruit, a broad, chocolate colored bean, edible, pulp sweet. Slow grower.

Small, in pots, 25c to 50c. In cans, 2 to 4 ft., 65c to \$1.00.

65c to \$1.00.

arissa Grandiflora. (Natal Plum.) Bushy, spreading, compact shrub growing 5 to 6 ft. Fragrant, white, jasmine-scented flowers against a background of glossy dark green foliage. Small red fruit resembling cranberries, which are used like that fruit. Tender for frost. This makes a beautiful had sawbushbar short near a building. Carissa Grandiflora. tiful hedge, or shrubbery plant near a building.

4 in. pots, 6-15 in., 40c to 75c. Balls and cans, bushy, \$1.50 to \$3.00.



CHERIMOYA

herimoya. (Custard Apple.) Anona. Large green fruit, soft custard-like pulp of pineapple flavor. Tree grows very fast, easily frosted; plant only in warm locations. We offer select seedlings; plant several close together. They make a beautiful Cherimova. several close together. group and bear better.

Pots, 12-18 in., 35c to 50c. Cans, 2 to 3 ft., 75c to \$1.25.

Delicious Monster. (Monsterra or Philodendron.) Unusual half climbing plant, whose immense leaves (15 to 20 inches across) are cut, notched and even perforated in most fantastic manner, while from the twisted stem long aerial roots grope their way back to the ground. Needs shade and will not stand freezing. Often planted close to the trunks of other trees. Bears a long green fruit containing kernels like a cob of corn; delicious blending of all aromatic fruit flavors. Makes a splendid tub plant.

In pots and tubs, 11/2 to 8 ft., \$1.50 to \$20.00.

Eugenia Jambosa (Rose Apple). Beautiful colored foliage, bushy, highly scented fruit; like crabapples. Very few in stock. Rather tender.

5 gal., 4 ft., \$6.00.

Feijoa Sellowiana (Pineapple Guava). Very hardy, tall shrub, standing 15 degrees frost. Foliage gray green with silvery reverse. Flowers beautiful, numerous red stamens in center surrounded by sauced-shaped white petals, which are sweet and edible. Very drought resistant. Fruit dark green, skin tough, flesh white, sweet and delicious for eating fresh. The whole fruit makes a delicious jelly and the pulp alone makes a jam superior to strawberry. Ripe, October to December.

Seedlings from heavy fruiting strain, can, 10-12 in., 25c to 35c; 15-20 in., 50c. Balled, 2-3 ft., \$1.50 to \$2.00. Large, 5-6 ft., \$5.00.

uava, Red Strawberry (Psidium Cattleyanum). Bushy, dark green, fast growing shrub, drought re-sistant, stands considerable cold. Fine as single ornamental shrub, or for groups, borders or hedges. Bears young, usually at 18 months. Fruit red ¾

to $1\frac{1}{2}$ inch in diameter; flavor of strawberry, delicious fresh and for jams and jellies. Often bears two crops, ripe in October-November and January-Robburgy. February.

Pots and cans, 10-15 in., 25c; gal. 18 in., 50c; 2 ft., 75c.

Balled, 18 in., 75c; 24 in., \$1.25.



STRAWBERRY GUAVA GROWS EASIEST OF ALL TROPICAL FRUITS

Yellow Strawberry. Just the sa sweeter fruit, yellow in color. Just the same but bigger, nicer,

Pots and cans, 10-12 in., 25c; 15-20 in., 50c.

emon (Psidium Guajava). Entirely distinct from Strawberry Guava; large veined leaves, upright open growth, very tender for frost. Large yellow fruit, seeds very small, peculiar flavor.

Pots and cans, 18-30 in., 75c to \$1.50.

Loquat (Eriobotrya Japonica). Beautiful dark green tree, large glossy leaves, very handsome with clusters of yellow fruit. Hardy everywhere except in dry, exceedingly hot, interior valleys. Fruit ripens February to June; flavor somewhat like apples, especially when cooked. Makes splendid jelly. Blossoms deliciously fragrant, appearing usually in November and December. Our strain of Giant Seedlings bear fruit almost as large as the Advance budded variety. Desirable as the first fruit ripening in the spring. ing in the spring.

Gal. cans, 18-24 in., 50c to 75c. Balled and 5 gal. 18 inch bushy, \$1; 2 ft., \$1.25; 3 ft., \$1.50. We can furnish a few large fruiting trees 8-12 ft. balled, \$5.00 to \$10 each.

Macadamia Ternifolia (Queensland Nut). Small, compact, upright tree, unique foliage, which is long and narrow with prickly, holly-like edges. Young growth bronze and red. Nuts larger than filberts, flavor of Brazil nut. Very ornamental; stands only very light frosts.

Pots, 12 in., \$1.00; 16 in., \$1.50; 20-24 in., \$2.25.

Sapote (Casimiroa Edulis). A large fast growing tree; five-fingered, sharp-pointed foliage. Quite tender for frost, but quickly recovers. Fruit yellowish or gray green; yellow or white pulp with several good sized seeds. Flavor difficult to describe; has a suggestion of the Eastern pawpaw. Tree remarkably drought resistant.

Gal. cans, 2 ft., \$1.00; 3 ft., \$1.50.

ORNAMENTAL DEPARTMENT

We have a very large assortment of ornamental plants of all descriptions. We have listed the most important ones in this catalogue; but for lack of space are forced to omit many varieties. If there are any plants desired not found listed in these pages, write to us. We can probably either supply you or refer you to a source of supply, and we will be very happy to help you in any way.

We have made descriptions brief, but as accurate as possible. No plant is perfect; nothing is, in this imperfect world, but the good points of every one usually outweigh the defects, so that all are well worth planting. A knowledge of the weak points of each, however, gives valuable assistance in determining the selection, guiding in the location and care, and preventing disappointment. We think you will find this catalogue unusual in giving this information, and we hope you will find it useful.

We will be glad to have you consult us about your problems. The Pioneer Nursery began in 1876. Forty-seven years' accumulated experience is at your service.

LANDSCAPE DEPARTMENT

We have a Landscape Department especially for the help of our customers in the laying out of their

We will be pleased to give advice, help in the selection of varieties, make sketches or complete detailed plans, and pick out the plants you desire or that we recommend; and we are glad to do this whether you wish us to do the planting or simply deliver the stock. We are equipped to take care of you completely, installing sprinkling systems, rockeries, lily ponds and paths of stepping stones; making lawns and planting window boxes. We will be glad to give you an estimate, for plants alone; or for the job completely planted, either on contract or by the day.

Many people have the erroneous impression that landscape work and planting must be done in the early spring months only. This is a mistake. Except for bare root deciduous trees, planting can be carried on throughout the entire year. In fact during the summer and fall when there is no rush, we can give your problems more attention and greater care, resulting in a better job. Therefore do not put off planting when summer comes. Some things cannot be safely planted then, but many others succeed even better than in cooler weather. Consult us anyway.

CONE BEARING EVERGREEN TREES

Note:-All varieties marked * are native California species.

IES (Firs). All firs and spruces are of slower growth and more compact habit here than in cooler, damper climates. Some kinds sunburn easily, losing their leaders, and becoming shrubs instead of trees, and are valuable for mass planting. Most of them prefer cool semi-shady locations, or north slopes. Good specimens are very valuable for individual planting on lawns, at entrances, or wherever a particularly fine plant is desired. ABIES (Firs). desired.

*concolor (White Fir). Native in our higher mountains. Silvery gray, does not sunburn.

Balled, and in cans and boxes, 18 in. to 4 ft., \$3.00 to \$10.00.

Fraseri (Fraser's Balsam Fir). Makes more upright growth than any other Fir or Spruce here in Southern California. Does not sunburn; gray-green with bluish cast. A beautifully formed young tree. Balled or boxed, 4 to 6 ft., \$8.00 to \$15.00.

ordmanniana (Nordman's Fir). Dark glossy green, needles white on reverse. Stiff; compact spreading growth, beautiful form. Very slow. Young plants sometime sunburn and lose leading Nordmanniana

Balled, slightly imperfect form, $2 \frac{1}{2}$ to 3 ft., \$3.00 to \$5.00. Specimens, \$10.00.

We have a few plants of Abies *lasiocarpa, Picea (pectinata), and Pinsapo.

ARAUCARIA. AUCARIA. Only a few Araucarias are available since Quarantine 37 took effect.

Bidwilli (False Monkey Puzzle). Tall tree, beautifully conical habit, broad dark green prickly leaflets; a striking, impressive tree. Fairly hardy, but damaged somewhat in cold locations in January, 1922. Sometimes afflicted with golden mealy bug, which makes foliage drop: but there has recently been introduced a quite effective parasite to control this nest. control this pest.

Large plants, in tubs, imperfect, 6-7 ft., \$7.00; 5 gal., $2\frac{1}{2}$ -3 ft., good, \$5.00.


excelsa (Star Pine, Norfolk Island Pine). Absolutely unique, branches in horizontal whorls, very striking, grows to 60 ft. Injured by severe freezing, also sometimes subject to insect enemies, but may be controlled by their parasites or by spraying. Small plants make beautiful potted plants.

Very scarce. Pots, 15-18 in., \$4.00.

CEDRUS. Perhaps the most beautiful class of tall evergreens. All are remarkably hardy, easily grown and of distinct form and outline.

Atlantica (Mt. Atlas Cedar). Dark green, rather stiff habit, very pleasing shape. Has been neglected for the Deodara, as it grows much slower; deserves more appreciation. Fine for specimens on lawns, or for street trees in wide parkings. Sometimes difficult to transplant suc-

Balled or boxed, 7 to 12 ft., \$8.00 to \$20.00.



CEDRUS DEODORA

eodara (Himalayan Cedar). Probably the most popular conifer. Silvery blue foliage, graceful but impressive pyramidal form, attains majestic size but is equally beautiful in the youngest specimen. Very fast growing and quite drought resistant. deodara (Himalayan Cedar).

bushy specimens, 3 ft., \$2.00; 4 ft., \$3.00; 5 ft., \$4.00.

Balled, lighter grade, 25% less.

Boxed, 9 ft., \$10-\$12; 10 ft., \$12-\$15; 12 ft., \$15-\$20; 14 ft., \$18-\$25.

We have a few light grade trees, 6-9 ft., balled, at \$4.00 to \$8.00 each.

Libani (True Cedar of Lebanon). Resembles Atlantica very closely, slightly different outline, and possibly shorter needles. Same habit. Prices same as Atlantica.

PRESSUS (Cypress). Exceedingly hardy, very fast growing, very drought resistant. CUPRESSUS (Cypress).

rizonica. Foliage silvery gray, slender pyramidal form, rapid grower. Perfectly hardy, succeeding even on the desert and in Imperial Valley. Makes a good silvery gray hedge. Useful for a slender tall tree, of broader base and more tapering habit than Italian Cypress. Large sizes difficult to ball.

Paper pots and cans, 8-12 in., 25c; 12-18 in., 50c; 2 ft., 75c; 3 ft., \$1.00; 4-5 ft., \$1.25 to \$2.00.

*macrocarpa (Monterey Cypress). The commonest variety, universally used for hedges and windbreaks. Trims to any desired shape; the fastest grower of all. Bright green, becoming dark green with age, when it attains majestic size, over 100 ft. high and 50 ft. spread. Perfectly drought resistant, may be grown directly on the ocean front.

Paper pots and cans, 1 ft., 20c; $1\frac{1}{2}$ ft., 25c; 2 ft., 40c; $2\frac{1}{2}$ ft., 60c; 4 ft., \$1.00.

Flats of 100, 8-16 in., \$3.00 to \$4.00.

sempervirens (Italian Cypress). Slender, erect, very tall columnar habit, fast growing and hardy. Much used for its architectural effects in specimens and groups, also at entrances. Select compact type and grow as dry as possible after the first year. Plants grown from cuttings have better form and habit. habit.

Seedlings, paper pots and cans, 8-12 in., 25c; 12-15 in., 35c; 18-24 in., 60c.

Balls or cans, 3 ft., \$1.00; 4 ft., \$1.50; 5 ft., \$2.25; 6 ft., \$3.00.

From cuttings, balled, 3 ft., \$1.50;. 4 ft., \$2.00; 5 ft., \$2.75; 6 ft., \$3.50.

*CHAMAECYPARIS (Lawson Cypress). Broad, oval, pyramidal tree, of soft gray color and soft graceful outline. Flat foliage, moderate growth, beautiful in any size. Hardy except in dry interior. A splendid tree for lawn or border planting.

Balled, 4 ft., \$3.50; 5 ft., \$4.50; 6 ft., \$7.50.

Boxed, 7-8 ft., \$10.00 to \$12.00; 9 ft., \$15 to \$20.

For dwarf forms see Coniferous Shrubs.

NIPERUS (Juniper). Virginiana (Red Cedar). Most Junipers are shrubs—this is a tree. (For other varieties see Coniferous Shrubs.) Grows 20 to 30 ft., gray soft foliage while young duller with age. Erect, columnar form, very hardy and fast growing, stands drought and heat. Useful when small for tubs and formal planting, and may be trimmed to desired shape. JUNIPERUS

Balled, 2½-3 ft., \$2.00; 3½-4 ft., \$2.50.

Cocedar). *decurrens (Oregon Cedar, Incense Cedar). Tall, compact, pyramidal form, rich green flat foliage of the Arbor Vitae type. The very best formal tree, its graceful foliage preventing stiffness. Hardy for cold, heat and drought; always attractive color. Will be more widely used when better known. Fine tree for street planting in moderately wide parking spaces. LIBOCEDRUS.

Cans, 2 ft., \$2.00; 3 ft., \$3.00. Balled, 6 ft., \$7.50; 8 ft., \$10.00; 9 ft., \$12.00.

CEA (Spruce). For Firs see Abies. See also Pseudotsuga. What is said of Firs applies equally to Spruces. We have some beautiful specimens for conspicuous positions. Also a large number imperfect, ill-shaped or dwarfed, which work splendidly for mass planting, hillside cover or rockwork. We will make reduced rates on this class of stock. PICEA (Spruce).

Spruces and Firs should generally be considered as shrubs rather than trees in Southern Califor-nia landscape work as they are so slow in growth.

alba coerulea (Blue Spruce). Vigorous, sharply conical, silvery blue tint. There is nothing prettier than this spruce with new fresh growth in the

Balled, 4 ft., \$6.00 \$12.00; 7-8 ft., \$20.00. \$6.00; 5 ft., \$8.00. Boxed, 6 ft.,

*Engelmanni (Engelmann's Spruce). Very dwarf in warm locations, needs partial shade, moisture and cool climate. We have only dwarfed specimens.

Balled, 12-16 in., \$1.50 to \$3.00 according to appearance.

excelsa (Norway Spruce). Hardy, strong growing, upright, blackish-green foliage. Usually very compact while young in Southern California, except in shady locations; more open, vigorous growth with

Balled, 2 ft., \$2.50; 3 ft., \$4.00; 4 ft., \$6.00; 5 ft., \$7.50; 6 ft., \$8.00.

Boxed, 6-9 ft., \$12.00 to \$25.00.

orientalis (Oriental Spruce). Smallest needles, slenderest growth, brightest green. Grow very dwarf in sun here. Fine for tubs, rockeries and dwarf planting.

Balled, 15 2½ ft., \$6.00. 15 in., \$3.00; 18 in., \$3.50; 2 ft., \$4.50;

pungens (Colorado Spruce). One of the hardiest and best shaped spruces

pungens glanca (Colorado Blue Spruce). Stiff green needles and branches. Two types, a gray green, and a glaucous blue. Also a silvery variety called Koster's Blue Spruce, now very scarce on account of Quarantine 37. All do well here but are very slow. Broad, spreading, conical.

Balled, 1½ ft., \$3.00; 2 ft., \$4.00; 2½ ft., \$5.00; 3 ft., \$7.50; 4 ft., \$10.00.

Boxed, 5 ft., \$15.00; extra choice, 6 ft., \$50.00

*Sitchensis (Menziesi). (Sitka Spruce). Upright growth, bluish foliage, burns somewhat in sun, grows better in partial shade or on north slopes. Our plants are somewhat imperfect. Balled, 3-4 ft., \$2.50 to \$5.00.

Besides the above we can furnish Picea polita and Smithiana (Morinda) \$4.00 to \$10.00.



PONDEROSA PINE NATIVE PINE, COMPACT, HARDY

PINUS (Pines). We have a large assortment of Pines. Nearly all varieties succeed well. There is a wide difference in size, habit of growth and color and many pines now neglected could be used to great advantage in Southern California horticulture. Specially adapted to backgrounds and hillside planting. Many varieties are drought resistant, requiring no water except winter rains after the first season. Several sorts are of very rapid growth, making a fine shade, and useful for road-side planting.

Austriaca (Austrian Pine). Bright pleasing green, very compact, dwarf growth in Southern California. Good for massing alone or with other shrubbery, for rockeries or individual small specimens. Often irregular, contorted, very pleasing. Five years' growth about 6 to 8 ft.

Balled, 3 ft., \$2.50; 4 ft., \$4.00; 5 ft., \$5.00 to \$7.00; 6 ft., \$7.50 to \$10.00.

Canariensis (Canary Island Pine). Upright, slender, branches ascending, growth open, rapid; beautiful shape, very large needles. Color white while young, later greenish gray. Exceedingly drought resistant. Five years' growth 20 ft.

Cans. 2 ft., \$1.00; 5-6 ft., \$3.00. Boxed from field, 15 ft., \$35.00.

*Coulteri (Big Cone Pine). Silvery gray, long stiff needles, very spreading growth making a broad, round-topped tree. Very fast; absolutely hardy. Giant cones.

Balled, 4 ft., \$2.50. We have a number grown close together, flat-sided, imperfect, 7-9 ft., will make these at very low prices. In five years, 18 ft.

dulis (Pinon or Nut Pine). Small pine, short needles, dwarf growth, conical shape, gray color, very hardy. Fine for small compact specimen. Five years, 8-10 ft.

Balled, 3 ft., \$2.00; 4 ft., \$3.00; 5 ft., \$3.50; 6 ft.,

*flexilis (Limber Pine). Native white pine, bushy spreading, compact, silvery blue green, soft needles; a beautiful small pine.

Balls and 5 gal., 2 ft., \$1.75; 3 ft., \$2.75; 3½ ft., 4 ft., \$3.50. Five years, 6-8 ft.



MONTEREY PINE

Halepensis (Jerusalem or Aleppo Pine). Bushy spreading growth, exceedingly rapid, slender flexible branches, fine soft gray-green needles. Very hardy. This with Monterey and maritima or Cluster Pine are the three fastest growing shade pines. Not quite as good color and shape as Monterey, but does not die out unexpectedly like Monterey, and more graceful than maritima. Five years, 25 ft. rey, a 25 ft.

1 gal., 2 ft., 65c; 3 ft., 85c. 5 gal. and balled, 5 ft., \$2.00; 6 ft., \$3.00.

*Jeffreyi (Jeffrey's Pine). Resembles Coulteri, more compact, slower. Native. Five years, 10 ft. Balled, 5 ft., \$3.50; 6 ft., \$4.50.

Massoniana (Japanese Pine). A good substitute for Monterey, which it resembles in color—a bright pleasing green. More stiff and massive, somewhat slower, but fast enough—and most important—will not die out. Five years, 18 ft.

Cans. 2½ ft., 90c; 3-3½ ft., \$1.25. Balled, 5 ft., \$1.75; 6 ft., \$2.50; 7 ft., \$3.00.

Mughus (Montana). (Dwarf Mountain Pine). Very dwarf, compact, irregular growth. For rockery and dwarf plantings. Five years, 3 to 5 ft.

Balled, $1\frac{1}{2}$ -3 ft., \$2.00 to \$5.00 according to shape and condition.

maritima (Correctly Pinaster). (Cluster Pine.) Resembles Monterey, stiffer, darker green, very rapid and very hardy without irrigation. Subject to the white pine-needle scale in some places; very valuable when clean. Five years, 25 ft.

Balled and cans, 4 ft., \$1.50; 6 ft., \$2.00; 7-8 ft., \$3.00. Boxed, 10-15 ft., \$15 to \$35.

onderosa (Western Yellow Pine). Hardy, slow, stiff, broad bushy form, gray-green. Five years, 8 to 10 ft.

Balled, 2½ ft., \$1.50; 3 ft., \$2.00; 4 ft., \$3.00; 5 ft., 50. Boxed, 6-8 ft., \$8.00 to \$12.00. \$4.50.

*radiata (palustris). (Monterey Pine.) The fastest grower and most beautiful of our pines, bright living green, very hardy, but occasionally dies mysteriously in Southern California only. Nine-tenths of the pines in cultivation in California are this variety. In 5 years, 30 ft.

Gal., 2 ft., 50c; 3 ft., 75c. Balls and 5 gal., 4 ft., \$1.25; 5 ft., \$1.75; 6 ft., \$2.25; 7-8 ft., \$2.75.

strobus (White Pine). Soft fluffy, bushy pine, slender gray needles. A most pleasing lawn or shrubbery specimen. Very hardy and easily transplanted. Five years, 8-10 ft. Becoming scarce.

Balled, 5 ft., \$3.00; 6 ft., \$4.50; 7-8 ft., \$6 to \$10.

sylvestris (Scotch Pine). Rough, shaggy, stiff gray pine, harsh and tough as Scotch granite. Slow grower, irregular shape in Southern California. Five years, 8 to 12 ft.

Balled, 4 ft., \$2.00; 5 ft., \$2.50; 6 ft., \$3.00. Boxed, 7-8 ft., \$8.00 to \$12.00.

In addition we have a few Pinus densiflora, *monophylla, *Parryana, pinea and Torreyana.

*PSEUDOTSUGA, Douglasii. (Douglas Spruce.)
Short green needles, bushy, drooping habit. A
fast growing tall tree in cooler climate, but sunburns and dwarf in the sun in Southern California.
Needs shade to attain good shape. We have some
large bushy plants without leaders, irregular
shape, useful for mass and hillside planting.

Balled, 4-6 ft., \$2.00 to \$5.00 according to condi-

*SEQUOIA (Wellingtonia). Two species only, distinctly Californian, the only ones in the world. The world's largest and oldest trees.

*gigantea (California Big Tree). Stiff heavy pyramidal growth, slow, makes a massive trunk; large at base, tapering to top. Short gray needles. A very hardy tree which should be planted more. This is the Yosemite species. Five years' growth, 7-8 ft. Difficult to transplant. We do not guarantee this variety when dug from field, except by special arrangement.

Pots, 8-12 in., \$1.00; 12-18 in., \$1.50. Balled, 4 ft., \$6.00. Boxed, from field, 5 ft., \$12; 6 ft., \$15.

*sempervirens (Coast Redwood). This, with Cedrus Deodara and Libocedrus decurrens are the best conifers for California, and we place this as best of the three. Fast; upright tapering trunk, drooping branches, foliage in flat sprays, dark pleasing green, absolutely hardy except in hottest interior, drought resistant. Very pleasing in groups of two to five, planted close together. Should be used more freely for tall specimens, background effects, etc., and for street planting. Five years, 18 ft.

Gal. cans, 2 ft., 75c; 3 ft., \$1.00. 5 gal., 3 ft., \$1.25; 4 ft., \$1.75; 5-6 ft., \$2.50.

Field grown, difficult to transplant, 8-15 ft., boxed, \$10.00 to \$25.00; not guaranteed.

TAXODIUM mucronatum (Chapultepec Cypress. From Mexico, resembles Coast Redwood, but foliage finer, more airy, lighter green. Exceedingly fast and hardy. The most beautiful tall slender evergreen grown, but becomes dull and loses part of foliage in winter. Five years, 20 ft.

In cans, 6 ft., \$2.50; 7-8 ft., \$3.50.

TAXUS see Coniferous Shrubs—as they seldom grow large in Southern California.

CONIFEROUS SHRUBS

There is nothing more pleasing for either group or individual specimens than a good selection of dwarf growing conifers. They lend a dignity and charm in landscape effects attained by no other group of plants. Their attributes are mass, form, and a blending of beautiful foliage tones; in contrast to either the solidity or the grace of other shrubbery, and the brilliant color of flowers. Only a few varieties are commonly known and largely used at present. A judicious selection from the large assortment here offered will help to relieve the maddening monotony of golden arbor vitae, boxwood and Italian cypress, so endlessly repeated in most landscape work at

- CEPHALOTAXUS. Fortunei and drupacea. Large-leaved Yews, broad pyramidal. Very few left. Field grown, boxed or balled. 4-5 ft., \$12 to \$15.
- pedunculata fastigiata (Podocarpus Koreana). rean Yew; silvery, dwarf.

Small pots, 6 in., 35c. Balled, 15-18 in., \$3.00.

- CRYPTOMERIA elegans. Tall shrub or low tree, slender tangled green bronze foliage, changing to red bronze in winter. Burns somewhat in exposed places or in extremely hot spells, but readily recovers. Not suited to dry interior. Fast growing. Pots, 8-12 in., 35c. Cans, 2 ft., \$1.00; 3 ft., \$1.25.
- CHAMAECYPARIS Lawsoniana Alumni (Erect Blue Lawson Cypress). Beautiful soft blue foliage, very compact upright growth. Superior to arbor vitae for tub use or formal planting; remaining attrac-tive longer and developing better. One of the good things not yet overdown. things not yet overdone.

Balled, 15 in., \$1.50; 20 in., \$2.00; 24 in., \$2.50.

- NIPERUS (Junipers). Not appreciated as they deserve. Especially hardy, widely diverging forms, but always graceful and harmonious, they add to the beauty of any planting whether used alone or grouped with other conifers. In this list we have smitted parts of some involved hetanical pares. JUNIPERUS (Junipers). omitted parts of some involved botanical names.
 - Chinensis argentea var. (Variegated Chinese). Pyramidal, sharply pointed, dense, gray-green with scattered golden sprays. Slow.

1 ft., \$1.50; 16 in., \$2.00; 18 in., \$2.25; 2 ft., \$3.00.

Canadensis (Canadian). Fast growing, hardy, bushy, rather coarse but compact foliage, silvery with undertone of brown. Grows 8 or 10 ft. We have two types from seedlings—the compact and the spreading.

Balled, sizes average of height and diameter, 12 in., \$2.00; 15 in., \$2.50; 18 in., \$2.75; 24 in., \$3.00.

Canadensis aurea (incorrectly Fortunei). More spleading, slightly pendulous tips, golden brown More shading.

Balled, 15 in., \$2.35; 18 in., \$2.50; 24 in., \$2.75.

Hibernica (Irish). Upright, slender, compact, mottled silver-gray, sharp needles. Widely used where medium-sized columnar form is required in landscape work. Very hardy.

Balled and cans, 18 in., \$1.25; 24 in., \$1.75; 30 in., \$2.25; 3 ft., \$2.75; 4 ft., \$3.50.

Horizontalis. Probably a type of Sabina. Sping on the ground like a watermelon vine. green foliage, slender branching growth. Spread-

Balled, 1 ft., \$1.25; 15-18 in ., \$2.00; 2 ft., \$2.75.

aponica (Japanese). Upright slender growth with pendulous tips, branching into a beautiful spreading form. Soft silvery pastel gray foliage. Grows Japonica (Japanese).

Balled, 15 in., \$1.50; 18 in., \$2.00; 20 in., \$2.50; 30 in., \$3.00; 36 in., \$3.50.

Pfitzeriana (Spreading Juniper). One of the very best. Wide spreading graceful form, silvery blue foliage, rapid growth to 6-8 ft. Hardy.

Balled, 18 in., \$2.00; 24 in., \$2.75; 30 in., \$3.50.

procumbens (Trailing). Prostrate spreading habit, dense tufted branches, gray-green foliage, very hardy. Useful for rockeries, terraces, steps, entrances, etc., also in tubs.

Balled, 1 ft., \$1.00; 15 in., \$1.50; 18 in., \$2.00; 20-24 in., \$2.50.

rigidus (Rigid Juniper). Heavy needled form, bronzy gray color, loosely branching upright habit, fast gray color and hardy.

Pots, 6-10 in., 35c. Balled, 2 ft., \$1.75; 2½-3 ft.,

Sabina (Sabin Juniper). Dark green flat foliage, spreading half-reclining habit. Slow dense growth, very pleasing color and form.

Balled, 12 in., \$1.50; 16 in., \$2.00; 18-20 in., \$2.50.

Sabina horizontalis (very similar to Sabina Tamari-scifolia). Silvery gray, fine-needled form, spread-ing habit, faster than the green form.

Balled, 15 in., \$2.00; 18 in., \$2.50; 24 in., \$3.00.

scopulorum (Blue Rocky Mountain Juniper). Erect pyramidal form, soft fine loose blue foliage, very fast grower.

Balls, 2 ft., \$2.00; 3 ft., \$3.00.

- RETINOSPORA. These are forms of Thuya and Chamaccyparis species diverging widely from the commoner types, and horticulturally classed here; mostly of loose soft foliage, irregular but graceful outline, and variable coloring. Not perfectly hardy as a rule, need good watering and care, some need a protected situation. Inclined to burn or brown.
 - ptoclada (Juniperus Sanderi). (Blue Juniper). Beautiful blue while young, changing to intense steel blue in winter. Soft oval outline. Resembles Rosdale Arbor Vitae but better, deeper blue and hardier. Shows a good deal of brown foliage with age, especially in the summer. Useful for quick temporary effect to be renewed later, or for a touch of color in the background of other shrubs. Cans and balls, 1 ft., 90c. Balls, 4 ft., \$2.00; 6 ft., \$3.00.
 - plumosa (Feathery Retinospora). Soft plumy light green, very fast, 6 ft. in 2 years. Beautiful while young, loses foliage with age. Fine for quick tem-porary effect.

Cans, 18 in., 75c; 2 ft., 90c. Balled, 3-4 ft., \$2.00; 5-6 ft., \$3.00.

squarrosa Veitchi (Veitch's Silver Retinospora). Soft delicate foliage of silvery smoke color, graceful, plumy, erect habit, very good.

Balled, 15 in., \$1.25; 18-24 in., \$2.50.

- XUS (Yew). Slow growing, compact, dark-leaved conifers, scarcely attaining tree form in Southern TAXUS (Yew). California
 - baccata pyramidalis (Pyramidal Yew). Dark green, compact, slender pyramid, smaller leaved and not so symmetrical as Irish Yew.

Balled (tubs extra), 2 ft., \$3.50; 21/2 ft., \$4.50; 3 ft., \$6.00.

Hibernica (Irish). Slender columnar type, rich, dark green, exceedingly scarce. Fine for tubs.

Balled (tubs extra), 2 ft., \$4.00; 2½ ft., \$5.00;

3 ft., \$7.00; 3½ ft., \$9.00; 4 ft., \$10.00.

- THUYA (Biota) (Arbor Vitae). Flat leaved evergreens of light green color, rapid development, very hardy, easily transplanted, compact forms of various shapes. Most varieties look better as young plants, the larger forms especially likely to deteriorate with age. The most widely used of all dwarf coniwith age. The most war fors. Very satisfactory
 - occidentalis pyramidalis (probably plicata pyr.) Dark green, slender pyramidal, not dense but very grace-ful.

Balled, 18 in., \$2.50,

orientalis aurea nana (Berckman's Dwf. Evergolden Arb. Vit.) 'The most wanted arbor vitae. Very dwarf, golden tipped, broad oval shape. Always

Balled, 12 in., \$1.50; 15 in., \$2.00.

elegantissima (Pyramidal Golden A. V.) fast growing type, not compact, but graceful, flat, upright, symmetrical effect. Beautiful while young; should be trimmed back occasionally or it young; should be trimmed back loses its attractiveness with age.

Balled. 2 ft., \$2.00; 2½ ft., \$2.50; 3 ft., \$3.00; 3½ ft., \$3.50.

or. Rosedale. Soft blue form, resembling a Retinospora. Inclined to become yellow and lose some branches in hot weather, but very beautiful when it can be kept in good shape.

A few balled, 3-4 ft., at \$2.50.

We have a few other Thuyas such as Ellwangers, occidentalis lutea and others, either too small or too few to quote. Write if interested,

THUYOPSIS BOREALIS COMPACTA (correctly Chamaecyparis Nootkatensis compacta). A very dwarf soft blue evergreen of slow growth, does not burn or discolor like Rosedale A. V. or Ret. leptoclada. Potted 6-8 in., at 35c. Balled, 8-10 in., \$1.00.

We have a few other dwarf conifers too few or too small to list here. We expect to be able to offer these later.

BROAD LEAVED EVERGREEN TREES

The vast majority of ornamental trees planted in California are of this type. This is as it should be, and there is a large assortment of types from which to choose. Nevertheless exclusive planting of evergreens results in monothony. Do not overlook the fact that richer contrasts, more striking results and an infinitely larger diversity of landscipe effects can be obtained by the use of well chosen deciduous trees.

In describing tree varieties, the prospective purchaser should be told the following facts: Shape, ultimate size, and rate of growth, hardiness for heat, cold and drought; color of foliage and flowers and date of bloom, enemies and any especial defects. In our limited space we have tried to cover these points as far as possible.

Any lacking information we will be glad to give on request.

ACIAS. Fast growing group of trees from Australia, nearly all quite hardy and requiring but little water. Mostly fine or narrow foliage, spreading habit and yellow flowers. Stand cold to 25 degrees, and lots of heat, but not adapted to Imperial Valley as a rule. Seldom affected by scale or other enemies, since the white scale has been eradicatd.

mata. Bushy tree or large shrub 15 ft.; fast, hardy; small triangular leaves; spiny; dark yellow flowers about April or May. Useful for large shrubbery massing.

Cans, 1 ft., 30c; 2 ft., 50c; 3-4 ft., 90c.

Cans, 1 ft., 30c; 2 ft., 50c; 3-4 ft., 90c.

Baileyana. The favorite flowering acacia, deep silvery blue fern-like foliage, with a wealth of fluffy canary yellow flowers in February and March. Very fast, upright, eventually compact shape, 25 ft. Quite hardy and resents overwatering. Does not like too heavy soil. Difficult as it is to convince the public, this acacia (and also all others of the fern leaf type) is much better if planted very young and small. A thrifty 1 ft. or 2 ft. tree will usually make a bigger tree and a better tree in three years' time, than a tree 6 ft. or larger. Usually a short lived tree. Stock very scarce at present. present.

Pots or cans, 1 ft., 65c; 2 ft., 90c; 3 ft., \$1.00.

Cuerna de Vaca (Cow Horn Acacia). Tall shrub, 12 ft ;bushy, rather slow. Specially noticeable for enormous thorns in pairs, shaped like Texas steer borns.

Cans, 8-12 in., 50c.

ealbata (Silver Wattle). Upright spreading tree, eventually 50 to 60 ft. Fern foliage of silvery-gray color, soft yellow flowers a few weeks later than Baileyana and almost as good. A much larger, hardier and longer lived tree than Baileyana. A fine street tree.

Pots and cans, 3 ft., 75c; 4 ft., \$1.00; 5 ft., \$1.25; 6 ft., \$1.50.

decurrens (Green Wattle). Resembles dealbata but brilliant shining green foliage still more fern-like, broader and finer, branches of new growth sharply angled. Blossoms about March, usually better than dealbata, only a little less beautiful than Baileyana. A splendid tree but difficult to get the true variety.

Pots and cans, 1 ft., 50c; 2 ft., 75c; 3 ft., \$1.00.

floribunda (nerifolia) (Everblooming Acacia). Fast growing round headed tree, 18-20 ft., narrow willow foliage, blooms almost constantly, soft creamy yellow balls in clusters, very fragrant.

Cans, 2 ft., 40c; 3 ft., 50c; 4 ft., 75c; 5 ft., 90c; 6 ft., \$1.25.

lophantha (correctly Albizzia lophantha). Exceedingly fast, grows 12 to 18 ft. in two or three years. Large, coarse fern-like foliage, flowers in large fluffy clusters, greenish yellow about April or May. Should be cut back and renewed every few years as it becomes bare with age. Makes a quick temporary filler.

Cans, 1-4 ft., 20c per foot.

longifolia (latifolia) (Long Leaved Acacia). Very fast, spreading 35 ft., long straight leaves. Flowers in narrow fluffy cylinders at every leaf joint, delicate sulphur yellow—in May. This and saligna make exceedingly quick growing shade trees, suitable for home or street planting.

Cans, 2 ft., 50c; 3 ft., 75c; 4 ft., \$1.00.



ACACIA DEALBATA LARGE YELLOW FLOWERING SHADE TREE

melanoxylon (Black Acacia). The commonest street tree in Southern California. Erect, compact, 50 to 60 ft.; foliage dense, long flat leaves, flowers dull cream, inconspicuous. March or April. Exceedingly fast and hardy.

Cans, 3 ft., 50c; 4 ft., 75c; 6 ft., \$1.00; 7-8 ft., \$1.25.

molissima (Black Wattle). This is very similar in foliage and habit to dealbata and decurrens, and with them makes the best group of large acacias. Foliage darker and more dense than those two varieties, blossoms later, often as late as June, clear yellow. One of the largest and longest lived acacias.

Pots and cans, 2 ft., 50c; 3 ft., 75c; 4 ft., \$1.00.

podalyriaefolia (Round Leaf Silver Acacia). Spreading tree growing to 25 ft. almost silvery-white foliage, immense sprays of soft yellow flowers, delicate and dainty. Hardy and rapid but not very long lived. Still uncommon, very beautiful; should be planted more freely.

Pots and cans, 1 ft., 40c; 2 ft., 75c; 3 ft., \$1.00.

aligna (cyanophylla) (Willow Acacia). 25 to 30 ft., spreading willow-like foliage and habit of growth, flowers large balls of dark yellow. May. Cans, 3 ft., 65c; 4 ft., 85c; 5-6 ft., \$1.00.

AVOCADO. Makes a magnificent shade and ornamental tree. Almost as beautiful as a magnolia, and large and quick growing as a Rubber Tree. Buy a budded variety if possible, but seedlings of the Mexican type are nearly always hardy, as well as fast growing, beautiful and cheap. We know orange growers who have planted a row of seedlings along their roadsides, now enjoying a substantial income from seedling fruit. For budded varieties see fruit department.

Hardy Mexican Seedlings, pots and cans, 1 ft., 40c; 18 in., 50c; 2 ft., 65c.

Balled, 2 ft., 75c; 3 ft., \$1.00; 4 ft., \$1.50.

BAUHINIA purpurea (Orchid Tree, Mountain Ebony).
Grows rapidly to 20 ft. Size of plum tree, two-lobed leaves, folded in the middle, gray-green color. Covered in June with 3-inch blooms resembling orchids in tints of pink and lavender. Tender for frost but usually soon recovers.

Pots and cans, 15 in., 50c; 4 ft., \$1.25; 5 ft., \$1.50.

CAMPHOR officinalis (Camphor Tree). One of the very best street and shade trees, of spreading rounded form, height up to 40 ft.; dense, compact foliage, light green, young growth tipped with pink and rosy bronze; very striking. Absolutely hardy, medium rate of growth, almost no disease nor insects. A good tree to plant under telephone wires on account of its moderate height.

Cans, balls, boxes, 2 ft., 60c; 3 ft., 85c; 4 ft., \$1.25; 5 ft., \$1.50; 6 ft., \$2.00; 7-8 ft., \$2.75.

- CASIMIROA edulis. See Fruit Dept. Splendid ornamental for warm locations.
- CAROB TREE. See Fruit Dept. Really more valuable as an ornamental. Practically an evergreen Umbrella Tree.
- CASUARINA stricta (Beefwood, She-Oak). Slender, graceful, upright tree resembling a pine. Very fast grower and exceedingly hardy, resisting drought, cold and heat. Fine for narrow parkings; good for a light, graceful, tall specimen in landscape use.

Pots and cans, 18 in., 40c; 2 ft., 50c; 5-7 ft., \$1.25.

EVERGREEN ELM (Weeping Chinese) (Ulmus Chinensis). Very graceful tree of spreading drooping habit, attaining a height of 20 ft. in 10 years, ultimately twice that height. Small glossy elm leaves on pendulous slender braches drooping to the ground. Fairly hardy, severe frost may damage young growth or defoliate, but recovers rapidly. More graceful but slower than weeping willow. Makes a wonderful street tree if trained to a 12 ft. stake until self supporting. Most of the stock grown in California came from a tree imported by us from Australia about 16 years ago.

Balled or cans, 4 ft., \$1.25; 5-6 ft., \$2.50. Boxed, 8-10 ft., \$15.00.

- EUCALYPTUS. A group of Australian trees, the commoner varieties well known and grown everywhere in California. Nearly all drought resistant and fast growing, some varieties excelling in both respects. Wide variations in form both of leaf and tree, also in hardiness with respect to frost. Generally tall, upright growth. The fast growing sorts are used extensively for fuel, shade, windbreaks and street trees, and the more ornamental forms for landscape use.
 - Citriodora (Lemon Gum). Very slender and tall, clean gray bark looking as if freshly scrubbed or painted. Foliage lemon scented. Very drought resistant. Easily frosted especially young.

 Cans, 2-4 ft., 40c to 60c.

corynocalyx (Sugar Gum). Tall, rather spreading tree, very fast growing, stands extreme heat and drought but not much frost. Bark mottled like sycamore.

Cans, 2-3 ft., 30c; 3-4 ft., 40c.

- crebra. Narrow, slender leaves, spreading, low growing habit. Cans, 2-3 ft., 40c.
- globulus (Blue Gum). The commonest of all for street trees, windbreaks and timber. One of the fastest growing trees in the world. Too well known to need description.

Pots and cans, 1 ft., 20c each; \$15.00 per 100; 2-3 ft., 35c each; \$25.00 per 100; 3-4 ft., 40c each.

ficifolia (Scarlet Flowered Gum). The most beautiful of all, dark glossy leaves, compact bushy tree about 20 to 25 ft.; great clusters of brilliant blossoms ranging from pink through all the reds and scarlets to crimson. It is impossible to tell the exact color before they bloom. Rather tender as to frost, especially while young.

Pots and cans, 15 in., 60c; 18 in., 75c; 2 ft., \$1.00; $2\frac{1}{2}$ ft., \$1.25; 3 ft., \$1.50.

- polyanthema (Red Box). Silvery blue, rounded foliage, spreading well branched form, rather slower than some others but attaining good size. Hardy in every way. The handsomest of all the large eucalyptus especially for the home grounds.
 - Pots and cans, 1 ft., 25c; $1\frac{1}{2}$ ft., 35c; 2 ft., 40c; 3 ft., 50c.
- robusta (Swamp Mahogany). Formerly used much as a street tree and very valuable where a quick dense shade, or tall thick screen is required. Large clusters of creamy flowers in early spring, valuable for honey. These result in heavy clusters of seed pods which eventually break the rather slender branches, altering the bushy shape of the tree. Makes fine shade for chicken yards in a very short time. Very large dark green glossy leaves, exceedingly rapid growth up to 30 to 40 ft. Much branched and well shaped while young, has heavy dark bark which does not shed.

Pots and cans, 1 ft., 20c; $1\frac{1}{2}$ ft., 25c; 2 ft., 30c; 4 ft., 40c.

- rostrata (Red Gum). Probably the harliest as well as the best timber. Grows only a little slower than Blue Gum, which it greatly resembles, but stands greater extremes of heat and cold—resisting 15 degrees of frost when established. Same price as Blue Gum.
- rudis (Desert Gum). Almost as hardy as rostrata, not quite as fast grower but seems to thrive better around Bakersfield, Fresno and hot interior valleys. Has a fine bark which does not flake off. Moderate growth and height. Same price as Blue Gum.
- tereticornis (Gray Gum). Almost identical with rostrata, broader leaf, same prices.
- viminalis (Manna Gum). Said to stand the hottest Arizona and Imperial climates better than any other. Grows almost as fast as Blue Gum, foliage narrower, tree better branched. Reaches immense size.

Eucalyptus in flats: We can usually furnish the commoner varieties as globulus, rostrata, rudis, viminalls in flats.

Boxes of 100, from 6-18 in in height at from \$2.50 to \$4.00 each. Write us in regard to these, as our stock is constantly changing.

- FICUS—(RUBBER TREE). The freeze of January, 1922, was a hard blow to rubber trees, but practically all the larger ones have recovered and are now almost as good as ever. In a fairly warm location such as is suitable for lemons and grapefruit we would certainly plant a rubber tree if space were available. A large rubber is the most imposing, magnificent tree grown in California.
 - macrophylla (Large Leaved Rubber). Grows to a height of 90 ft., spread of 75 ft. with trunk of 3 or 4 ft. thick supported by massive root abutments 10 ft. in diameter. Foliage heavy, large and thick, darkest green. Stands drought well but will use any amount of water. Fairly rapid growth, tree solid, massive and very decorative at all ages. Foliage drops a good deal requiring cleaning. We have some splendid large trees grown in a high, warm location.

Pots and cans, 2 ft., 90c; 3 ft., \$1.50; 4 ft., \$2.00. Boxed, 12 to 18 ft., 4 to 6 in. caliper at base, well branched, \$30 to \$50.

We can also supply potted plants of Ficus Religiosa, leaves with a peculiarly long pointed tip, until our present stock is exhausted. 1½ to 3 ft., \$1.00 to \$2.50.

elastica (Rubber Plant). Usually grown as a pot plant but makes a tree in reasonably frost free locations. Leaves larger than macrophylla, glistening green of a lighter color, and does not stand the hot sun quite as well. Tree rounder and not quite so large.

Potted plants, suitable for window use or for planting, 2 ft., \$1.75; $2\frac{1}{2}$ ft., \$2.25; $3-3\frac{1}{2}$ ft., \$3 to \$5.

GREVILLEA robusta (Silk Oak). Formerly much planted. Grows 50 to 60 ft. very fast, hardy in all respects and drought resistant. Finely cut foliage, orange colored blossoms lining the branches in June. Beautiful tree while quite young, making splendid results in 2 or 3 years. Requires pruning both to control shape which is liable to become leggy and awkward, also to secure new growth which will retain foliage; as older branches shed foliage, requiring frequent cleaning of leaves, etc. Cans, 3 ft., 75c; 4 ft., 85c; 5 ft., \$1.00; 6 ft., \$1.25.



JACARANDA FERN LEAVES BLUE BLOSSOMS

JACARANDA mimosaefolia. Frequently called the "Blue Acacia," but not related to the acacias. Foliage light green, almost fernlike. Round headed, upright form, when mature 30-35 ft. Moderately fast growth. Covered with light blue trumpet-shaped flowers in May and June, often shedding its foliage during blooming period, becoming a solid mass of blue. Rather easily frosted, but persistently recovering, so that there are large trees even in cold situations.

Pots and cans, 2 ft., 75c; 3 ft., \$1.00; 4 ft., \$1.50; 5 ft., \$2.00.

5 ft., \$2.00.

GUNARI Patersonii. Upright, compact, conical growth, well branched close to the ground, reaching 25 to 35 ft., and more spreading habit with age. Stiff oval leaves larger and darker than the olive, which they resembles in color. Pink flowers size of peach blossoms in May and June, followed by persistent pods. Very hardy for planting on the occan front LAGUNARI Patersonii. ocean front. Cans, slender, 5-6 ft., \$1.25.

*LYONOTHAMNUS floribundus asplenifolius (Cut Leaf Island Ironwood). Native ofthe Channel Islands. Finely divided ferny foliage, absolutely unique. A rare tree, one of the most beautiful in cultivation. Entirely hardy but difficult to grow, sometimes affected by too much water. Height 25 to 40 ft. Pots and cans, 2 ft., \$2.00; 3 ft., \$3.00.

MAGNOLIA grandiflora (Evergreen Magnolia). Magnificent tree reaching 60 ft., slow but always beautiful even when small. Dark, heavy, glistening foliage, flowers pearly white, 6-8 in. in diameter, intensely fragrant. Grows anywhere, but faster in heavy soil. Unaffected by heat or cold. Stands drought but likes lots of water. Well known but should be used more, especially for streets with moderate parkings.

Pots and cans, slender, 18 in., 40c; 2 ft., 65c;

Pots and cans, slender, 18 in., 40c; 2 ft., 65c; 3 ft., 90c. Balled and cans, heavier, 2½ ft., \$1.00; 3 ft., \$1.25; 4 ft., \$1.50; 5 ft., \$2.50; 6 ft., \$3.50.

PARKINSONIA aculeata (Palo Verde). Small branching tree, bright green bark and long slender leaves with tiny leaflets. Grows to 20 ft., rapid, very drought resistant and hardy. Bright yellow flowers nearly all summer, very attractive to bees.

Pots and cans, 1½ ft., 60c; 2 ft., 75c; 3 ft., \$1.00.




MAGNOLIA WHITE, FRAGRANT FLOWERS

*PRUNUS CERASUS integrifolia (Catalina Cherry). Often used as a large shrub but attains tree dimensions, 25 ft.; and of bushy habit. Very fast, and exceptionally hardy and drought resistant. Glossy holly-like foliage, useful as screen, for tall hedges and as low growing, bushy, roadside trees. Difficult to transplant from the ground.

Cans, 2 ft., 75c; 3 ft., \$1.00; 4 ft., \$1.25.

Boxed and balled, 6 ft., \$3.00 to \$8.00; 7-8 ft., \$5.00 to \$1.500.

\$5.00 to \$15.00.



CATALINA CHERRY DROUGHT RESISTANT

Caroliniana (Carolina Cherry) .Upright, medium sized tree, moderate growth attaining 16 to 20 ft. in ten years. Glossy, lightgreen foliage; very hardy and desirable. Makes a splendid small specimen tree. Also used as a tall growing shrub. Cans, 2 ft., 75c; 3 ft., \$1.00; 4 ft., \$1.25 to \$1.50. Balls or boxes, 6-7 ft., \$8.00 to \$12.00.

- QUERCUS (Oaks). The oaks are especially desirable trees, largely neglected because of the mistaken idea that they are of exceedingly slow growth. This is an error, as they are easily twice as fast as a magnolia. We have grown a live-oak from the acorn which in nine years measured over 20 ft. in height, six inch caliper at base and was heavily branched. Oaks are not desirable on heavy, damp or adobe ground, but in all well drained soil succeed admirably ceed admirably.
 - *agrifolia (California Live Oak). The magnificent dark green native oak with black bark. Glossy green holly-like foliage. Fairly rapid growth, 3 to 4 ft. a year. When you plant an oak you are planting for yourself and for your great grandchildren. Cans and balls, 2 ft., 50c; 3 ft., 90c; 4 ft., \$1.25; 5 ft., \$1.50; 6 ft., \$2.00 7-8 ft., \$3.50 to \$6.00. Boxed, 9-10 ft., \$12.00 to \$15.00. Larger sizes quoted on request.

suber (Cork Oak). More upright than the Live Oak, with a silver-gray surface on the reverse of the leaf. Grows 50 to 60 ft., about as fast as the Live Oak, and equally hardy in every way. Rough corrugated bark, very unusual and striking, often 4 inches thick, which forms the cork of commerce. Cans and balls, 2 ft., 50c; 3 ft., 90c; 4 ft., \$1.25; 5 ft., \$1.50; 6 ft., \$2.00 to \$4.00; 7-8 ft., \$3.50 to \$7.50.

We can often supply a few specimens, usually small, of some of the native evergreen oaks, such as Q. *chrysolepis (Golden Canyon Oak), *Dumosa (Scrub Oak) and *Engelmannii (Pasadena White

ERCULIA diversifolia (Bottle Tree). Stiff, compact, upright tree with massive tapering trunk. Irregular in growth making it difficult to secure uniformity in street planting, in which it is principally used. Very hardy, does not like heavy wet ground. Should never be grown in pots or cans as the thick tapering root is spoiled if cramped or curled. Trees defoliated when dug bare root. Stock scarce. STERCULIA Stock scarce.

Bare root, 6-7 ft., \$1.50; 8-9 ft., \$2.50; 10 ft., \$5.00.

acerifolia (Brachychiton acer.) (Australian Flame Tree). Upright, conical tree, with thick maple-like leaves; moderate growth attaining 50 to 60 ft. Remarkable for brilliant scarlet flowers covering entire tree in summer after it attains mature growth. Somewhat tender for frost.

Potted or balled from field, 18 in., \$1; 2 ft., \$1.50.

SCHINUS molle (Pepper Tree). Too well known to require description. One of the fastest, hardiest and most beautiful trees, with soft, fine-cut foliage and red berries. It is a soil and water robber, taking most of the nourishment wherever planted, and is a host plant of the black scale. This is a serious defect near the coast, but of little importance in the interior where the intense summer heat keeps black scale under control. Can be planted bare root in the spring with fair success. There is always some loss.

Pots and cans, 2 ft., 60c; 3 ft., 75c; 4 ft., \$1.00;

5 ft., \$1.50. From field, bare root, not guaranteed, 4-6 ft., \$1.00; 6-8 ft., \$1.50.

terebinthifolius (Brazilian Pepper). coarser leaved tree not so desirable. Much smaller,

Cans, 5-7 ft., \$1.00.

MARIX articulata (Eyergreen Tamarix or Athel). Exceedingly fast growing evergreen tree introduced by the U. S. Dept. of Agriculture, from Arabia into the Imperial Valley, where it has been largely planted in the last five years. Of faster growth than even the eucalyptus, and much hardier, thriving in most extreme heat and drought and standing considerable frost. Many specimens have grown from unrooted cuttings to a height of 40 ft. and caliper of 8 to 10 in. at the base in five years. Upright trees, drooping branches, fine needle-like foliage, soft blue-gray color. A beautiful tree and a good windbreak. Succeeds most everywhere. Grows readily from unrooted cuttings, which we can supply. TAMARIX articulata (Evergreen Tamarix or Athel).

1 ft., cuttings at 25c each; \$12.00 per 100; \$60.00 per 1000.

BROAD LEAVED EVERGREEN SHRUBS

Varieties marked * are native California species.

Shrubs require less water and are cared for much more easily than a lawn. They should be used even more extensively than at present, especially in Southern California, where the cost of upkeep of lawns is quite an item in the summer. Southern California is singularly blessed with a large assortment of beautiful shrubs; more than any other place in the United States. In making suitable selections the same points of information are necessary as with regard to trees, also the additional knowledge as to suitability for sun and shade. We have endeavored to give this as far as possible, and are always pleased to be consulted and to help in the selection of plants and the laying out of your grounds.

ABELIA rupestris (A. grandiflora). Graceful spreading shrub, growing to 5 or 6 ft. height in about four years, entirely hardy in all respects; small, sharp pointed, glossy foliage. Loose clusters of small white bell-shaped flowers blooming from June to October. General habit of Bridal Wreath, but quite different flower. One of the very best.

Pots and cans, 1 ft., 40c; 18 in., 60c; 2 ft., Balls, 2½ ft., \$1.00; 3 ft., \$1.50; 4 ft., \$2.00.

UTILON. Several varieties shrubs growing from 3 to 6 ft., with bell-shaped brilliant flowers, making good sized blooming plants in one year and quite hardy. We have Yellow and Salmon-Orange colors. Subject to black scale.

Pots and cans, 8-12 in., 35c; 15-18 in., 50c to 75c.

ACACIA cultriformis. Bushy spreading form, attaining 7 to 8 ft. in five years, but often trimmed to 3 to 4 ft. Silvery-gray, triangular foliage set closely along the slender branches. Very hardy, blooms May or June, masses of dark yellow tiny acacia balls in clusters. A very unique and satisfactory

Pots and cans, 1 ft., 35c; 18 in., 50c; 2 ft., 75c.

verticillata (Needle Acacia). Very fast, 6 to 9 ft. in three years, but much handsomer if pruned often and kept more dwarf. Dark beautiful green, small scattering light yellow flowers in April. leaves slender, pointed, needle-like. Entirely distinct from all other acacias, resembles a beautiful conifer such as young spruce if properly trimmed and shaped. Extra hardy and drought resistant. Good for quick hedge. Should be planted more. Pots and cans, 1 ft., 25c; 18 in., 45c; 2 ft., 75c; 3 ft., \$1.00.

3 ft., \$1.00.

Donkelaarii. Lavender-blue flowers, fuzzy balls, very fine fern-like leaves, sensitive when touched like Mimosa. Slender growth like a watermelon vine, but makes an unusual shrub if staked and pruned; 4 to 6 ft. high; hardy.

Cans, 3 ft., \$1.00.

ALLAMANDA nerifolia. Rare plant with beautiful golden trumpet flowers, grows 2 to 4 ft.; tender for frost, loves sunshine, dark glossly leaves.

Pots and cans, 8 in., 75c; 12 in., \$1.50; 18 in., \$2.00.

ARBUTUS *Menziesi (Madrone). Really a small tree up to 15-18 ft. high in Southern California and larger north. One of our handsomest natives; brown bark, foliage and habit like Magnolia. Fast growing, does better with some watering.

Cans or balls, 1 ft., 85c; 2 ft., \$1.50; 5 ft., \$3.25.

unedo (Strawberry Tree). Bushy spreading shrub with upright branches(stiff bright green leaves with red tinge, very ornamental. Rather slow growth to 5 to 6 ft. Flowers small, inconspicuous, pearly-white bells, fruit resembles a strawberry, more brilliant color and perfectly round. Entirely hardy, one of our finest shrubs.

Pots and cans, 8 in., 50c; 12-15 in., 75 Balled, 2 ft., \$1.75; 2½-3 ft., \$2.50. Boxed, 4-5 ft., \$12.00.

CUBA Japonica. Foliage plants requiring plenty of shade, but unaffected by frost; used largely as pot plants. Several forms—plain green; Gold Dust—decked with yellow dots; two sorts of variegated. Grows 2-4 ft., slow. AUCUBA Japonica.

Potted, 8 in., 50c; 1 ft., \$1.00; 18 in., \$1.50.

ALIA (properly Fatsia) papyrifera (Rice Paper Plant). Very rapid, 10 to 12 ft. Erect, tree-like, immense woolly leaves, sharply cut and angled; very tropical appearance. Immense terminal flower-clusters 2-3 ft. in diameter, creamy-white. Not advised for lawns as roots send up suckers. Very susceptible to mealy bug. Damaged by heavy frost but quickly recovers.

Cans, 1½-2 ft., 75c. Bare root, leaves defoliated, 1 ft. 40c. 2 ft. 60c. ARALIA

Cans, 1½-2 ft., 75 1 ft., 40c; 2 ft., 60c.

eboldi (Japonica). Needs shade and moisture; dark glossy divided leaves often 16 inches across, slow growing, splendid tub plant for shady places. Blooms after several years, unusual large loose terminal cluster, creamy balls on slender stems. Sieboldi (Japonica).

Potted, 1 ft., 50c; 16 in., 75c; 18 in. \$1.00; 2 ft., \$1.50 to \$2.00.

BERBERIS Darwinii. Slow dwarf shrub, eventually 2-4 ft., frost resistant, darkest green, very small holly-like foliage, covered with the most beautiful, rich saffron yellow flowers in spring. Sometimes succeeds well but difficult to grow in Southern California. Likes northern conditions better.

Potted, 6-8 in., 50c; 12 in., \$1.00; 15 in., \$1.25.

ilicifolia (Holly Leaved Berberis). Semi-deciduous, slow, 4-5 ft. Very large holly-like foliage, that which remains during the winter changing to red and purple. Very hardy, flowers yellow.

Pots, 6-10 in., 35c. Cans and balls, 15 in., 75c; 18 in., \$1.00.

Knighti. 4 ft. slow, bright green, elongated, prickly leaves, yellow flowered, bushy and very hardy. One of the very best new sorts, a good substitute for Darwinii.

Pots and cans, 8-10 in., 50c; 12-15 in., 75c. Balled, 18 in., \$1.50; 2 ft., \$2.50.

Bushy 4-5 ft. moderately fast, small gray foliage with very fine thorns, dense round growth, very ornamental and exceptionally hardy.

Pots and cans, 1 ft., 40c; 1½ ft., 75c. Balls and cans, 1½ ft., \$1; 2 ft., \$1.50; 3 ft., \$2.50. —elegantissima. Resembles Wilsonae, larger and more spreading. Balls, \$2.00.

-Buddley. Resembles Darwinii. For aquifolium and Japonica see Mahonia.

(Boxwood). The boxwoods are used almost exclusively for hedges and for individual trimmed specimens—usually for tubs. There is no better tub plant. All are slow growing, the Japanese a little faster than the others, and of compact dense growth. Useful for formal work and specimens; very hardy.

(Japanese Boxwood). Japonica Leaves larger than other boxwood and of a glossier, lighter, yellower green. Faster grower than English Box, not so dense, requires more trimming, more likely to be discolored by frost and sun in winter.

Flats of 100, small, \$6.00 to \$8.00. Pots, 3-4 in., \$10 per 100; 4-6 in., \$12 per 100. Balled, bushy, 10-12 in., 85c; 16 in., \$1.25; 18-20 in., \$1.75.

Trimmed, 18 to 24 in., \$2.50 to \$5.00.

sempervirens (arborescens) (English Box). glossy green, very compact, very slow. Pots 3-6 in., \$8.00 to \$12.00 per 100: pots o: 8-10 in., 50c; 12 in., \$1.00; 14 in., \$1.50. Dark pots or balls,

Trimmed specimens for tubs, \$4 to \$10 each. A few large from field, \$20 to \$30. There are several varieties, including variegated, long-leaved and round-leaved form.

suffruticosa (Dwarf Boxwood. An exceedingly slow dwarf form, scarcely attaining 12 inches in eight years. Used for vey dwarf borders of walks, flower beds, shrubbery, etc.

Pots, 2-6 in., \$8.00 to \$15.00 per 100.

LIFORNIA HOLLY (Christmas Berry) (Heteromeles or Photinia, Arbutifolia). Fast growing, 10-12 ft. in five of six years, bushy spreading form; bright green, serrated foliage, bears large clusters of holly berries at Christmas. Very hardy and drought resistant, native to our foothills. *CALIFORNIA

Pots and cans, 6-10 in., 50c; 12-15 in., 85c.

CALLISTEMON (Metrosideros) (Bottle Brush).

rigidus (robusta). Exceedingly hardy, growing any-where with little water. Odd rigid branches, bear-ing long stiff leaves almost at right angles to the

stem. Flowers extremely unusual, resembling brushes used for cleaning bottles or shotguns, brilliant red, 3-4 in. long, followed by round button-like seed pods forming a cylinder around the brush, persistent for years. Height 6 to 14 ft.

Pots and cans, 1 ft., 40c; 1½ ft., 75c; 2 ft., \$1.00; 3 ft., \$1.50.

- lanceolata, speciosa and floribunda are less stiff, more drooping, vary somewhat in size, also in shape and drooping, vary somewhat in size, a color of flowers. Prices the same.
- MELLIA Japonica. Practically unobtainable in large sizes since Quarantine 37 took effect. Shade loving shrub with thick, dark, glossy foliage, exceedingly slow growth, exceptionally beautiful flowers in bright colors during the winer and spring months. Does not frest CAMELLIA Japonica. months. Does not frost.

We have a few in small pots, 6-10 in., 75c and \$1.

CARISSA grandiflora (Natal Plum). See Semi-tropical fruits. One of the very best bushy shrubs for frost-free locations. Round leaves, glossy black-green, white jasmine-like flowers, fast growing and hardy. Used like Coprosma and of even better appearance. Frosts easily but recovers quickly. Small red fruit.

4 in. pots, 6-15 in., 40c to 75c. Balls and cans, bushy, \$1.50 to \$3.00.

CASSIA artemesioides. Silver-gray finely divided foliage, bushy, fast growing shrub reaching height of 5 or 6 ft. but often trimmed lower, blooms 4 or 5 months, bright yellow; stands drought and frost.

Pots, cans and balls, 6-10 in., 35c; 15 in., 60c; 18 in., \$1.25; 2 ft., \$1.50.

- tomentosa. Rapid growth, 4 to 5 ft. in one season, attaining 10 to 12 ft. Upright, can be trained either bush or tree form; light green, pinnate leaves, golden flowers in flat terminal clusters. January to June. A fine winter blooming shrub damaged only by very severe freezes. Drought resistant.
- plendida. Almost deciduous, dying back at top in winter, should be pruned back heavily. Tall shrub or small tree, straight stem and branched top covered with brilliant yellow large sized flowers in October and November. The most striking blossoming shrub or tree at that season. Grows 8 to 10 feet in one year, recovers quickly from frost, not long lived.

Large plants \$1.50 to \$3.50.

*CEANOTHUS (Calif. Wild Lilac). Fast growing native shrub, light blue or white flowers in sprays or terminal clusters; like loose soil, hardy for drought and frost. We can usually supply or secure several varieties including arboreus, divaricatus, incanus, thyrsiflorus, verrucossus and others. Fine for wild gardens or hillside planting. Do not water too freely. freely.

Pots and cans, 6 in., 35c; 12 in., 60c; 18 in., \$1.00.

CESTRUM aurantiacum. Spreading, drooping shrub 5 ft., buff-orange flowers in terminal clusters followed by waxy-white berries, remaining several months. Tender for frost but recovers.

Pots and cans, 6 in., 35c; 12 in., 60c; 18 in., \$1.00.

elegans (Habrothamnus). Tall upright shrub 7-9 ft., drooping at tips where the cluster of red tube-shaped flowers appear, followed by red berries. Soft, downy leaves and stems, very fast growing, quite hardy, rather susceptible to scale and mealy bug, needs occasional spraying.

Potted, 50c to \$1.00.

CHOISYA ternata (Mexican Orange). Brilliant green, bushy and spreading habit, growing 5 to 6 ft. in three or four years. Flower custers at ends of branches, white and fragrant. February to June. Host of black scale.

Pots, 10 in., 40c. Balled, 16 in., \$1.00; 20 in., \$1.35; 24 in., \$1.75.

CHORIZEMA ilicifolia. Slender wiry stem, prickly holly-like foliage, covered February to May with very small pansy shaped flowers, orange shading to salmon-red in color. May be grown supported against a wall or trimmed to dwarf bush. Difficult to grow and usually short lived, but extremely beautiful.

Potted, small, 40c to \$1.25.

CISTUS (Rock Rose) maculatus. Bushy spreading plant, growing 4 ft. high and 6 ft. across, with roughened dense foliage; fast growing and hardy in every way. Large white flowers resembling Cherokee roses, with large maroon spot in center of each petal.

Pots and cans, 12 in., 35c; 18 in., 50c; 20 in., 65c. Balled, 2 ft., \$1.50; 3 ft., \$2.50.

—salvifolius. Smaller white flowers.
—ladaniferus. Purple. Same prices.

PROSMA Baueri. Brilliant green, round leaves shining as if varnished, rapid growth, spreading half reclining habit, attaining with support a height of 6 or 8 ft. Used for foliage effect especially at base of buildings. Very good at coast. Color fades in very hot locations unless strongly fertilized and well watered. Rather easily frosted, but soon re-

Pots and cans, 6-8 in., 25c; 1 ft., 40c; 16 in., 50c; 20-24 in., 75c. 5 gal. 18 in., \$1.50; 24-30 in., \$2.50.

Baueri Variegata. Brilliant creamy-white border on each glossy leaf. One of the prettiest shrubs grown, but slow and difficult to propagate, needs special care.

Small plants, 75c to \$1.50.

RONILLA glauca. Shrub 3 to 4 ft. blue-green, pea-shaped leaves and yellow pea-shaped flowers in small clusters covering the plant completely from late December to May. One of the hardiest, low growing winter blooming shrubs, giving a note of brilliant color just when needed. Seldom a long lived plant. Should be cut back when through flowering. flowering.

Pots and cans, 1 ft., 35c; 16 in., 50c. Balled, 2 ft., \$1.00.

glauca variegata. Variegated form, more dwarf. Same prices.



COTONEASTER MICROPHYLLA ROSE-RED BERRIES

COTONEASTER. A fast growing hardy group of ber-ried plants, of various forms of growth and foliage, without thorns, very useful for shrubbery and for massing for fall effects.

angustifolia. Correctly a Pyracantha, which see.

buxifolia. Bushy, erect growth 4 to 6 ft., dark green, rather small round leaves, medium large, individual berries remaining for several months.

Pots and cans, 6-10 in., 25c; 15-18 in., 40c.

ant glossy prizontalis. Low, flat, spreading, bright glossy green, very attractive. Covered in April with masses of tiny pink flowers and in the fall with minute, brilliant scarlet berries. The foliage also turns scarlet and it is practically deciduous in winter. Fine for borders, rockeries or where a low, flat shrub is required.

Pots and cans, 6-8 in., 20c; 10-12 in., 35c.
Balled, 12 in., 60c; 15 in., 75c; 18 in., \$1.25.

Franchetti. Spreading, drooping shrub, 5 to 6 ft., medium to large leaves, dark green with bronzy-silver reverse. Pinkish-white flowers followed by well scattered, orange-red berries of good size. One of the best.

Cans, 12-15 in., 35c; 18 in., 75c. Balled, 2 ft., \$1.50.

microphylla. Also flat spreading habit, but slightly more erect than horizontalis, foliage blackish-green, perfectly evergreen, better for winter effect. Flowers white, berries rose-red. This and the preceding are sometimes affected with borers.

Pots and cans, 15 in., slender, 35c. Balls, bushy, 12 in., 75c; 18 in., \$1.00.

M. thymifolia is a smaller leaved more prostrate variety of microphylla. Small plants, 25c.

pannosa. Probably the most valuable of all. Fast grower, 3 to 4 ft. in one year, attaining 8 ft. upright but graceful, open growth. Foliage covered with short silvery hairs, very pleasing. Small white flowers in clusters followed by brilliant crimson berries at every leaf joint.

Pots and cans, 12 in., 35c; 18 in., 60c; 2 ft., 85c. Balled, 2 ft., \$1.00; 3 ft., \$1.50; 4 ft., \$2.25.

CRATAEGUS. All the evergreen Crataegus are properly Pyracanthas, which see.

DIOSMA alba (Breath of Heaven). Fine leaved, heather-like foliage, light green; dense, round, compact growth; rather slow and dwarf. Dainty white flowers, Fragrant, aromatic scent. Susceptible to heavy frost. Combines well with ericas.

Pots and cans, 15 in., 50c. Balled, bushy, 12-15 in., \$1.25; 18 in., \$2.00.

DISTYLIUM racemosum (Eurya Latifolia Var.) Erect, slow shrub, long flat leaves strikingly variegated; needs shelter; 8-10 ft.

Pots, 6-8 in., 35c; 1 ft., 60c.

DOMBEYA Natalensis. Tree-like, 10-12 ft, covered in December and January with cherry-like blossoms, fragrant; tender for frost.

Cans, 3-4 ft., \$1.50.

DURANTA Plumieri (Golden Dewdrop). Rapid growing, tall spreading shrub, 6 to 8 ft., lavender-blue flowers in terminal clusters, somewhat resembling lilacs. Quite drought resistant, sometimes frosted but quickly recovers. Yellow berries.

Pots and cans, 10-12 in., 25c; 18 in., 50c; 2 ft., 85c; 3-4 ft., \$1.35.

alba. White variety. Same prices.

ELEAGNUS Simoni (reflexa) Oleaster. Large fast growing, dense shrub, foliage undulated and covered with frosty, silvery coating on upper surface and silvery-bronze reverse. Very attractive and very hardy, attains height and spread of 10 ft. Flowers slender silvery-bronze, drooping beneath the foliage. the foliage.

Pots and cans, 8 in., 25c; 12-15 in., 75c. Balled or boxed, 4-5 ft., \$4.00 to \$8.00.

reflexa aurea maculata and r. argentea marginata. Variegated forms of above. Pots, cans, 6-8 in., 25c; 10-12 in., 50c; 15 in., 75c. Balled, 18 in., \$1.25; 2-3 ft., \$2.50.

ERICA (Heath or Heather). A group of beautiful fine needled shrubs with dainty small cup or tube-shaped flowers. Many of them are very hardy, all are beautiful. Will be used even more freely in future as they become better known. Fine for grouping near porches, entrances to grounds, etc. Cut sprays are very effective for decoration and keep a long time.

arnea (cinerea). Low, dense, round shape, with erect branches 2½ to 3 ft. Flowers May and June, lavender-pink in small round clusters near tips of branches. Did not frost in 1922. Fine for growing in front of taller sorts. Very hardy.

in. pots, 12 in., 60c. Balled, 16 in., \$1.50; 20-24 in., \$2.00.

Felix Faure, Pres. Carnot, Wilmorei. A group of dwarf ericas, very similar, with light green compact foliage and long tubular pink flowers, tipped white. Rather more difficult to grow than other ericas but among the most beautiful of all, blossoming from December to May. Height, 2 to 3 ft. Need a somewhat protected position. Injured by heavy frost while young.

Potted, 6-8 in., 50c.; 10-17 in., 85c.

btonodes Veitchi. Light yellowish-green foliage, fine and dense, medium growth, 3-4 ft., pure white flowers in March and April.

Pots, 8 in., 25c; 10-12 in., 60c. Balled, 2 ft., \$2.25. mediterranea. One of the fastest and hardiest; very dark green, thick and bushy, growing 6-7 ft. Dark lavender flowers, March to June. Very drought resistant. Sometimes affected with scale.

Pots and cans, 10-12 in., 35c; 15-18 in., 60c; 10-12 in., \$1.00.

nelanthera. The best of all. Fast grower, 6 to 7 ft., fine, delicate foliage but exceptionally hardy, standing sun, drought and frost except while very young. Blooms in November or December, delicate pinkish-lilac with black eye. Blossoms completely cover the plant and remain in good condition for several months. Fine Christmas plant, both potted and for cutting sprays. melanthera.

3-in. pots, 8-10 in., 30c. 4-in. pots, 10-12 in., ght, 50c. 5-in. pots, 85c to \$1.50. Balled, 15 in., \$1.00; 20 in., \$1.75; 2 ft., \$2.50.

persoluta alba. Finest and most delicate foliage of all, grows 4-6 ft., airy and graceful, tiny white balls in March and April. Rapid growing and

hardy.

Pots, 8 in., 35c; 10-12 in., 75c. Balled, 15 in., \$1.50; 18-20 in., \$2.00.

persoluta rosea. A pink form, more dwarf and compact than the white and even prettier.

Pots, 8 in., 35c; 10-12 in., 60c. Balls, 15 in., \$1.50; 18 in., \$2.00.

vagans. Low growing, spreading variety, 4 or 5 ft. across and 2 ft. tall. Dense, fine growth, flowers in June, July and August; spike-like clusters of soft lavender. Very hardy, untouched by frost, fine for rockeries and borders of shrubbery.

Large plants balled or boxed, 2 ft., \$2.00; 3 ft., \$4.50; 4 ft., \$8.00.

ESCALLONIA Montevidiensis. Moderate grower, attaining 10 ft. eventually. Large bushy shrub, well furnished with thick, glossy foliage, white flowers in flat clusters. One of the very best. Escallonias are all absolutely hardy. Flowers should be removed after blooming.

Pots and cans, 10-15 in., 75c. Balled, 3 ft., \$2.50.

pulverulenta (Berteriana or alba). Similar, flowers in spikes. Same price.

sea. The fastest and largest, 15 ft. rather coarse foliage, straggly growth. Needs much pruning. Light pink spikes. Good for fast growing and massed planting, but not for individual specimens. Pots and cans, 10-15 in., 35c; 18-24 in., 60c.

bra. Resembles rosea but dwarfer, more compact and darker blossoms. Very good. Pots, cans, 12-15 in., 75c. Balled, 15-20 in., \$1.25.

GENIA myrtifolia (australis). Remarkably fast grower of upright, bushy habit, attaining 15 ft. or more and wonderfully bright pleasing foliage tipped with bronze and pink. Easily trimmed into formal shapes, especially valuable for pillar, pyramid and cone effects. Beautiful tub specimens. Sometimes attacked by brown scale which can be controlled by spraying. Damaged by severe frost but recovers rapidly. Red berries resemble cranberries. EUGENIA berries.

Pots and cans, 8 in., 25c; 12 in., 50c; 16 in., 75c; 20-24 in., \$1.25.
Balled, 15 in., \$1.00. 5 gal., 3-4 ft., \$3.00.
Trimmed specimens (tubs extra) balled, 3 ft., \$3.00; 4 ft., \$5.00; 5 ft., \$8.00; 6 ft., \$10.00.

Hookeriana. Similar, but larger foliage, more spreading habit and purple berries. Needs more trimming to attain compact specimen, but makes a very attractive shrub without trimming, especially when in fruit.

Pots, cans, 10-12 in., 50c; 15-18 in., 75c; 2 ft., \$1. Balled, partly trimmed, 2 ft., \$1.75; 3 ft., \$2.75; 4 ft., \$3.50.

FABIANA imbricata. Foliage and habit resembles Monterey Cypress, grows rapidly to 10-12 ft.; but better form if trimmed back severely after each time of blooming. White tubular flowers in May and June. One of the heath family, hardiest and fastest of all, very drought resistant.

Pots and cans, 18 in., 50c; 2 ft., 75c. Balled, 3-4 ft., trimmed back to 2 ft., \$2.50.

EUONYMUS Japonica. A group of extremely hardy, bushy and compact shrubs of moderate growth, with thick, heavy, leathery leaves, which has developed many variations of form and foliage. Unharmed by frost and stands heat, also splendid plant for the shade. Rather stiff habit but easily pruned and shaped. Somewhat subject to black scale. The type under this name is dark green, rather branching, grows 4 to 5 ft.

Pots and cans. 8-10 in., 20c; 12-15 in. 35c.

Pots and cans, 8-10 in., 20c; 12-15 in., 35c. Balled, 1 ft., 60c; 18 in., \$1.00. erecta viridis. Green, upright, compact, erect branches, columnar form, small leaves, brightest green. Good for formal planting, small hedge, and tubs, grows 3-4 ft.

Pots and cans, 10-12 in., 25c. Balled, 15 in., 8cc; 18 in., \$1.50; 24 in., \$1.75.

J. alba marginata (White Edged). Upright columnar habit, 8-10 ft., fast and hardy, leaves with broad, creamy marginal band.

Pots and cans, 10-12 in 35c. Balls, 15 in., light, 75c; 18 in., \$1.25; 24 in., \$2.00.

J. argentea marginata (Silver Edged). Narrow silver margin, with slightly variegated leaves, broad, upright form, very fast and exceedingly hardy; grows 10 ft.

Pots and cans, 8-10 in., 20c; 12-15 in., 40c. Balls, 2 ft., heavy, \$1.75; 2^* ft., \$2.50; $3\frac{1}{2}$ ft., \$5.

J. aurea marginata (Golden Edged). Broad, bright golden edge, entire plant rich golden color, very compact, globular form, splendid formal specimens and tub plants. Dwarf and slow, 3 to 3 ½ ft. Always scarce.

Pots and cans, 8-12 in., 40c. Balls, 10 in., \$1.00; 12 in., \$1.50; 14 in., \$1.75.

J. aurea maculata (variegata) (Golden Variegated).
Leaves round, golden spot in center, occasional sprays all gold. Very variable, reverts readily to green foliage making a much mottled but attractive appearance, trimmed readily to globes. Slow.

Pots and cans, 8-12 in., 35c.
Balls, \$10 in., \$1.00; 12 in., \$1.25; 15 in., \$1.50.
aurea media picta. Same as above, but narrow leaves, more erect growth, golden center more distinct tinct.

Cans only, 10-12 in., 50c.

lutea variegata (Duc d'Anjou). Light green blotched with greenish-yellow. Good bushy growth. Pots and cans, 8-12 in., 25c.

small dark leaves, erect compact branches. Resembles dwarf boxwood, giving same results more quickly, but not so permanent. pulchellus (Dwarf Euonymus).

Pots, 3-4 in., \$7 per 100. From ground, bushy, 6-8 in., 40c.

RDENIA florida (Cape Jasmine). Small bushy shrub, shiny green foliage, deliciously fragrant, double, waxy, white blossoms usually appearing at least twice during the summer. Slow grower, 2-4 ft. Do not overwater in cold weather or unless making growth. Stands considerable frost after the first year. Susceptible to black scale, keep clean with rosin wash or other good sprays. GARDENIA

Pots and cans, 4-6 in., 60c. Balled, 12 in., \$1.00; 14 in., \$1.35; 16 in., \$1.75. Veitchi. More dwarf, smaller but more abundant flowers. Same prices.

GENISTA (Broom) including Cytisus and Spartium groups, listed here for convenience. All absolutely hardy, fast growing, free blooming plants.

ba and monosperma. Two white brooms; white flowers, May and June, on delicate, slender, gray branches, few or no leaves. Alba is upright, spreading; monosperma more graceful, drooping. Both grow 6 to 10 ft. alba and monosperma.

Pots and cans, 16 to 24 in., \$1.00.

anariensis (Canary Island Broom). Very rapid, 8-12 ft., slender, spreading growth; small, round, green leaves. Covered completely with masses of small yellow flowers from April to late June. Canariensis (Canary Island Broom).

Pots or cans, 8-12 in., 30c; 18-24 in., 75c. Balled, 3-5 ft., \$2.50.

fragrans and racemosa. Dwarfer, more compact forms of Canariensis; foliage more softly gray, usually smaller leaves with longer, more distinct spikes or clusters, completely covering the plant, a few continuing until August or September. Pots or cans, 12-15 in., branched, \$1.00.

juncea (Hispanica) (Spanish Broom). Upright 10-15 ft., much branching, round, dark green stems, almost leafless, succeeds without irrigation. Large yellow flowers, like a cloud of butterflies. Blooms several months in summer.

Cans, 18 in., 60c; 2-3 ft., 8'c.

scoparius (Scotch Broom). The true Scotch. Both Canariensis and Spanish are often called Scotch. Slender, erect four-angled branches, very few leaves, large yellow flowers, plentiful but well scat-tered. Bushy, upright habit, 6-8 ft.

Cans, 15-20 in., 75c.

. Andreana is a form with two-colored flowers, yellow and velvety-brown; very scarce at present.)

tinctoria (Dyers Greenwood). Spreading habit, 5 ft. diameter and height, long narrow leaves, orange-yellow, blooming later than Canariensis, late June to September.

Cans, 18 in., 60c; 25 in., 75c.

Note.—Tinctoria is botanically the only true Genista. Juncea is properly Spartium Junceum, the others are correctly Cytisus.

GREVILLEA Thelemanniana. Always in bloom unless too cold; soft finely cut bright green foliage, flowers in terminal clusters of reddish pink, curved and twisted like claws. Beautiful oval shape, grows 6 to 8 ft.; improved by pruning back occasionally, which prevents splitting. Stands heat and drought; injured by freezing.

Pots and cans, 10-12 in., 35c; 15-18 in., 60c; 20-24 in., \$1.25.

- KEA. Australian shrubs, drought resistant, somewhat tender as to frost. HAKEA.
 - laurina (eucalyptoides). 10 to 15 ft, eucalyptus foliage, peculiar flowers—red balls covered with projecting white styles, very attractive. Injured by frost.

Potted, 15-30 in., 65c.

- saligna and elliptica. Bushier, broader foliage, flowers not so striking. 35c to 85c.
- aveolens, pectinata and pugioniformis. Sharp, rigid, needle-like prickly foliage of distinct forms. Stands more frost. Grown for their ornamental foliage. We can supply some but not all of the

Cans. 35 to 75c.

- HIBISCUS (Rosa-Sinensis) (Chinese). Our showiest summer blooming shrub, growing 8 to 12 ft. Glossy dark foliage, immense flowers of brilliant colors. Very tender for frost, but lives wherever Lantana and Poinsettias do well, likes sun. We have six
 - Single Scarlet. Often 7 inches in diameter, continuous bloomer.

Pots, 12-15 in., 50c. Balls and cans, 18 in., \$1.00; 20-24 in., \$1.50.

Single Light Red. Lighter shade of red. Balls and cans, 18 in., 90c; 20-24 in., \$1.50.

chblow. Double, salmon-pink, very attractive. Balls and cans, 18 in., \$1.00; 20-24 in., \$1.50.

Double Red. Dark rose-red. Both this and Peachblow often show single flowers in very cold weather or in winter in greenhouse. Balls and cans same price as Peachblow.

Double Scarlet. Double, very dark, dwarf and slow, growing 3-4 ft. 5 gal. cans., 2 ft., \$2.50.

Single Yellow. Salmon-buff with large red eye. Fast

grower.

Pots, 12-15 in., 25c; 18 in., 50c. Balls, cans, 18 in., 75c; 20-24 in., \$1.25; 30 in., \$1.75. During the summer we shall have other sizes to offer: 25c to \$3.00.

LY English (Ilex aquifolia). Compact slow growth, very prickly, glossy foliage; grows in sun but better in shade. Seldom bears many berries here in the South.

Balled, 15 in., \$2.00; 18 in., \$3.00; 2-3 ft., \$5.00. Compact trimmed specimens for tubs, from the North: 3 ft., \$10.00; 4 ft., \$15.00. HYDRANGEA. Shade loving plants, but do well in sun except in hottest places. Immense flower heads, shaped like the Snowball, but usually soft pink or blue tints. The blue color is not constant, but depends on the soil. It may be produced by the addition of oxide of iron (iron rust) to the soil. Bushy, fast growing, 4 to 6 ft., unharmed by frost.

Hortensia. Standard soft pink variety.

Pots and cans, 12-15 in., 40c; 18 in., 60c; 2 ft., \$1.00; $2\frac{1}{2}$ ft., bushy, \$2.50; 3-4 ft., \$3.50.

We have also in stock several of the new French Hybrids, named varieties in all shades of white, pink, rose, salmon and blue. Small plants, 50c-\$1.

HYPERICUM Moserianum (Gold Flower). Spreading, drooping habit, 2-3 ft., blue-green foliage, good for borders; does not stand excessively hot situations, nor much drought. Flowers flat, 2 inches diameter, brightest golden-yellow, April to June. Splendid in cool locations and stands zero weather.

Pots and cans, 12 in., 35c; 15 in., 50c. Balls, bushy, 2-3 ft., \$1.25.

Henryii (patulum Henryii). Same foliage and flower but tall bushy shrub 5 to 7 ft., very hardy and fast growing, standing drought and heat; blooms May to August.

Pots and cans, 12-15 in., 35c; 2 ft., 60c. Balls, 5-6 ft., \$3.00.

calycinum. Low, bushy ground cover, very hardy, 12 to 15 in. high, stands drought, spreads faster if kept dwarf. Flowers same as above.

Small plants, 10 and 15c; pots or clumps, 50c-\$1.50.



PRIVET HEDGE

to 10 ft., tubular flowers in pendulous clusters, blooming the entire season. Frosts easily but recovers quickly. Dark blue.
Pots and cans, 12-18 in., 40c; 20-24 in., 75c.

JASMINUM primulinum. Trailing habit, often used as a vine but making a beautiful pendulous shrub, also for covering stumps and banks. Bright green foliage, golden-yellow blossoms beginning in February and lasting till June. Exceedingly hardy in all particulars. all particulars.

Pots and cans, 18 in., 50c; 2 ft., 75c. Balls or cans, 3-4 ft., \$1.50; 4-5 ft., \$2.25.

revolutum. Spreading arching form, 10 to 12 ft., beautiful bush with green leaves and stems, yellow blossoms abundant from May till October. Exceedingly hardy, nothing better for a large bushy shrub. Loses part of its foliage in winter.

Cans, 18 in., 50c; 2-2½ ft., 75c. Balled, 6 ft., \$3.50; 7-8 ft., \$5.00.

Resembles revolutum, smaller flowers. 50c to \$1.00.

nudiflorum. Semi-trailing, spreading, grows 3 feet, blooming in June, bright yellow, loses foliage but stem remains green. 50c to 75c.

KERRIA (Corchorus) Japonica — double — (Japanese Yellow Rose). Slender, upright green stems with still more slender branches forming erect bush 5 to of the blackberry-like foliage, flowers orange, soft pleated balls at leaf joints. Blooms almost all summer, absolutely hardy.

Cans, 2 ft., 60c; 3 ft., 75c; 3-4 ft., \$1.25.

NTANA. Drought resisting, sun loving plants blooming continuously except when too cold. Most colorful of all shrubs, rapidly making a gorgeous showing wherever planted. Grows in poorest soil and with little water. Damaged by frost, but older plants recover rapidly. Flower heads 1½ inch diameter, composed of tiny tubular florets. Use freely in warm locations.

Tall growing reach 6-12 ft., rapid growers. White,

Orange and Red; Pink and Yellow.
Semi-Dwarf grows 3 to 5 ft. Pink and Yellow,
Orange and Red, Copper.
Dwarf. Slow, 1½ to 2 ft. Cream, Pink and
White; Golden Yellow (Ultima).
Trailing. Lavender. This is the hardiest of all
in regard to frost and is a fast grower.

All varieties: Small pots, 2-5 in., 10 to 15c. Larger, 4-10 in., 20c to 25c.

Pots and cans, 10-15 in., 25c to 40c. A few varieties: Balls and large cans, 15-20 in., 75c to \$1.00.

- LAURUS. Laurel. Now listed under Prunus lauro-
- LAURUS nobilis (Bay Tree). Eventually grows into a tree, but almost universally used as a shrub—usually potted. Almost no trimmed specimens available since the proclamation of Quarantine 37. Slow growing darkest green, very hardy except in extra hot, sunny locations. Can be trimmed to compact regular formal shapes such as globes and pyramids. We offer only untrimmed plants.

Balled, 2 ft., \$2.50; 3 ft., \$3.50. Small plants in pots, 6-12 in., 35c to 50c.

LAURUSTINUS. See Viburnum Tinus.

- LEONOTUS leonurus (Lion's Tail). Fast growing shrub, 3-4 ft., erect branches, clusters of dull orange tassel-like flowers surrounding the stem at each joint. Unusual striking appearance. Pots and cans, 12-15 in., 35c; 18 in., 50c.
- LEPTOSPERMUM laevigatum (Australian Tea Tree). Graceful, arching habit, growing 10 to 12 ft. ordinarily small, oval, grayish foliage. Covered in April and May with white flowers size of a dime. Very fast and very hardy.

Pots and cans, 15-18 in., 60c; 2 ft., 85c.

- GUSTRUM (Privet). Largely used for hedges, but many varieties are equally good as individual shrubs. Hardy as to drought, heat and cold; and may be trimmed to any desired shape. All have write or creamy blossoms in spikes like the lilac, to which it is related. Some of the newer varieties have much better foliage than the older sorts, and may be used freely in many places in landscape work. The flowers have rather an unpleasant odor to many persons. LIGUSTRUM (Privet). to many persons.
- ciliatum (lucidum). Dwarf, broad habit, almost round, dark, leathery leaves; moderate growth, flower clusters short and compact. Blooms May. A very dark, vivid green all winter, absolutely unharmed by frost. Should be more largely grown.

Pots and cans, 8-10 in., 25c; 12-15 in., 50c. Balls, 15 in., \$1.00; 20 in., \$1.50; 24 in., \$2.00.

There is a lightly variegated form, as well as the plain green.

Henryii. New, foliage; roun enryii. New, small, sharply pointed, glistening foliage; round, bushy form, vigorous, thrifty growth up to 10 to 12 ft. Very satisfactory for pruning, making compact, shining green specimens much admired.

Pots and cans, \$-10 in., 25c; 12-18 in., 50c. Balled, trimmed, 15 in., \$1.25; 20-24 in., \$2.50.

Japonicum (Japanese). The largest of all the Privets, becoming a small round-headed tree if unpruned. Very large panieles of creamy flowers in June and July. Broad, pointed, dark green leaves. The most largely used for hedge work. Makes a large, heavy, substantial hedge; very hardy.

Flats of 100; 6-12 in., \$3.50 to \$4.50. Pots, cans, 10-12 in., 15c; 15-18 in., 25c; 2 ft., 50c. Balls and cans, not trimmed, 3 ft., \$1.00; 4 ft., \$1.50; 5 ft., \$2.00; 6 ft., \$3.00.

Nepalense (Nepal Privet). Small leaved, sometimes called English Privet, which is an error, as the English Privet is deciduous. This is semi-deciduous, holding foliage fairly well if pruned late in season to secure new growth. Makes a very compact dark green hedge if frequently pruned, better color in summer than in winter. Loose branching growth, and bare in winter if unpruned. Blossoms very freely in May and June. May be trimmed to beautiful, formal specimens.

Flats of 100, 6-12 in., \$3.50 to \$4.50. Pots and cans, 8-10 in., 15c; 12-15 in., 25c; 18-24

in., 50c.
Balls, trimmed, 4 ft., \$3.00; 5 ft., \$4.00; 6 ft., \$8.

- balls, trimmed, 4 ft., \$3.00; 5 ft., \$4.00; 6 ft., \$5. ovalifolium (California Privet). Not commonly used in Southern California as it is of rather coarse habit, and nearly deciduous unless trimmed late to get fresh new growth before winter. Very hardy and fast growing. Oval, light green leaves. We have a few large plants in the ground, untrimmed. Balled, 6-8 ft., \$1.50.
- valifolium aurea (Golden Privet). Well known, fast growing, golden leaved variety, beautiful as specimens or hedge. Retains foliage in winter much better than the green type; but is a brighter ovalifolium

Pots and cans, 8-10 in., 15c; 12-15 in., 25c; 15-18 in., 40c; 2 ft., 60c to 75c. Balled, bushy, trimmed, 15 in., \$1.00; 18 in., \$1.50; 2 ft., \$1.75.

- Sinensis (Chinese). Very dark, glossy, pointed leaves, arching branches, spreading habit, beautiful white flowers. Splendid for individual shrubs in cooler locations, or fine for partial shade. Occasionally sunburns in extreme hot weather in integration points. rior points. Balls, 3 to 4 ft., \$1.50.
- Massalongianum (Everblooming Privet). Oleander-shaped leaves, bushy, upright, 6-10 ft., shrub, small, delicate flowers borne for months. Cans, 18-24 in., 65c.
- coriaceum. Exceedingly slow and dwarf, very thick, leathery leaves, shining dark green, grows 2 ft. in four years. Pots, 6-8 in., 50c.
- NICERA nitida. Compact growing dwarf shrub of dense but graceful habit, 3 to 6 ft. Very small leaves, medium dark green, fine for dwarf hedge. Sometimes loses interior leaves but this can be overcome by pruning. Fast growing, sometimes beautiful small specimens in one year.

 Pots and cans, 6-10 in., 15c; 12-15 in., 25c.
 Balls, 12 in., 75c; 16 in., \$1.00; 20 in., \$1.25.

- AHONIA (Berberis) aquifolia (Oregon Grape). Dense, low, spreading shrub, beautiful holly-like foliage, glossy green, bluish-purple and bronze, moderate growth, 3 to 5 ft., exceedingly hardy; blossoms yellow racemes, March to May, followed by blue grape-like berries. Fine for low shrubberies, mass planting, individual specimens or groups, equally good in shade or sun.

 Balled, 12-15 in., \$1.25; 18 in., \$1.50; 2 ft., \$2.50; 246 ft., \$3.00. *MAHONIA 2½ ft., \$3.00.
 - Japonica (Japanese Mahonia). Somewhat similar but foliage broader, thicker and variegated with yellowish green. Slower growth and prefers semishade.

Balled, 12-15 in., \$1.50.

- MALVAVISCUS mollis (Achania Malvaviscus) (Turk's Cap). Spreading shrub, 5 to 6 ft., broad heartshaped leaves of soft wooly texture, very pleasing light green. Fast grower, hardy, blossoms brilliant scarlet, erect above foliage, followed by white berries which become red in winter. Very good for mass planting.

 Cans, 18 in., 50c; 2-3 ft., 75c.
- MELALEUCA (Bottle Brushes). Hardy Australian shrubs, all fast growers and drought resistant, splendid for large shrubbery, wide variations in foliage, flowers and form of growth. Mostly slender stems, shape often improved by pruning. Should be largely planted in dry hot locations, but equally hardy on the sea coast.

but equally narry on the sea coast.

armillaris (alba). Flowers white, 3 in. spikes, long, slender, needle-like foliage, light green, slender, upright, graceful growth, 15 ft.

Cans, 1 ft., 25c; 2 ft., 60c; 3 ft., 85c.

acuminata. Resembles armillaris, foliage shorter and darker, flower spike larger. Same prices.

ericifolia. Very slender growth 10 to 12 ft., minute short leaves, bushy habit, small creamy spikes.
Cans, 18 in., 40c; 2 ft., 65c.

ecussata. Similar to ericifolia but foliage more dense and bluish green, gracefully drooping habit. Flower spikes lavender. Cans, 15 in., 35c.

hypericifolia. Oval flat leaves, fast upright growth, not well formed. Orange-scarlet flowers in good sized spikes usually on the inside of the bush. Somewhat tender for frost.

Cans, 2 ft., 65c. Balls, 3-4 ft., \$1.50.

nesophila. Oblong flat leaves, erect with the stem, very busy habit, good green color, 10 ft. Purple or lavender spikes.

Cans, 18 in., 50c.

MYRTUS communis (Sweet or English Myrtle). RTUS communis (Sweet or English Myrtle). One of our very best small leaved shrubs for hedge or specimen. Exceedingly hardy, frost proof and satisfactory even in Imperial Valley and Arizona. Small, glossy, bright green leaves, thickly placed on slender branches, rounded bushy form, growing 8-10 ft., but easily kept as low as 2 ft. Very compact, bright green, hedge, much superior to privet, growing about as fast. Small white flowers in late spring. Aromatic foliage.

Flats of 100, 6-10 in., \$7.50. Cans and pots, 8-12 in., 20c; 15 in., 40c; 18 in., 60c. Balled, 15 in., \$1.00; 18 in., \$1.25; 20-24 in., \$1.50.

- c. microphylla (Small Leaved or German Myrtle).
 Same except size of leaves which are very small and set closely together. A very neat compact shrub. Same prices.
- flora plena (Double Flowered Myrtle). Flowers very double, like little rosettes or tiny snowballs. Blooms later and longer, June to October. Pots and cans, 8-12 in., 25c; 15-18 in., 50c. Balls, 2½-3 ft., \$2.50 to \$3.50.

variegata. Variegated, striped and marked in a pleasing manner with clean, white markings. Pots and cans, 8-10 in., 25c. Balls, 12 in., \$1.00; 16 in., \$1.50.



MYRTUS MACROPHYLLA SMALL LEAVED ENGLISH MYRTLE

NANDINA domestica. Japanese leafy shrub, growing 5 to 7 ft., resembles a compact dwarf Bamboo in general appearance, but bushier. Foliage tipped pink and bronze in summer, winter color deep wine and bronzy-red, which with its brilliant scarlet berries makes an absolutely unique plant. Desirable for tubs, always attractive for landscape either in combination or individually. Entirely hardy. Balled, bushy plants, 15 in., \$1.25; 20 in., \$1.50; 2 ft., \$2.25; 2½ ft., \$2.50; 3 ft., \$3.50. Slender single-stemmed plants, 25c less.

NERIUM (Oleander). Bushy shrub or small tree, fast growing and hardy, thriving without irrigation. Very successful in Imperial Valley, Arizona and

other hot dry places, where it is not troubled by black scale, its worst enemy. On the Coast scale is readily controlled by spraying. Very desirable, almost always in bloom, beautiful flowers usually scented. Daybreak, Single Light Pink, Mrs. Roeding (double salmon), Double Rose Pink, Double Red, Nankin (buff-yellow), Double White.

Pots, cans. 1 ft., 35c; 15-18 in., 60c; 2½-3 ft., \$1. Balled (scarce), 2½ ft., \$1.50; 3-4 ft., \$2.50.

EARIA Haasti. Dwarf plant resembling boxwood, but foliage heavier, slightly grayish. Said to bear white flowers in Australia. Pots and cans, 8-10 in., 30c. Balled, 16 in., \$1.50.

OLEA fragrans-correctly:

- OSMANTHUS fragrans (Sweet Olive). Upright, slow, 5-7 ft., dark, leathery leaves, fine fringe-like flowers close to branches, exceptional fragrance. Two sorts, white and yellow. Very scarce since Quarantine 37.
 - aquifolius (False Holly). Resembles English Holly strongly, but leaves blacker green and flat. Slow growth to 5 ft. No berries. Needs occasional pruning. Very satisfactory either in shade or sun if well cared for.

 Balled, 15-18 in., \$1.50; 2 ft., \$2.25.

 Also a large leaved type, balls, 1 ft., \$2.00.

- TOSPORUM. These are among our hardiest and most desirable shrubs, long lived and usually attaining large size. Principally foliage plants, yet some have a very fragrant though not showy blossom. Compact habit, various forms, quick and vigorous growth and few enemies; deservedly much planted for landscape work. PITTOSPORUM.
 - ugenoides. Erect, symmetrical growth, to 15 ft. Long, narrow, yellowish green leaves with wavy margins covering the plant well to the ground. Slender black twigs. New foliage bronzy. Somewhat susceptible to frost, more successful in cooler localities than hot interiors. Makes a good hedge and fine trimmed specimen. eugenoides. Pots, cans, slender, 1 ft., 40c; 1½ ft., 65c; 2 ft. 50c.

tenuifolium (nigricans). Resembles preceding, foliage more oval, and not undulated; somewhat hardier in hot situations; makes a small tree in congenial locations. Occasionally affected by black scale. A very desirable species. Same price as eugenoides.

nombifolium. Bright light green, glossy, angular leaves. Good shrub or small tree. Seed pods like berries, orange color, attractive. Quite hardy for heat or cold.

Pots or cans, 12-15 in., 40c; 18 in., 75c. rhombifolium.

bira. Spreading, massive from ground up, round leaves, very dark, glossy and attractive, terminating as rosettes at end of branches, where fragrant flowers appear in spring. Exceedingly hardy, standing both frost and heat, drought resistant, and seldom troubled by enemies. Long lived and much used for massing also for individual heavy specimens.

Pots and cans, 8-10 in., 25c; 12-15 in., 40c; 16-20

Balled, 18in., \$1.50; 24 in., \$2.00; 30 in., \$3.00.

bared, 18th., \$1.00, 24 lb., \$2.00, 30 lb., \$3.00. tobira variegatum. Same as above but foliage graygreen, attractively marked with clear white. Equally as satisfactory as the green and much used. Stock rather scarce. Potted, 8-10 in., \$3.50. Balled, 18 in., \$2.50; 24 in., \$3.50; 30 in., \$5.00.

undulatum. .. The largest and fastest growing species, with largest leaves, medium green in color, glossy, attractive, slightly curved margins. Bushy shrub eventually size of an orange tree. Fragrant inconspicuous flowers. Injured somewhat by frost but recovers quickly.

Cans, 18 in., 65c; 24 in., 85c.

We can also furnish a few P. crassifolium, gray foliage, bushy, 3 to 5 ft. Balled, \$2.50 to \$6.00. P. phillyraeoides. Willowy, drooping, 75c to \$1.25.

UMBAGO capensis. Reclining or semi-climbing shrub, very drought and pest resistant, sun loving, blooming continuously with large sky blue flower clusters covering entire plant. Easily frosted but grows readily from the old roots. Fine for porch screens, fences and banks, also for massing for color, where winters are not cold.

Pots and cans, 1 ft., 30c; 18 in., 60c; 2 ft., 85c; 3-4 ft., \$1.50 to \$2.00.

c. alba. Whit Same prices. White variety, exactly same except color. POLYGALA dalmaisiana. Everblooming shrub, entirely hardy, round form 4 to 6 ft. Purple peashaped flowers, almost constantly in bloom. Pots and cans, 10-15 in., 30c; 16-20 in., 65c. Balled, 15-18 in., \$1.25.

POMEGRANATE (Dwarf Everblooming) (Punica sem-MEGRANA I E (Dwarf Everbiooming) (Punica sempervirens granatum). Small branching shrub 2 or 3 ft. high, small glossy foliage and small bright scarlet flowers appearing freely all over the bush, and blooming continuously unless stopped by cold weather. Very little injured by frost but occasionally defoliated. Small glossy red fruit, very attractive, edible but scarcely palatable. Fine for pot plant, blooming in winter if kept warm and sunny. Pots, 6-8 in., 25c; 10-12 in., 60c; 14-16 in., \$1.00. Balled, 12 in., bushy, \$1.25; 14 in., \$1.50.

PRUNUS cerassus Caroliniana and integrifolia. See Broad Leaved Evergreen Trees. Both frequently used as shrubs and make beautiful specimens, bright glossy foliage, good shape and very hardy.

*ilicifolia (California Wild Cherry). Dense shrub or small round tree, with small, glossy, prickly, curved leaves resembling holly. Exceedingly hardy, and frost proof, thriving in dryest places without irri-gation. Slow growing. Makes fine hedges, groups or single specimens.

Pots and cans, 6-8 in., 35c; 12-15 in., 65c. Difficult to ball ,balled not guaranteed, 2 ft., \$2.00; 3 ft., \$3.50.

- paragraph (Laurus laurocerasus) (English Laurel). Heavy, dense shrub growing 6 to 8 ft., very large, smoath, dark green leaves; trims well. Entirely hardy, moderately slow growth. Used for heavy hedges, solid specimens or tub plans.

 Balled, 18 in., \$2.00 2 ft., \$2.50; 2½ ft., \$3.50.
- *RHAMNUS Californica (Cathartica) (Calif. Coffee Berry). Fast growing, tall, spreading shrub, na-tive to our canyons and washes, reaching 10 to 12 ft. Should have well drained soil, very drought resistant and frost resistant. Oval glossy leaves, slender, dark stems, dark red or black berries con-taining two soods shaped like offee homes taining two seeds shaped like coffee beans. Cans, 15-20 in., 75c.

*crocea ilicifolia (Dwarf). Dense glossy leavs, tiny red berries. Dense shrub, very minute

Pots, 3-6 in., 35c.

RHAPIOLEPIS ovata (Japonica). Dense, compact, dwarf shrub, 2½ to 4 ft.; round, thick, very dark leaves Flowers white, with red anthers, in terminal clusters, followed by blue grape-like ber-Fine low-growing plant, absolutely hardy.

Pots and cans. 8-10 in., 30c; 12-16 in., 50c. Balled, 15 in., \$1.00; 18 in., \$1.50.

Indica. Slender, loose shrub, foliage shiny, scattering. Flowers in terminal panicles, pink and white; unusual, hardy.

Balled, 18 in., \$1.25; 2 ft., \$2.00; 21/2 ft., \$2.50.

ODODENDRON. Large leaved compact shrubs, grown for their great clusters of bright colored flowers. Natives of cooler climates, they do not grow readily in Southern California, though a few RHODODENDRON. are living in cool situations in the foothills. Usually grown as flowering tub plans.

Prices from \$3.50 to \$10.00; write us for sizes and colors we can furnish.

STREPTOSOLEN Jamesoni. Bright colored, free flow-ering shrub of graceful, arching habit, flowers orange-yellow, in large masses, resemble Lantana at a distance, but are bell-shaped and prettier. Frosts about same as Lantana, and grows rapidly to 6 to 8 ft. Loves sunshine.

Pots, cans, 8-12 in., 30c; 15-18 in., 50c; 24 in., \$1.

SWAINSONIA. Pea-shaped flowers and foliage, growing 4-6 ft.; bushy, fast, very hardy for both frost and sun. Blooms in small spikes, 4 or 5 months of the year. White, pink and red.

Cans, 15-18 in., 65c; 20-24 in., \$1.00. Balled, 2 to 3 ft., \$1.25.

TECOMA stans (also Smithii and others). Fast growing, finely cut leaves, brilliant yellow, funnelshaped blossoms in large sprays on this 6 to 10 ft. shrub. Frosts easily, usually recovers rapidly, blossoms 3 to 6 months, according to the season.

Cans, 15-18 in., 40c; 2-3 ft., 75c. Balled, 3-4 ft., \$1.75.

ULEX Europeus (Furze, Gorse, Whin). Spiny, prickly shrub, gray color, thickly covered in summer with deep orange-yellow flowers. Very resistant to heat and cold; attacked sometimes by mealy bug; very fast grower.

Cans, 16 in., 50c.; 20-24 in., 75c.

*UMBELLULARIA Californica (Calif. Bay Tree, Calif. MBELLULAHIA Californica (Calif. Bay Tree, Calif. Laurel, Pepperwood). Long, narrow, leaves, growth and habit like Bay Tree which it greatly resembles. Aromatic fragrance of foliage, more intense than the cultivated Bay. Somewhat subject to scale. Eventually tree 30 ft.

Pots and cans, 6-10 in., 25c; 12-16 in., 60c; 20-24 in., \$1.25. Balls, 2-3 ft., \$4.00.

- RONICA. Dwarf shrubs, most of which dislike intense heat, but stand a great deal of cold. Attain their growth rapidly and are prettier while young, often becoming unsightly in a few years unless pruned back and regrown. All of compact growth, rather dense, very useful for edging, foregrounds dwarf massing and bases of buildings, where quick low growth is desired. Most of them somewhat subject to scale VERONICA. subject to scale.
- Andersoni variegata. Long, elliptic foliage, sharply variegated white. Very fast growth to 3 ft., needs trimming occasionally, light blue flower spikes. Pots and cans, 12 in., 30c; 15-18 in., 50c.

Andersoni is the green foliaged form growing 4 to 5 ft.; seldom grown at present.

ft.; seldom grown at present.

buxifolia. The most dwarf compact form. Very small, glossy, green leaves; spreading, compact, round plant 12 to 18 inches in height; very similar to boxwood, but even prettier and attaining about full size in 2 or 3 years. Beautiful for dwarf edging, also small specimen plants, in ground or pots. Potted, 3-4 in., 15c.

Balled, 10 in., \$1.00; 12 in., \$1.25; 15 in., \$1.50.

pimeloides and glaucophylla. Similar size and habit, but silvery-gray.

- Chathamica. Trailing variety, ground cover, with beautiful pinkish-lavender blossoms in spring. Does not seem to stand hot weather, advisable in cool locations and near coast.
- upressoides. Foliage so fine and growth so dense and compact that it looks like a Conifer of the Arbor Vitae type. Entirely distinct from all other Veronicas. Unsurpassed for a quick growing formal plant of this sort, but not permanent unless given good care and pruning.

 Pots, 4-8 in., 25c.

 Balls, 10 in., 75c; 12 in., 90c; 14 in., \$1.25. cupressoides.

decussata. One of the hardiest and most satisfactory. Dense growth, 2 to 3 ft., oval, bright green, very compact foliage, deep blue flower spikes. Quite hardy.

Pots and cans, 10-12 in., 30c. Balls, 15 in., 85c; 20 in., \$1.25.

imperialis. Large leaves, tinged with red on midrib and edges. Compact, dark shrub, 2 to 4 ft.; freest blooming of all Veronicas; large spikes of reddish purple. Very hardy.

Pots and cans, 6-8 in., 20c; 10-12 in., 35c.

procumbens. Semi-trailing, round, green leaves. Pots, 6-10 in., 30c.

Traversii. Long, narrow foliage; upright, bushy shrub, needs frequent pruning.
Pots, 6-12 in., 30c. Balls, 10-12 in., 60c; 15 in., 85c.

Bakersii and Menziesi are somewhat similar.

Well known, uni-VIBURNUM tinus (Laurustinus). Well known, universally grown, hardy everywhere in the Coast counties, but not so well suited to the hot interior. Spiendid winter bloomer, clusters of pinkish white flowers, beginning in December or January, cover the plant all spring, for 5 or 6 months. One of the best hedge plants. Sometimes affected by mealy

Flats, 4-8 in., \$7.50. Pots and cans, 8-10 in., 25c; 12-15 in., 50c; 18 in., 75c. Balled, 12 in., 65c; 15 in., bushy, 90c; 18 in., \$1.50; 2 ft., \$2.00.

The varieties rotundifolia (Round Leaved) and Robusta (Large Leaved) are very similar.

t. variegatum. A golden variegated form. Balled, 3-5 ft., \$5.00 to \$8.00.

ventricosum. New French variety, growing rapidly to 8 ft.; loose spreading shrub, slender stems, glossy, dark green, scattering foliage. Flowers in small white clusters, thickly scattered over entire

Pots and cans, 12-15 in., 40c; 16-20 in., 65c.

Japonicum (odoratissimum incorrectly). Very large, fast growing shrub, 15 to 18 ft., but often trimmed lower. Large heavy foliage, resembles English Laurel. Flowers fragrant white clusters in June. Hardy in all respects, deep green fine winter color; should be used much more freely especially for large masses and quick effects.

Pots and cans, 12 in., 40c; 16 in., 60c. Balls, 16 in., light, 75c; 18in., \$1.25; 5-6 ft., \$5.00.

Sandankwa or suspensa. Round, bushy shrub, 6 to 10 ft., greatly resembles Laurustinus but larger leaves, glossier green and not such dense growth. Flowers pure white in February and March, in drooping clusters, below the foliage. Grows any-

where, but color fades if too hot and dry, and improves in partial shade. Entirely frost proof; rapid growth.

Pots and cans, 12 in., 40c; 18 in., 75c; 2 ft., \$1.00. Balls, 3-5 ft., \$2.50 to \$6.00.

rhytidophyllum. Exceedingly unusual plant, leaves 5 to 8 inches long, pointed, peculiar bronzy green, surface roughened or pebbly, stems rough, light brown. Said to have large red berries. A very striking plant. Fast grower, 4 to 6 ft., entirely browly. hardy.

Pots, 6-10 in., 30c; 12-15 in., 50c; 18 in., 75c. Balls, 18 in., \$1.25; 2 ft., \$1.75; 2½-3 ft., \$2.50.



DECIDUOUS ORNAMENTAL TREES

Though deciduous shade trees are not largely grown in Southern California there is ample opportunity for their increased planting. More frequent use of deciduous trees would much enlarge the scope and variety of our landscape effects, and relieve the sameness so often noticed. With their tender green in early spring, the abundant flowers of many varieties; their rich and varied tones of green in summer; the glory of their autumn foliage; the sweeping symmetry of trunk and limb revealed by the falling leaves; and over all the delicate tracry of twigs and branches against the blue of the California midwinter sky; they offer a rich store, a varied procession of beauty seldom touched by California gardeners.

Especially should they be used as shade trees in parks where seats are provided. There shade is as good, even better than evergreens, during the summer, and in winter there are few days when the grateful warmth of the California sun is not preferable to the chill in the shadow of an evergreen tree. Use also for shade trees in back yards, in chicken runs, on the south side of a house and many other places where it is a decided advantage to have the sun in winter and the shade in summer.

Many person think that the well known Eastern trees will not thrive in California. With one or two exceptions that is a mistake, as nearly all grow equally well here. You can grow your old favorites if you wish; we usually have them all.

All deciduous trees are quoted bare roots unless otherwise noted, delivery December to April. We also have a few established in cans for delivery in summer.

ACER (Maple). The maples are sometimes not as rapid growers in Southern California as some of the other Eastern trees. Nor do they have as brilliant foliage in autumn as they show "Back East"—differing in this respect from the Oaks and Sweet Gum, which are even more brilliant here. But they can all be grown, and many sorts make especially beautiful trees.

dasycarpum (saccharinum) (Soft or Silver Maple). The fastest of all the maples, often reaching 25 ft. with a caliper of 6 inches in 6 years. Foliage not dense; light green with silvery reverse. Bare roots, 8 ft., 75c; 10-12 ft., \$1.25; 15 ft., \$2.50; 18-20 ft., heavy, \$8.00; 24 ft., heavy, \$12.00.

We have some large trees with crooked trunks, useful for groups and landscape effects, at half

d. Vieri Iaciniata (Cut Leaf Silver). Same but finely divided leaves.

*macrophyllum (California or Oregon Maple). Native in our canyons; one of the very prettiest round-headed trees, spreading habit, with a glory of golden yellow leaves in autumn. Well adapted to nearly all locations. Bare roots, 5 ft., \$1.00; 6 ft., \$1.25; 7 ft., \$1.50.

*negundo (Box Elder) or (Ash Leaved Maple). Rapid, exceedingly drought resistant. Makes a small, compact tree. 5 ft., 65c; 6-7 ft., 85c. platanoides (Norway Maple). Dark, heavy foliage; round, dense head. 6 ft., \$1.00; 8 ft., \$1.25.

pseudoplatanus (Sycamore Maple). Extra large foli-age, very hardy. 8 ft., \$1.25; 10 ft., \$2.00. saccharum (Sugar Maple). Slow, hardy, dense head. 5 ft., \$1.00; 6 ft., \$1.25; 7.8 ft., \$1.75.

APPLE (Malus or Pyrus). (Dwarf and Flowering Apples). These are very decorative, and are well adapted to large shrubbery planting, or to make a transition between the ornamental planting and the orchard. The ornamental forms usually bloom the

For Dwarf Apples see Fruit Section. The Bismark, Fall Pippin, Banana, and Red June are all heavy bearers and bear particularly well while young, the dwarf roots also help in this respect. Often filled with fruit when only 2 or 3 years old and 6 ft. high. Grow about two-thirôs as large as ordinary apples. 4 ft., \$1.25; 3 ft., 75c; 2 ft., 50c.

ordinary apples. 4 ft., \$1.25; 3 ft., 150; 2 ft., 50c. Bechtel's Flowering Crab. Dwarf grower, bushy, large clusters of very light pink double flowers. 4-6 ft., \$1.25; 3 ft., 85c; 2 ft., 75c. floribunda purpurea. Foliage with purple tint, rose red buds opening pink, small purple-red fruit. Neidzwetzkyana. Deep purple foliage and twigs, bright red buds. Both sorts. 7 ft., \$1.50; 6 ft., \$1.

- H, Arizona (Fraxinus Veluntina). A fast growing small tree, 25 ft.; slender branches and small leaves. Does not make dense shade, but stands extreme desert conditions; recommended for Antelope Valley, Imperial and Arizona, also for very dry locations, chicken yards, etc. 5 ft., 35c; 6 ft., 40c; 8 ft, 50c; 10 ft., 60c; 12 ft., 75c. Special rates in quantity. ASH, Arizona (Fraxinus Veluntina).
- BEECH, Purple (Fagus Sylvatica purpurea). Slow growing, dense foliaged tree, young leaves intensely coppery purple, the color gradually changing to a greenish copper by mid-summer. Needs good soil and regular watering. Splendid for lawn specimens. 3-4 ft., \$2.00 4-5 ft., \$2.50; a few 8 ft., \$9.00—safer if boxed, at \$14.00.
- BIRCH, White (Betula Alba). Spreading tree with slender, dark branches, and thin triangular leaves. Young trees have dark colored bark, which becomes very white and smooth in a few years. Needs good care. 4 ft., \$1.00; 5 ft., \$1.25; 6 ft., \$1.75.

 For Cut Leaf Birch see Weeping Deciduous Trees.
- CATALPA speciosa. Very fast growing, 30 to 40 ft., with immense heart-shaped leaves, beautiful trumpet-shaped flowers, white, large clusters May and June, followed by long, narrow, cylindrical seed pods. Timber does not rot, good for posts. 5 ft., 40c; 6 ft., 50c; 7-8 ft., 85c. Heavy, 12-15 ft., \$2.50; 20 ft., \$6.00. Crooked, half price.



CATALPA BLOSSOMS


- ATAEGUS. HAWTHORNE. Thorny bushes or small trees, thick with blossoms in spring and bearing small red apple-shaped berries in fall and CRATAEGUS. winter.
 - Crus-galli (Cock's Spur Thorn). Long thorns, 2 to 3 inches, much branched shrub, growing 10 to 14 ft., dark crimson fruit. 7-8 ft., light, \$1.25. Heavy,

- arriere (Red Haw). Upright, growing to 18 ft., dark green foliage and large clusters of white flowers in April. Berries large, shiny scarlet, delicious flavor, beautiful on the tree or as cut sprays; from November to January. 2 ft., \$1.00; 3 ft., \$1.50; 4 ft., \$1.75. Carriere (Red Haw).
- monogyna or oxycantha (English Hawthorne). Grows rather slowly in Southern California; very compact, bushy head, 10 ft. in 7 to 8 years. Faster grower in the North, where the blooms are more lasting and more brilliant color. Finely cut leaves. White, Pink and Paul's Scarlet, which is a bright rose pink. 5 ft., \$1.75; 6 ft., \$2.50; 8-10 ft., \$5.00.
- M, American (Ulmus Americanus). A splendid shade tree, growing 50 to 75 ft., fully as desirable here as it is back East. The prettiest portion of the whole 30 miles of the Foothill Boulevard in Los Angeles County, is a quarter mile planted to these elms just east of the city limits of Azusa. A fast growing hardy tree standing drought or dampness equally well. Graceful arching branches, casting a dense shade in summer, and beautiful in outline even when bare in winter. 6 ft., 50c; 8 ft., 75c; 10 ft., \$1.0c; 12 ft., \$1.50; 14-16 ft., \$1.75 to \$2.50; 20 ft., 3 in. caliper, \$6.00 to \$8.00; 24 ft., 4-5 in. caliper, \$8.00 to \$12.00.
 - English Elm (Ulmus campestris). Smaller fol and stiffer growth makes this less desirable. have few at present.
- RK ELM (Ulmus suberosa or racemosa). Bark corky in parallel ridges, varies greatly, sometimes almost smooth; habit similar to American Elm. 4 ft., 50c; 5 ft., 60c; 7 ft., 75c; 8 ft., \$1.00; 10-12
- GINKO biloba (Salisburiana adiantifolia) (Maidenhair Tree). Very striking unusual tree growing slowly to 30 to 35 ft., slender while young, spreading with age. Foliage shaped like Maidenhair fern, but 2 or 3 inches across. Unusual green color, very bright yellow in autumn. Hardy and very desirable. 4 ft., 90c; 5 ft., \$1.25; 6 ft., \$1.75.
- CKBERRY (Celtis Mississippiensis). Slightly resembles Mulberry in shape, moderate growth, ultimately 35-40 ft., hardy, dense shade, very rough bark. Berries dark brown, ripe in winter and remain after leaves fall. 6-7 ft., \$1.25; 819 ft., \$2.00.
- LIQUIDAMBAR styraciflua (Sweet Gum). Slow growing, compact, upright tree, reaching 20 ft. in 15 years. Foliage resembles Maple but prettier shape and darker, glossier green. The most vivid of all autmun foliage; gold, crimson, scarlet and purpie. A most desirable and hardy small tree. 3 ft., 60c; 4 ft., \$1.00; 5 ft., \$1.50; 6 ft., \$1.75.
- LIRIODENDRON tulipifera (Tulip Tree). Trunk like a ship's mast, 60 ft. Magnificent. Planted by people who want the best. 6 ft., \$1.25; 8 ft., \$1.75.
- MAGNOLIA acuminata (Cucumber Tree). Uncommon tree of upright, well branched habit, growing 25-35 ft., large leaves, flowers greenish yellow, not conspicuous, seed pods like green cucumbers becoming bright pink in fall.

 We have only a few large specimens, 15-18 ft., should be boxed, \$25.00 to \$35.00.

- obus. A Japanese variety used for grafting stock, bushy, 3-4 ft., \$1.00; 5-6 ft., \$2.00.
- MOUNTAIN ASH (Sorbus Aucuparia). Small tree, beautiful pinnate foliage, and red berries in fall. Does not do well in the South except in cooler, damper locations. Much better in the North. 4 ft., \$1.50; 5-6 ft., \$2.00.
- MULBERRY. See Fruit Dept. Also Weeping Deciduous Trees.
- The Hicks Everbearing is an exceedingly fast growing shade tree for back yards and chicken runs. 6 to 12 ft., 75c to \$1.50.
- Russian. Extremely hardy, fine for windbreaks on the desert. Makes a good shade tree. 3 ft. to 8 ft., 35c to 75c. Also extra large, 10-20 ft., imme-diate shade, \$2.50 to \$10.00.
- Black Spanish (Persian). Delicious fruit in July and August, large and tart as Loganberry. Dwarf trees, 15 to 20 ft. shapely and ornamental. 2 to 5 ft., 40c to \$1.00.
- CAN. Makes a splendid shade tree, upright, resembling Black Walnut. See Fruit Dept.

- PEACH, Flowering. Of all the spring flowering trees the Double Flowered Peaches are the most brilliant and beautiful. The entire tree and every branch is simply a mass of blossoms, appearing before the leaves, making an immense bouquet of gorgeous color. Fast growing and very hardy, they should be more planted, but placed in the background as the tree is not especially desirable when the flowers are gone. Trim back after the flowers fall, to make plenty of new growth for next season's bloom. Double White, Double Pink, Double Red and Variegated. 2 ft., 60c; 3 ft., 75c; 4 ft., \$1.
- PLATANUS (Sycamore). Hardy, fast growing trees, reaching 80 to 100 ft., well suited to Southern California and growing with little or no water. Very large, maple-like leaves. Bark mottled gray and white. Seed balls, round, heavy, rough, on slending transfer. der stems.
 - orientalis (European Plane or Sycamore). Broader with more rounded outline than other sycamores. Stock scarce. 5 ft., 85c; 6 ft., \$1.00; 8-7 ft., \$1.50.
 - umbraculifera. A dwarf spreading, round-headed type of sycamore, slow growing, rather more a bush than a tree. 4-6 ft., \$1.00 to \$2.00.
 - occidentalis (American Sycamore). Very similar. Small only, 3 ft., 50c; 4 ft., 65c; 5 ft., 75c.
 - *racemosus (California Sycamore). Naturally upright, well branched trees, foliage downy. The twisted specimens seen in our canyons were caused by flood waters. Very scarce. We may be able to offer some collected sprouts. 50c to \$1.00.



LOMBARDY POPLAR FAST AND HARDY

- PULUS (Popuar). Fastgrowing large trees, hardy but requiring water for best results. Somewhat subject to damage by borers while young. POPULUS (Popuar).

 - alba nivea (Silver). Spreading, medium or small leaves. dark upper surface, silvery white reverse. 5 ft., 75c; 6 ft., 90c; 7-8 ft., \$1.25.

 Carolinensis (Carolina). A hybrid of Cottonwood, more regular form, and without the seed or cotton. Makes a large tree quickly, but is not long lived. 3 ft., 25c; 4 ft., 50c; 7-8 ft., \$1.25.

- large leaved, developing bushy top. 4 ft., 60c; 5-6 ft., 75c; 7-8 ft., \$1.25. balsamifera (Balm of Gilead).
- nigra Italica (Lombardy). The slender, erect, columnar poplar often seen along roadsides or driveways. Grows 5 to 6 ft. a year, becoming 75 ft. high. Requires little space, and is perhaps the hardiest of our poplars, standing drought well. Largely used for backgrounds in landscape work, or for rows or individual specmiens where tall, straight effects are desired. 5 ft., light, 50c; 6 ft., 75c; 7-8 ft., \$1.00; 8-9 ft., \$1.25; 10-12 ft., \$1.75
- RUNUS Pissardi. (Purple Leaved Plum). Roundheaded upright tree, eventually 18-20 ft., foliage. deep bronzy purple, color retained throughout the summer. Bright red, round fruit, showy and good for jelly. Makes very striking object amongst surrounding green foliage. Very healthy and hardy. 3 ft., 75c; 4 ft., 85c; 5 ft., \$1; 6-7 ft., \$1.75. Vesuvius and Othello are very similar varieties, somewhat different shade of purple. Bliriana and Veitchiana are semi-double forms. 4-6 ft., \$1.50; 2-3 ft., \$1.00. PRUNUS Pissardi.
- 2-3 ft., \$1.00.

 QUERCUS (Oak). Deciduous oaks should be more largely planted in California. The Eastern varieties bring their gorgeous autumn colors with them in their migration to this land of sunshine, which supplies a note of harmony for autumn that is lacking in the native deciduous trees, and which relieves the ordinary unchanging greenness of the vast majority of our planting. The popular conception that oaks are too slow to plant is an error. They are not rapid growers, that is true, but almost any oak 8 or 10 years old is really a good shade tree, besides being a delight and pride to its fortunate owner. And it will continue to be a delight and pride long after most other trees are sawdust and leaf-mold. Oaks are remarkably hardy, requiring only occasional watering, in fact doing fairly well with only the annual rainfall, if in retentive soil.

 alba (White Oak). Leaves deeply cut with rounded
 - alba (White Oak). Leaves deeply cut with rounded lobes; purple-red in autmun. 3 ft., 65c; 4 ft., 90c; 5ft., \$1.25.
 - coccinea (Scarlet Oak) and palustris (Pin Oak).
 Very similar varieties; leaves finely divided, bright green, changing to brilliant scarlet. 6 ft., \$1.00; 8 ft., \$1.50; 10 ft., \$2.50; 12-15 ft., \$3 to \$6, rubra (Red Oak). Foliage heavier than Scarlet Oak,
 - acutely cut, sharp but short points, dark red and golden autumn color. One of the best and fastest of all the oaks. Sturdy and well formed.
 - lcata (Spanish Oak) and velutina (tinctoria) (Black Oak). Are somewhat similar, the latter with heavier, blacker foliage. All 3 at same price. 6 ft., \$1.00; 8 ft., \$1.50; 10 ft. \$2 to \$3; 12-14 ft., \$4. to \$8.

 - to \$8.

 marcrocarpa (Burr Oak). Light colored bark, immense acorns in deep mossy caps, very rapid.

 nigra (aquatica) (Water Oak or Biack Oak). Very fast grower; long, dark green leaves; both varieties, have golden brown autumn foliage, which they retain most of the winter. Both varieties. 6 ft., 75c; 8 ft., \$1.00 10 ft., \$1.75; 12-16 ft., \$2.50 to \$6.00.

 Robur (English Oak). The fastest grower of all; very dark green, lobed leaves; dense, compact, hardy. Foliage sometimes subject to mildew in late summer. Bordeaux Mixture is a good preventive.
 - ventive.
 - We offer some large trees at very attractive prices: 6 ft., 60c; 8 ft., 75c; 10 ft., \$1.00; 12 ft., \$2.00; 14-16 ft., heavy, \$2.00 to \$3.50; 18-20 ft., heavy, \$4.00 to \$6.00.
 - Oaks are much more safely transplanted early in the season. Order early, December or January if possible.
- ROBINIA (Locust). All exceptionally fast growing and very hardy, thriving even in extreme desert climates and withstanding drought remarkably.
 - pseudacacia (Black Locust). The fastest grower, reaching height of 35 to 50 ft., with very spreading top. Short thorns, abundant white flowers with pleasing fragrance in April. Fine for desert, making shade trees, roadside trees and windbreaks. 4 ft., 40c; 5 ft., 50c; 6 ft., 60c; 7 ft., 75c; 8-9 ft., \$1.00; 10-12 ft., \$1.50; 15 ft., \$2.50; 18-20 ft., 3-4 in. caliper, \$5.00 to \$8.00.
 - Decaisneana (Pink Locust). One of the most beautiful spring flowering trees, profusely covered with long clusters of pea-shaped blossoms of a delicate salmon-pink. Fast grower, reaching 15 ft. in 2

years, 25 ft. in 5 years. No better or hardier shade tree for the home place, and equally desirable for roadside and parks. Not planted nearly enough. Grafted trees, 8 ft., \$1.25; 10 ft., \$1.50; 12 ft., \$2.

- SOPHORA Japonica (Pagoda Tree). A Japanese tree bearing white flowers in July, forms a dense head, grows 20 to 25 ft.; bright green, small leaves. We have a few large sizes only. They do not transplant easily, but we will make them at attractive prices—buyer's risk. 15-18 ft., \$5.00; 20-24 ft., \$7.
- STERCULIA Platanifolia (Parasol Tree). Unique and uncommon, heavy straight stem, branching like an umbrella tree but with less number of branches. Upright tree with small, round or parasol-shaped head. Immense leaves deeply lobed. Large panicles of greenish white flowers followed by large seed pods. 8 ft., 2 in. caliper, \$2.00; 9 ft., 3 in. caliper, \$4.00; 10 ft., 4-5 in. caliper, \$6.00. A few crooked at half price.
- LIA Americana (American Linden-Basswood). Large heart-shaped leaves of a beautiful color and texture. Very shapely, upright tree, to 35 ft.; seldom seen and should be planted more freely—succeeds well here. 7 to 9 ft., \$2.50. We have a few European Linden (Tilia platyphyllos) smaller leaves. 4-6 ft., \$1.00.

MARIX. Often listed as shrubs, but most varieties attain tree proportions if not kept cut back. Very useful either way. Perhaps the hardiest tree we offer for desert conditions, and one of the fastest growers. Foliage soft, cypress-like, but much more graceful. Very easily grown anywhere; fine for windbreaks or screens.

where; fine for windbreaks or screens.

Caspica (several other species almost identical).
Blossoms in February or March before foliage appears, becoming a cloudy mass of soft pink, very striking and beautiful. Small, dark foliage, very fast grower, 12 ft. in two years. Absolutely hardy; many trees living in the desert and Antelope Valley with only 4 or 5 inches of rainfall in the winter. Good windbreak, easily propagated from cuttings. 6 ft., 85c.

Japonica (Plumosa). Soft light green foliage, in sprays like ostrich plumes, flowers after the foliage appears, small light pink. Best of all for shape and foliage. 6 ft., \$1.00; a few large trees difficult to plant 12 ft., special price \$2.00.

hispida aestivalis. Silver-gray foliage, very pleas-

hispida aestivalis. Silver-gray foliage, very pleas-ing; flowers appear late, long graceful sprays at tips of new growth blooming almost all summer. Small plants only. 2-4 ft., 75e to \$1.00.

BRELLA (Melia). Well known compact tree, dense foliage and shade. Very fast.

umbraculifera (Texas Umbrella). The heavy, even-ly branched kind. 4 ft., 75c; 5 ft., \$1.00; 6 ft., \$1.50; 7-8 ft., \$2.00.

WEEPING DECIDUOUS TREES

BIRCH, Cut Leaf Weeping (Betula alba pendula lac-iniata). Upright, slender tree, with delicate drooping branches and small leaves. Bark white, branches black, leaves glossy, dark green; grows

25 to 40 ft. Not common in Southern California; stock difficult to procure since Quarantine 37. We expect to secure a few. 4 ft., \$1.50; 5 ft., \$2.00; 6 ft., \$3.00.

TEAS WEEPING MULBERRY. Beautiful as either tree or shrub, forming a flat head with branches weeping to the ground. Foliage remarkably bright green and very dense. Grafted on 8 or 9 ft. straight trunks, these trees can be trained to form a natural, self supporting arbor, the straight the sides of a tent. Smaller trees set as specimens in a plot of grass give the beautiful effect of a living fountain continually pouring is green foliage down upon the lawn. We have a splendid stock this season. 6 ft., \$1.50; 7 ft., \$2.00; 8 ft., \$2.50; 9 ft., \$2.75; 10 ft., \$3.50.



TEAR WEEPING MULBERRY GRAFTED HIGH, MAKES A FINE ARBOR

WEEPING WILLOW (Salix). Extremely fast growing but ordinarily short lived unless planted close to a body of water or running stream, to which the roots have free access. Usually better in heavy, black soil; somewhat subject to borers. Grows 30 to 50 ft. in suitablt locations.

We have a number of new varieties with a wide variation in foliage and habit. Some of these were originated by hybridizing at the Government Experiment Station.

ernment Experiment Station.

Diamond. Rather broad foliage and stocky growth. 2 ft., 4 ft., 6 ft., 8 ft. and 10 ft.

Niobe. Extremely pendulous habit, yellow bark. 6 ft., 8 ft., 10 ft. and 12 ft.

Elegantissima. The strongest grower of all. Narnow foliage very abundant. 10 ft and 12 ft.

North Star. Strong grower, rather heavy foliage. 6 ft., 8 ft., 10 ft. and 12 ft.

Pentandra. Very broad leaf, yellow stems, rather stocky. 3 ft., 4 ft., 6 ft.

Prices of all varieties: 2-3 ft., 50c; 4 ft., 75c; 6 ft., \$1.00; 8 ft., \$1.25; 10 ft., \$1.75; 12 ft., \$2.50.

Babylonica. The ordinary well known weeping willow. 6 ft., \$1.00; 8 ft., \$1.55.

DECIDUOUS SHRUBS

Like deciduous trees these should be used much more freely in California. Many of them present a wealth of bloom attained by only a few of the evergreen shrubs, and of a daintiness and freshness not found in any of that class. Scattered among groups of vergreen shrubs they offer no objectionable qualities, as they are not noticed at all when bare in winter, but in their blooming period they are the most attractive feature—the delight of the garden. Use them freely; they form a calendar of the procession of the seasons; and are a tender connecting link with the old home "Back East."

They are all hardy in the coldest weather ordinarily experienced in California, many (but not all) in fact are hardy at temperatures to zero and below. Shrubs which bloom early or on the older growth should never be pruned until the blossoms have passed. Then they should be trimmed if necessary to promote growth for next season.

MOND, Flowering. A mass of soft fluffy flowers from top to bottom blooming very early in spring before the leaves appear and in its season easily the most beautiful object in the garden. Grows ALMOND, Flowering. mass of soft fluffy flowers 4-6 ft. very hardy.

Double Pink. Small pots and cans, 12-18 in., Field grown, bare root, 2 ft., 75c; 3 ft., \$1.00.

Double White. Field grown, bushy. 2 ft., 75c; 3 ft.,

ALTHEA (Rose of Sharon) (Hibiscus Syriacus). The brightest and most freely blooming shrub in the garden during July, August and September. Large, showy flowers of many colors, borne on thrifty upright shrubs which are hardy everywhere, enduring extremes of cold, heat and drought. Blossoms appear on the new growth, therefore prune heavily during the winter. The growth will be stronger and more beautiful, the flowers larger and blooming for a longer period. Somewhat sub-

ject to black scale and green aphis. Treat scale with rosin wash or other spray; aphis with to-bacco (nicotine) sprays or Nicodust. The best varieties are: totus albus, single white, about the size of a white Cherokee rose, very free blooming; Banner, semi-double, white with dark maroon center; pulcherissima or Lady Stanley, double light pink with dark red center; Double Lavender, beautiful shade of lavender, semi-double; and Meehani, variegated foliage, beautiful single lavender flowers. Besides these there are Double White, Double Red and Single Red, not quite so desirable. 2 ft., 50c; 3 ft., 65c; 4 ft., \$1. A few varieties, 5-6 ft., \$2.50.

- BERBERIS Thunbergi (Japanese Barberry). Dwarf, compact, spiny bush, with very small, bright green leaves which become red in autumn. Much used for dwarf hedges in the East. Bushy, 15 in., 50c;
- DDLEIA variabilis magnifica (Butterfly Bush). Fast growing, bushy shrub to 10 ft., remains half evergreen except in extremely cold climates. Blossoms from June till November long purple spikes resembling Wistaria, very fragrant. Prune heavily in winter, and cut back flower stems as soon as faded. One of the very best large shrubs. Pots and cans, 10-15 in., 25c; 2-3 ft., 60c; 3-4 ft., 75c. Field, 6-8 ft., bare root, \$2. Balled, cut back, \$3.
- SH HONEYSUCKLE (Chamaecerasus). Covered in early spring with masses of Honeysuckle flow-ers, several shades. Pots, 10-15 in., 25c. Field, 3-4 ft., 75c.
- CALYCANTHUS Floridus (Sweet Shrub). Bushy. dark leaved shrub with many-petaled flowers of a dark chocolate color in May and June. Very sweet fragrance. Bushy, 2 ft., 75c; 3 ft., \$1.00; 4-5 ft., \$1.50.
 - praecox (Allspice Bush). Blossoms in winter, often in December, when the bush is bare of leaves. Flowers light yellow, small, but of wonderful spicy fragrance; a small cluster will perfume a room; grows 6 -10 ft. Bushy, 2-3 ft., \$1.00: 3 ft., \$1.25; 4 ft., \$1.50.
- CLERONDENDRON trichotomum (Fargesi). Tall, 12 ft.; sprays of pinkish flowers in June, the calyx folding back and showing a berry the color of a blue bottle fly in August and September. Unusual. 2 ft., 60c; 3 ft., 75c.
- CORNUS Florida (Dogwood). Upright, tree-like, bearing flat, creamy white flowers after several years' growth. 2 ft., 50c: 3 ft., 85c: 4 ft., \$1.25.
 Preferably balled, 35c to 50c extra.
- CRAPE MYRTLE (Lagerstroemia Indica). APE MYRTLE (Lagerstroemia Indica). Tall shrub or small tree bearing a wealth of crape-like flowers, often covering the entire bush, and blooming from June till October. One of the showiest and most beautiful shrubs. Difficult to transplant bare root and may die back. Stock in cans in summer is safe. We have three varieties: Tall Rose Pink, upright grower, blossoms in large clusters. Dark Pink, sometimes called a red, more bushy, blossoms scattered. White, beautiful and seldom seen, pure white.

 Bushy plants, bare roots, 4 ft., \$1.75; 5 ft., \$2.25; Tall shrub

Bushy plants, bare roots, 4 ft., \$1.75; 5 ft., \$2.25; ft., \$2.75.

Light stock, 2 ft., 60c; 3 ft., 85c.

- CYDONIA Japonica (Japanese Flowering Quince or Burning Bush). A very hardy free flowering shrub, low bushy form and blooming very young; most varieties also bloom in the late winter or early spring, making a good show before the leaves appear, and continuing 3 or 4 months.

 - Orange Scarlet. One of the most showy spring flowers, blooming from January to June.

 Umbellata (Red Rose). Color of Papa Gontier rose. very large; March-June. Also mixed seedlings varying from pink to deepest crimson. 15-18 in.. light, 50c; 2 ft., 75c; 2½-3 ft., strong, \$1.00. Balls, and cans, 35c higher.
- JTZIA. A group of extremely beautiful and free-blooming shrubs very little known in California. Very hardy and fast growing.
 - for a pink stripe in the latter. Tall growing to 10 ft., very abundant frilly, double white flowers in strong spikes and clutsers, usually in May. 3 ft., 60c; 4 ft., 75c; 6 ft., \$1.25; 8-10 ft., \$2.00.

- gracilis. Dwarf, erect, compact shrub, $1\frac{1}{2}$ ft., entirely covered in early April with small white flowers. 15-2 0in., 60c.
- gracilis rosea. Graceful, drooping habit, about 4 ft., blossoms freely in mid-April, soft light pink, small flowers covering the branches in festoons. 3-4 ft., bushy, 85c.
- discolor. Recently introduced, upright, loose, open sprays displaying yellow centers. 3 ft., \$1.00.
- ERYTHRINA velutina (Coral Tree). Wonderful spikes, 2 ft. long of immense pea-shaped coral-red flowers, of brilliant, waxy texture, blooming freely from June till September. Bush dies back each year almost to previous year's growth, gradually attaining almost tree-like structure. Very striking plant. Strong plants, heavy roots, 2-3 ft., \$1.25.
- EUONYMUS Europeus (Strawberry Tree or Spindle Tree). Shrub 6-9 ft., pinkish red berries in Octo-ber and November. 5-7 ft., \$.00 to \$3.00.
- FLOWERING POMEGRANATE. Bright glossy foliage, double curled, brilliant flowers. Double Red and Double Red with Yellow Edge, 2 ft., \$1.00.
- RSYTHIA viridissima (Golden Bell). One of the earliest blooming shrubs, February; golden yellow on bare branches, very showy, hardy; height 6 ft. 4 ft., 75c; 5 ft., 90c.
- HIBISCUS (African). Large shrub or small tree to 12 ft., maple-like leaves, semi-double pink flowers from August to November. Very showy and hardy. Cans, 3 ft., 75c; 4 ft., \$1.00.
- HYDRANGEA. The hardy hydrangeas do very well here in partial shade.
- arborescens sterilis. Flat, white heads, grows 3 ft. 18 in., 50c.
- paniculata grandiflora. Immense clusters of white blossoms on long stems, fine for cutting. Prune heavily every winter. 18-24 in., 60c.
- MON VERBENA (Lippia (Aloysia) citriodora). Lemon-scented shrub, growing 6-10 ft., foliage like peach leaves. 15 in., 35c; 18-24 in., 50c; 3 ft., \$1.00.
- LILAC (Syringa). Lilacs do well in Southern California, but are much slower growth and smaller in blossom than in cooler climates. The Persian varieties, however, are all quick and free bloomers even when very young and small.
 - Common Purple (Syringa vulgaris). Rather slow in blooming. 18 in., 60c; 24 in., 75c; 30 in., \$1.00.
 - Common White (S. vulg. alba). Grows faster than purple. Same price.

 Also a few 5-6 ft., at \$3.00 and \$4.00.
 - Grafted Varieties. Several named kinds, both purple and white. 18 in., 75c; 20-24 in., \$1.00.
 - Persian Cut Leaved (S. sougeana laciniata) (Persica). Very free blooming even as small plants of 15 in., the first year. Blooms about a month earlier than the common lilac, very fragrant, light lavender blossoms; foliage finely cut, fast grower, reaching 5 or 6 ft. in 4 years.
 - Persian Blue, also White. These have small, sharply pointed leaves, not cut. Not quite so free flowering as the Cut Leaf variety, the Blue is a light lavender, the White shaded with mauve.
- Rothomagensis. A Persian or Chinese variety with larger leaves and larger flower clusters than the ordinary Persian. Flowers deep reddish purple, very fragrant; about 10 days later than the Cut Leaved Persian. One of the very best varieties for Southern California. All Persian varieties: 15 in., 50c; 18 in., 65c; 2 ft., 85c; 30 in., \$1.00.
- PHILADELPHUS (Syringa or Mock Orange). HILADELPHUS (Syringa or Mock Orange). Shrub 6-12 ft., very fast growing, covering entire plants in April and May with a sheet of fragrant blossoms, saucer-shaped white with golden stamens; graceful spreading form, exceedingly hardy. coronarius (Sweet Syringa). Abundant medium sized flowers, exceedingly fragrant. grandiflora (Large Flowered). More robust, larger flowers, not so fragrant. inodorus and Gordonianus. Large and very floriferous, not scented.

 Nepalensis. Flowers single, not in clusters, very

 - epalensis. Flowers single, not in clusters, very perfect creamy white; one of the most beautiful. valanche. Immense flowers in large clusters; one
- Avalance. Infinitise howers in large clusters, one of the very best.
 All of above: 3 ft., 50c; 4 ft., 75c; 5 ft., \$1.00; 6-8 ft., \$1.50 to \$2.00.

 Dwarf (nana compacta) . Grows only 2-3 ft., masses of creamy flowers. 18 in., 35c; 2 ft., 50c.

- SNOWBALL (Virburnum opulis sterilis). Well known, bushy, grows 6 to 8 ft., blooming in March and April with very large snowball-like clusters. 15-18 18 in., bushy, 50c; 20-24 in., bushy, 75c.
 - Japanese (Viburnum plicatum). Bush more compact, upright, flower slightly smaller, tighter balls, blooms later. Beautiful pleated leaves. 15-18 in., 60c; 18-24 in., 85c.



SNOWBALL THE ONLY KIND WE KNOW IN SOUTHERN CALIFORNIA

- SNOWBERRY (Symphoricarpus racemosus). Sprays DWBERRY (Symphoricarpus racemosus). Sprays and clusters of milk-white berries the size of small marbles cover the 2 to 3 ft. bushes in early fall—September to November. Spreading, bushy growth, very attractive, 2 ft., 50c; 3 ft., 75c. We also have the red form Indian Currant (S. vulgaris). Small berries, 2-3 ft., 50c.
- REA. Hardy, fast growing, free-blooming shrubs, very successful in California.
- Anthony Waterer. Semi-dwarf, very bushy, 3 to 4 ft., blossoming freely from May till September, dark pink flowers in flat clusters. Foliage variegated. Small pots and cans, 6-12 in., 20c. Clumps, 15 in., 60c; 18 in., 75c; 24-30 in., \$1.00.
- prunifolia flora plena (Southern Bridal Wreath). Small, double, white flowers like shoe buttons, thickly strung along the long willowy branches. Very pleasing shrub, 5-6 ft., height. 18-24 in., 60c.

- Reevesiana (Cantoniensis) (Bridal Wreath).
- Reevesiana (Cantoniensis) (Bridal Wreath). Single white, early blooming, long, narrow foliage, bushy shape up to 8-9 ft. Completely covered in late March with flat, white flower clusters. 3 ft., 60c; 4 ft., 75c; 5-7 ft., \$1.25 to \$2.50.

 Reevesiana flora plena (Double Bridal Wreath). Similar to above but very double flowers in large clusters, often begins to bloom in late fall, shows blossoms all winter and blooms heavily in spring until mid-June. Half evergreen in warm winters. One of our best and hardiest shrubs. Pots and cans, 12-15 in., 25c; 2 ft., 50c; 3 ft., 75c; 4 ft., \$1.00.

 If balled will continue to bloom without check. If balled will continue to bloom without check. 25c extra.
- munuergi (Baby's Breath Bridal Wreath). Very small, narrow, light green foliage, making a soft, graceful shrub 4 to 6 ft. Tiny star-shaped flowers, singly or in small clusters, early in continu Thunbergi (Baby's Breath Bridal Wreath).
- graceful shrub 4 to 6 ft. Tiny star-shaped flowers, singly or in small clusters, early in spring. A very dainty but entirely hardy shrub, should be much more used. 2 ft., 60c; 3 ft., 85c.

 Van Houteii (Van Houte's Bridal Wreath). Late blooming, April or May. Flat, single white flowers making the entire bush into a huge snowball. Very graceful arching form, beautiful rounded leaves, with scalloped edges. 2 ft., 50c; 3 ft., 65c; 4 ft., 85c: 5 ft. \$1.25.6 ft., \$2.00. 4 ft., 85c; 5 ft., \$1.25; 6 ft., \$2.00.
- VITEX Agnus-Castus (Chaste Tree). Six to eight ft. shrub, sharply cut leaves, long spikes of blue flowers from July to October. 4-6 ft., \$2.00.
 - a.-c. alba. White variety of above. 4 ft., \$1.00; 5 ft., \$1.25.
- RHUS copallina (Eastern Sumac). Fine cut leaves, red berries, 5-7 ft., 50c.
 - glabra laciniata (Cut Leaf Staghorn Sumac). Dwarf fern-like leaves, 18 in., 75c.
- IGELIA (Diervilla). The only reason why this beautiful shrub is not planted everwhere is because people do not know it. Bushy, upright form 6 to 10 ft. tall, beautiful large foliage, masses of trumpet-shaped flowers in delicate tints, flowering for several months; hardy, without pests and easily grown, it leaves little to be desired to make a perfect shrub. perfect shrub.
- mabilis. Shaded red and pink, entirely covering the plant; one of the showiest, medium late.
- Candida. Pure white, taller and more slender shrub than other varieties.
- osea. Large light pink blossoms, often blooming for 10 weeks and a few in the fall.
- Steltzneri. Very dark pink, medium early, large clusters; one of the best.
- Robusta. Large medium pink, late.
- Venosa. One of the prettiest, light pink, shading to blush, very long season.
- Variegated, two sorts, Kosteriana Var., yellowish edge and Nana Variegata white variegation; both are beautiful shrubs retaining the color of the foliage all summer. Masses of shaded light pink flowers. Very good.
- All varieties: 18 in., 40c; 2 ft., 60c; 3 ft., 75c; 4 ft., \$1.00; 6-7 ft., \$2.00. Eva Rathke. More dwarf growth, eventually 3-4 ft., bushy, dark red flowers. 15 in., 50c; 20-24 in., 75c.


HARDY PERENNIALS

These are among the easiest grown and showiest garden flowers, standing neglect and extremes of heat and cold remarkably well. Very little care, as once planted they are usually good for several years with the minimum of attention. Should be used much more freely.

- NEMONE Japonica (Windflower). Hardy, easily grown, blooming in late summer and fall, showy, long stemmed, fine for cutting. Will grow in full sun, but is even more beautiful in partial shade. Somewhat subject to mealy bug. Single White, Semi-double White, Pink and Light Red. Small pots, 15c. Divided roots, 20c. Clumps, 40c. ANEMONE
- ASTER, Hardy Perennial (Michaelmas Daisy). Very hardy and fast growing, blooming for several months, the different varieties maintaining a succession from June 1st till frost; medium or small, daisy-like flowers in large sprays. Quickly increased by divisions, grown anywhere.
- limax. Very large, beautiful light blue. Formissimum. Smaller, deeper blue. St. Egwin. Soft lilac pink. Mrs. Raynor. Reddish lavender. White Queen. Divided roots or pots, 10c; \$1.00 doz. and cans, 10c; \$1.00 doz. Clumps, 20c to 50c each. Climax.
- REOPSIS lanceolata. Very hardy, brilliant yellow on tall, slender stems. Blooms 6 months, fine for cutting. Rayon d'Or has tube-shaped petals. Pots and cans, 10c; \$1.00 doz. Clumps, 20c to 50c each.
- CHRYSANTHEMUM. Well known autumn flowers, growing 4 to 6 ft., blooming from September to No-vember. For the largest blooms divide the roots

each year or grow new plants from cuttings, but old plants make great masses of bloom. We carry 6 or 8 kinds of the large blooming, named varieties, in all colors; also 3 or 4 single flowered varieties; very fine for artistic arrangement as cut flowers; and 6 or 8 named varieties of the small pompon or button chrysanthemum. Small plants in pots, 10c; \$1.00 doz. Larger, in pots and can, 15c to 25c each; \$1.50 to \$2.50 doz.

- DELPHINIUM (Larkspur). Belladonna, light blue; Formosa, dark blue. Hybrids, all shades. One of the prettiest of all garden flowers, tall, graceful spikes of various shades of blue, blooming for long periods. Not so long lived as other perennials; needs frequent renewing. Very good in partial shade. Small pots, 10c each; \$1.00 doz. 4-in. pots, 20c each; 2.00 doz. Clumps, 30c to 50c each.
- EUPATORIUM coelestinum. Blue flowers like ageratum, covering the 2 ft. plants completely in August and September. Very hardy and fast growing. Small plants, 10c each; 75c doz.
- FOXGLOVE (Digitalis). Tall spikes of delicately colored, trumpet-like blossoms; needs shade. 4-in pots, 20c; 5-in. pots, 35c.



GAILLARDIA EVERBLOOMING, STANDS DROUGHT

- GAILLARDIA grandiflora (Blanket Flower, Flat, daisy-like blooms, 2 inches across, dark crimson with golden edges, and large brown center. Very hardy, blooming for months without irrigation. Pots and cans, small, 10c; 75c doz. Larger, 15c; \$1.50 doz.
- GOLDEN ROD (Solidago). Late summer and autumn, golden sprays 4 to 6 ft. Divided roots, 15c.
- PSOPHILA paniculata (Baby's Breath). Soft, misty sprays of tiniest white flowers, blooming from June to August, much esteemed for bouquet use. Hardy when well established; small young plants should be protected from snails. Small pots, 10c. Cans, stronger, 15c to 20c.
- HEUCHERA (Alum Root). Dwarf, compact, shade-loving plants; small, bright rosy salmon colored flowers on slender stems above the foliage in April and May. Good for rockeries. Small pots, 20c; 4-in. pots, 25c and 30c.
 - White variety. Small, 15c.
- HOLLYHOCK. Large showy flowers on tall spikes; all colors. Small pots, 5c and 10c; gal. cans, 15c, 20c and 25c; 5 gal. and balled, 35c to 50c.
- LATHYRUS latifolius (Perennial Pea). Very hardy and long lived, trailing habit, resembles sweet peas, much heavier and bushier. Blossoms from May to October, bright pink. Cans, strong plants, 25c-40c

- PENTSTEMON (Beard Tongue). Resembles Snapdragons, but flowers are more tube-like, and blooms nearly the whole year, beautiful colors, fine for cutting, exceedingly hardy. Several colors: in white, pink, red and mixed. Small plants, 10c, 75c to \$1.00 doz. Larger, 25c. Clumps, 50c.
- PHLOX, Hardy Perennial (Phlox decussata). A most showy, brilliant summer flower, in bloom from June till October. Flat heads, 6 to 8 inches across. En-tirely dormant during the winter, allowing the bed to be planted to pansies or other winter blooming annuals.

Named varieties, all colors: Scarlet, Pink, White, lavender, White with Red eye, etc. Small, 10c; strong, 20c; clumps, 40c. Elizabeth Campbell, soft salmon pink, 50c. Write for special prices in large quantities.

- PLATYCODON (Japanese Bell Flower). A most beautiful and hardy perennial flower. Grows under all conditions, slender stems ending in a balloonshaped bud, which opens into a broad bell-shaped flower, extremely graceful. Small pots and cans, 10c and 15c. Fields plants, 50c.
- YSOSTEGIA Virginica (False Dragon's Head). Erect, hardy plant, attractive flowers in spikes, blooming 3 or 4 months, pink. Small pots, 10c; clumps, 50c. PHYSOSTEGIA
- POPPY Oriental. Low growing, silvery foliage, extra large orange-scarlet bloom. 10c to 25c.
- RUDBECKIA laciniata (Golden Glow). Exceedingly hardy, fast growing, showy plant, blooming in Sep-tember and October, brilliant golden yellow resem-

bling small chrysanthemums, on stems 5-7 ft. high. Beautiful and lasting for cut flowers, showy in the garden. 15c, 25c and 35c.

- SCABIOSA (Mourning Bride). Hardy, long lived, free blooming. Blossoms somewhat resemble Red Clover. Heads, on long slender stems, beautiful and lasting for cut flowers. All colors. Small plants in flats, 50c to 75c doz. Pots and cans, 10c; strong, 25c.
- SALVIA Pitcheri (Blue Salvia). One of the most beautiful blue flowers in cultivation, a clear, deep, solid blue unmatched except in the best dark blue larkblue unmatched except in the best dark blue lark-spurs. Very hardy, growing quickly from the persistent root; slender, upright stem 4 to 5 ft., covered with masses of flowers from August to October. Combines wonderfully with Golden Glow or Coreopsis. Small pots, 15c; \$1.50 doz. Larger, 25c; \$2.50 doz. Clumps, 50c to \$1.00. uliginosa. Light blue, with small white eye, bushier clumps, smaller flowers, earlier—May to September. Small pots or divided roots, 10c. Larger, 25c to 50c.

ber. S to 50c.

SHASTA DAISY. Low growing, hardy plants, large, white flowers on slender stems, 10 to 15 inches in height. Small plants, 10c; 60c doz. Larger, 15c; \$1.50 doz. Clumps, 25c and 50c.



SHASTA DAISY

- STOKESIA cyanea (Cornflower Aster). spreading plant, entirely hardy; larg flowers, resembling asters. Small, Large, 35c to 50c. Aster). Very low, rdy; large, flat, blue Small, 15c and 20c.
- SWEET WILLIAM (Dianthus barbatus). Very hardy, brilliant flowers in clusters like phlox, many bright colors. Small plants from flats, 50e to 75c doz. Pots and cans, 10e; \$1 doz., Clumps, 25e to 35e each.

FLOWERING AND DECORATIVE PLANTS

- ACHYRANTHES. Bright colored foliage plants, bushy, low growing, stands exposure but not hard frost. Red and Variegated. Small pots, 15c; \$1.50 doz.
- BANANA, Abyssinian (Musa ensete). Immense leaves often 8 ft. long and 2ft. wide, with heavy red midribs, growing from a single heavy trunk, very fast, often 15 ft. in height. Blossoms after several years, with a giant spike, chocolate-red, which droops almost to the ground. Plants die after blooming. Gives a most tropical effect, should be planted in fairly frost-free places and sheltered from heavy winds which tear the foliage. Cans, 18 in., 60c; 2 ft., 90c; 3 ft., \$1.25; 4 ft., \$2; 5 ft., \$3.

 Orinoco (Edible or Fruiting). See Sub-tropical Fruits. Several stems and recovers rapidly if frosted, 10-
- Several stems and recovers rapidly if frosted, 10-12 ft. height, very tropical effect. Does best plant-ed close to a building in a sheltered sunny angle. Cans, 1½ ft., \$1.00; 2 ft., \$1.50; 3 ft., \$2.00; 4 ft., \$2.50; 6 ft., \$3.50.
- FUCHSIA. Much branching, half tender plants often trained in upright climbing fashion against a wall. Blossoms drooping, bright colored, very beautiful. Needs protection from extreme sun except in cooler portions of the coast districts.
 - Black Prince. Single, 2 shades of red. Double Purple with red calyx; Rose of Castile. White calyx, purple corolla, and others. Pots, 8-12 in., 30c. Cans, 15-18 in., 50c; 2 ft., 75c; a few 3-4 ft., \$1.75.
- GERANIUM (Pelargonium zonale). Too well known to need description. Succeeds better near the Coast than in the more arid atmosphere further inland; but will grow well anywhere in the temperate part of Southern California. We do not carry many varieties in stock, but can obtain anything wanted. Single dark scarlet, variously called John Forbes or Gen. Grant; also S. A. Nutt. Double crimson—usually in stock. Pots and cans, 4-8 in., 10c; \$1.00 doz. Larger, 15c to 20c.
 - Ivy Geranium (Pelargonium peltatum). Trailing much y derantum (relational parking, banks, fences and at the base of palms, also for window boxes Galillee—double pink, the freest blooming sort. Pots, 6-10 in., 15c; \$1.50 doz. We can secure other varieties on request.
 - (Commonly called Large ady Washington Geranium. (Commonly called Pelargoniums.) Pelargonium domesticum. Large spreading or half climbing plants, with immense clusters of large bright colored, beautifully marked blooms. We can usually supply 3 or 4 colors. Small plants, 6-10 in., 25c; \$2.50 doz. Larger, 40c and 50c each and 50c each.
- GERBERA Jamesoni (Transvaal or South African Daisy). Low plant with dark green, finely cut leaves, blossoms on long stems, size and shape of Shasta Daisy but brilliant brick red color. Also hybrids which range from almost white to lemon, salmon-blush, all shades of pink and red to scarlet. Likes well drained soil and sunlight. Not affected by frost, but often dies out, probably from improper watering. A most brilliant plant. Small pots, 2-4 in., 20c. Larger, 25c. Clumps, 50c to 75c.
- LIOTROPE. Fast growing, spreading plant constantly in bloom, easily frosted. Dark Purple and Light Purple, grows well in either sun or shade. Small pots, 6-8 in., 20c; medium size, 30c; cans, 40c.
- COBINIA magnifica. Good plant for frostless places, prefers partial shade but stands sun. Very dark green, 3-4 ft. good foliage to base, brilliant coral-red flower spikes above the foliage. December to March. Easily frosted. Pots, 35c; gal. 3 ft., \$5c.
- LAVENDER, English. Soft gray foliage, lavender flower spikes highly fragrant. One of the hardiest and most drought resistant plants. Height 3 ft. Pots and cans, 6-8 in., 20c; larger, 35c.
- A most brilliant winter blooming plant, growing to 4 ft., covered with large, flat, golden trumpets from late December to May. Damaged by frost, but grows again quickly. Cans, 15-18 in., 40c; 20-24 in., 60c; 3 ft., \$1.25. LINUM flavum
- MARGUERITE (Daisy). Bushy, fast growing plants constantly in bloom, very hardy. Single White, Double White (Mrs Sanders) and Single Yellow. Small plants in pots, 15c; \$1.50 doz. Larger, 25c.

- MUELENBECKIA platyclada (Tape Plant). Flat, tape-like stems, jointed together in a very strik-ing manner. Grows 4 to 5 ft., very good for mixing in groups of miscellaneous shrubbery especially in partial shade. Strong plants, 2-3 ft., 50c.
- PEONY (Herbacious or Common). Does not bloom well in Southern California, prefers a cooler climate. We have had a few bloom well in partial shade. Roots, or in cans, 35c; several colors.
 - Does splendidly but unobtainable since ne 37. We have a few seedlings in large Japanese. Does Quarantine 37. cans, \$1.75 each.
- NSETTIA pulcherrima (Mexican Christmas Flower). Well known, brilliant scarlet bracts at the end of every stem. Subject to frost, plant in sheltered places; beside a south wall, etc. Prune back severely every spring after flowers are gone. Small pots, 6-10 in., 20c; 12-15 in., 35c; 18 in., 50c; 2 ft., 65c; 3 ft., 85c.
- ROMNEYA Coulteri (Matilija Poppy). Native plant, hardy, 5-6 ft., beautiful white, saucer-shaped flowers 6 inches across. Grows in dryest places without irrigation; very difficult to propagate and scarce at present. Plants, 75c to \$2.50.
- ROSEMARY. Compact fine leaved plant with light lavender blue flowers. Makes a very hardy small shrub, or dwarf hedge. Small, 10c and 15c. Balled, 75c to \$1.25.
- SALVIA coccinea (Pineapple Salvia). Very hardy, 4 ft., much branched, blossoming several times a year, bright scarlet, slender spikes. Good winter bloomer. Foliage deliciously scented. Cans, 18 in., 40c; 2 ft., 60c.
 - officinalis (Garden Sage). Gray foliage, blue flowers. Cans, 15c to 35c.
 - splendens (Scarlet Sage). The favorite bedding plant "Black East" and does well here. Brilliant scarlet spikes borne all summer. Small, 10c. Larg-
 - Greggi. Really a shrub, much branched, with small red flowers almost continuously. Very hardy. Small plants, 20c and 30c.
 - leucantha. Soft gray leaves, slender upright spikes of wooly flowers, cream and violet, 2-3 ft. Pots and cans, 10-15 in., 40c.
- group, very similar to S .Greggi; flowers brighter scarlet, more drooping growth. Pots and cans, 8-12 in., 25c. Balled 3-4 ft., \$1.50.
- SENECIO (cineraria) petasites (Yellow Cineraria). Soft wooly leaves, upright stems in clumps, yellow flowers in large clusters. Does not thrive in hot, dry situations. Cans, 18 in., 60c; 2-3 ft., \$1.00.
- SOLANUM Capsicastrum (Christmas Pepper). Red and yellow pointed fruit, very showy for Christmas use in pots. 25c to \$1.00.
- Pseudo-Capsicum (Jerusalem Cherry). Bushy plant, dark green leaves, round, red berries persisting for a long time. Resists light frost, and makes a good specimen in ground or can be used as a dwarf hedge. Also a good pot plant. Small pots, 10 m., 25c; 16 in., 50c. Bushy, 18-24 in., \$1.00.
- STATICE. Low growing, mostly spreading broad foliage, making a compact plant, from which spring tall flower stems, bearing large clusters of very minute flowers. The blossoms are of a stiff texture, and are used as dry everlasting cut flowers. On the plant they last for months and are a very pleasing and entirely unique addition to the garden. Grown in either shade or sun. Flower stems 2 to 3 ft. tall. 3 ft. tall.

 - Caspica. New variety; fine leaves and daintiest blue flowers; scarce. Small plants, 35c to 50c. latifolia. Leaves flat on the ground, stands freezing, very small lavender flowers. Pots, 25c to 75c. macrophylla. Heavy, light green leaves, dark purple, compact clusters. Pots and cans, 35c to \$1.00. Perisli. Large bluish leaves, very large lavender clusters. Very striking, frosts easily. 25c to \$1.25.
- TRITOMA (Red Hot Poker). Stemless plant with narrow, dark leaves. Flower shoots 3 to 5 ft. high, brilliant spikes of red and yellow. Small plants in pots, 20c; larger 35c; from ground, 50c to \$1.00.

FLOWERING AND DECORATIVE PLANTS

FOR POTS, TUBS AND INDOOR USE AND FOR SHADY PROTECTED PLACES

- ASPARAGUS elongatus. Upright, finely divided foliage in long sprays suitable for cutting for use with long stemmed flowers. Also makes a soft green clump of foliage in shady places, or can be used for a graceful hedge-like border in shade. 4-in pots, 18 in., 25c.
 - plumosus nanus (Asparagus Fern). Used for pots, also as a very fine leaved, very soft climbing vine for shady places. 3-in pots, 15c and 20c. 4-in pots, 25c to 35c; 5-in pots. 40c to 60c; 5 gal., \$1.25; clumps from field, heavy, \$1.00 to \$1.50. scandens deflexus. Beautiful, soft, feathery fronds. Splendid pot or basket plant. 4-in. pot, 40c to 50c; 5-in. pot, 60c to 75c; baskets, \$1.25 to \$2.75.

 - peringerii. The most hardy trailing or tub plant. Brilliant green, soft plumy fronds, graceful and pendulous. Fast growing, stands heat and sunshine, needs frequent repotting and pelnty of fertilizer. 3-in. pots, 15c; 4-in. pots, 30c; 5-in pots, 50c; baskets, \$1.25 to \$3.00.
- ASPIDISTRA lurida. Japanese plant with broad lily-like leaves, 12-24 in. tall, dark green; one of the hardiest plants for the house or dense shade out-side. Plants priced according to the number of good leaves, 15c per leaf. 75c to \$4.50 each. A few variegated with broad, white stripes, 18c per leaf.
- AUCUBA Japonica. Green and variegated forms. See Broad Leaved Evergreen Shrubs. A very hardy pot plant for shady places. 4-in. pots, 50c to 75c; 5-in pots, \$1.00 to \$1.25; larger, \$1.50 up.
- ALEA Hinodigiri. Dwarf Japanese azalea with small leaves, round, compact form. small, bright rose colored flowers, completely covering the plant in April and May. A beautiful pot plant, and almost the only azalea which grows if planted in the ground in Southern California. Plant in shade. 5-in. or 6-in. pots, 10-12 in., \$3.00.



BEGONIA

- GONIAS. Soft-stemmed foliage plants, many of them with beautiful blossoms, need shade and warmth, though some of them will stand a very light frost. Used in rockeries, ferneries, porch and BEGONIAS.
 - Dwarf or Bedding varieties (Semperflorens type). Low growing, always in bloom, compact, many upright stems, round, glossy foliage, many varieties coloring red in the sun. Stands sunshine better than any other form of begonia. Used for borders and pots. Gracilis Luminosa, red; Prima Donna, pink, and other varieties. 2-in. pots, 8c; 2½-in. pots, 10c and 12c; 3-in. pots, 15c; 4-in. pots, 25c to 35c.
 - Large Leaved Type (Rubella). No stem, large hairy variegated leaves ascending from underground root. Used for hanging pots. 8-9-in. baskets, \$1.75 to \$2.50.
 - ex Begonias. Very large, very ornamental leaves, strikingly marked and colored. 3-in. pots, 30c; 4-in. pots, 40c to 50c; 5-in. pots, 75c to \$1.25. Larger, \$1.50 up. Rex Begonias.

- Fibrous Rooted varieties (Branching type). Bushy habit, ornamental foliage with sprays and clusters of beautiful flowers of many colors and shapes. For shady beds and pot plants. We can usually supply 8 or 10 of the best varieties, including argentea guttata, spotted leaf; Haageana, large leaves, hairy flowers; Marguerite, similar, smaller; rubra and rosea picta, tall, long leaved sorts; Weltoniensis, cut leaf, pink and white; Thurstonii and metallica, bronzy leaved; rotundifolia and Verschaeffelti, low spreading habit; Zebrina, striped leaves; robusta and multiflora, small leaves, upright; Marjory Daw, tall; Pres. Carnot, Mdme. de Lesseps and corallina Lucerne, tall, large leaves and immense flower clusters; Templini, bronzed and shaded; Diadem, much divided leaves. 2½ and 3-in pots, 15c to 25c; 4-in pots, 20c to 40c; 5-in. pots, 50c to 85c.
- See Bulbs, for dry bulbs in early Tuberous Begonias. sping. During the spring and summer we have these in pots, beautiful colors; single, double and fringed. 40c to \$1.00.
- XWOOD (Trimmed Box). Leaved Evergreen Shrubs.) BOXWOOD (See Buxus-Broad
 - English. Trimmed specimens from the ground; oval or round. 12 in., \$1.50; 14 in. \$2.00, tubs extra. Plants in tubs, pyramidal form, 2 ft., \$6.00; 28-30 in., \$7.50; 36 in., \$10.00.
 - Japanese. Oval, round or broadly pyramidal. 16 \$2.50; 18 in., \$3.50; 20-24 in., \$5.00; tubs extra.
- CAMPANULA isophylla. Trailing plant, round leaves; white, bell-shaped flowers. Pots and baskets, 4-in. pots, 50c; baskets, \$1.50.
- **_EUS.** Highly colored foliage plants, for pots or bedding in semi-shaded places or full sun in cooler locations. Very brilliant marking in many combinations. 2½ and 3-in pots, 10c and 25c; 4-in. pots, 25c to 40c; 5-in. pots, 50c to \$1.25.
- ERARIA. Blooms late winter and early spring, in pots or sheltered shady places. Large heads of brilliant colored daisy-like flowers well above the foliage. 3-in pots, 15c and 20c; 4-in. pots, 25c to 35c; 5-in. pots, 40c to \$1.00. CINERARIA.
- CYCLAMEN. Beautiful winter blooming plants, compact mass of round foliage, beautifully marked with green or silver, flowers on long stems well above the foliage, brilliant colors of rose, crimson, salmon, white, and pink; fine for potted plants or very shaded, protected, outside planting. Plants without bloom, 4-in. pots, 40c to 75c; 5-in. pots, 50c to 85c; 6-in pots, 60c to \$1.00. Plants in bud and blossom, 4-in. pots, 65c to \$1.00; 5-in. pots, 75c to \$1.50; 6-in. pots, \$1.00 to \$2.00.
- FICUS (Rubber). (See Broad Leaved Evergreen Trees.)
 - elastica. The common Rubber Tree, one of the very hardiest potted plants for indoor and veranda use. Long, broad, shiny foliage. 6-in., 7-in. and 8-in. pots, 2 ft., \$1.75 to \$2.25; 3-3½ ft., \$3.00 to \$5.00. Pandurata (Fiddle Leaf Rubber). Immense leaves, often 16 inches long, and 12 inches across. A remarkable and very decorative potplant. 18 in. to 3½ ft., \$2.50 to \$6.00.
- GLOXINIA. (See Bulbs). Pot plants, large, soft, velvety leaves, very large trumpet-shaped flowers beautifully colored, blue, red and spotted. 4-in. pots, 40c to 60c; 5-in. pots, 50c to \$1.00.
- HANGING BASKETS. We can furnish these in either red clay, wire and moss or bamboo. We have them filled with Asp. Sprengerii, Asp. Scandens, Boston Ferns, Begonias and Coleus, and mixed foliage plants and vines, at prices from \$1.25 to \$8.00. Can also furnish in the flat or Wall Pocket style.
 - also furnish in the nat or wall Pocket style. We have the empty baskets at all prices from 25c to \$1.50; green moss at 30c per lb. and can make up any style desired. For sunny places we recommend the clay baskets, and can fill them with verbena, petunia, ivy geranium, trailing myrtle or periwinkle, lantana, begonia, Baby Marguerite (Erigeron) and many other trailing plants.
- IMPATIENS sultani (Sweet Sultan). Free blooming plant, resembles a begonia; flowers size of a 25c piece; red, pink and salmon. 4-in. pots, 8-12 in., 35c; 5-in. pots, 12-16 in., 50c.

ILODENDRON. Extremely ornamental and striking tropical plants, half climbing stems requiring support, from which the long aerial roots reach the ground. Immense leaves, deeply cut or lobed. Make good tub specimens, often used in hotel lobbies. Grows 4 to 10 ft. Also splendid to plant under large trees, in shady rockeries or other protected corners. They supply an exotic appearance not equalled by any other plant. PHILODENDRON.

bipinnatifidum. Leaves cut to the midrib on both sides. Pots, 15-18 in., \$1.25; 2 ft., \$2.00; 2½ to 3 ft., \$3.00; 4 ft., \$4.00; 5 ft., \$5.00 to \$8.00.

ft., \$3.00; 4 ft., \$4.00; 5 ft., \$5.00 to \$8.00.

pertusum (Monstera deliciosa) (Delicious Monster).

(See Sub-tropical Fruits.) Not so deeply cut, sometimes perforated. Bears an edible fruit like a cob of corn in shape; flavor like pineapple. Very hardy and ornamental. Pots and tubs, 18 in., \$1.50; 2 ft., \$2.00 to \$3.00; 3 ft., \$2.75 to \$4.50; 4 ft., \$5.00 to \$7.50; 5 ft., \$6.00 to \$12.00; 7-8 ft., \$10 to \$20.


trifoliatum. Leaves in three parts, more slender than
 the preceding. 18 in., \$1.00; 2 ft., \$1.50; 3 ft., \$2.50;
 4-5 ft., \$3.00 to \$4.00.

OTOS aurea. Tropical vine resembling a philodendron, but a real climbing vine, green rope-like stems, and heart-shaped leaves, golden variegated. For shaded, warm locations or conservatories. Pots, 2-3 ft., 50c to \$1.00; 3-5 ft., \$1.25 to \$2.50. PHOTOS aurea.

MULA. Winter and spring flowering plants for shaded locations. Quite hardy in respect to frost. Kewensis is yellow, obconica, all shades of pink, layender, white and rose. Malacoides is called Baby Primrose, very small layender blossoms. The two latter varieties make beautiful flowering pot plants for winter use. 2 and 2½-in pots, 15c; 3-in. pots, 25c; 4- in. pots, 50c to 75c; 5-in pots, 60c to \$1.00. to \$1.00.

STROBILANTHES Dyerianus (Purple Leaved Plant). Large leaves often 6 inches, shining metallic rosy purple and silver. Resembles coleus. Pots, 6-12 in., 25c; 14-20 in., 50c.

isophyllus. Narrow leaves, bushy 2 ft. plant, coloring to shiny bronze and purple. Both kinds do well in either pots or open ground. Will not stand heavy frost.



A NICELY FILLED BED IN PARTIAL SHADE

FERNS

ADIANTUM (Maidenhair). Needs a very shady location; damp, cool air, frequent watering, loose leaf mold and good drainage. An inclined rockery in a shady place, well protected from winds, arranged with a sprinkling system, so a fine mistlike spray can be turned on the ferns, once or twice a day during the warm period, will usually give excellent

Common small leaved Maidenhair, very

danny. datum. Five-fingered Maidenhair. Flat, horizon-tal fronds on tall stems. lory of Moordrecht. Very broad fluffy, golden green pedatum.

Glory of Moordrecht.

Brienii. Very fast growing giant sort, fronds often 16 in. tall, hardy. 3-in pots, 25c to 35c; 4-in. pots, 35c to 60c; 6-in. pots, 50c to \$1.00.

SOPHILA australis (Tree Fern). Fast growing, hardy species, leaves and ribs clothed with bronzy hairs; reaches a height of 15 ft., with tree-like stem often 6 inches in diameter. Stands a moderate amount of sun if well watered, also light frosts. Not suitable for permanent pot culture as it easily loses leaves.

Potted, 5-in. pots, \$1.25; 6-in. pots. \$1.50 to \$1.75 7-in. pots, \$2.50 to \$3.00. Balls or tubs, 18 in. plants, \$3.00 to \$4.00; 2 ft., \$4.00 to \$5.00; 3 ft., \$5.00 to \$7.50.

PIDIUM Tsus-sinense. Dwarf, fine cut fern, very dark green, dense bushy form, used for foreground or borders of fern beds. 2½-in. pots, 15c; 3-in. pots, 25c; 4-in. pots, 40c. ASPIDIUM Tsus-sinense.

ASPLENIUM molle. Tall fern, similar to Pteris tremula, but with light whitish green foliage; grows 4-5 ft. 3-in. pots, 30c; 4-in. pots, 50c.

CYRTOMIUM (Holly Fern). Very hardy outdoor ferns, standing extremes of both heat and cold. Dark green, holly-like foliage. The various species have differently shaped leaves, but strongly resemble each other. Falcatum is the best known and probably the hardiest. Caryotideum, falcatum, Fortunei, Rockfordianum. 3-in. pots, 25c; 4-in. pots, 40c; 5-in. pots, 60c; 6-in. pots, 75c to \$1.00.

NEPHROLEPIS (The Sword Fern family). This group is grown more largely than any other, especially as potted plants. It has a very wide variation in shape, size and foliage, but is always graceful, hardy and satisfactory.

(Straight Sword Fern). Best for bedding, lly in sunny places. 3-in. pots, 20c; 4-in. especially in sunny places. 3-i pots, 35c; 5-in. pots, 50c to 75c.

Boston, Roosevelt and Pierson. Make very long fronds, the latter slightly cut. These make the largest and most drooping plants, especially in hanging baskets. Fast growing and hardy. 4-in. pots, 25c to 40c; 5-in. pots, 50c to 85c; 6-in. pots, \$1.00 to \$1.50; 7-in. pots, \$1.50 to \$2.00; 8-in., 9-in. and 10-in pots, \$2.00 to \$5.00. Baskets, \$2.25 to \$10. Whitman and Norwood. Very fine cut, lacy fronds. Medium length, makes a very full fluffy plant. Needs careful watering and handling. 4-in. pots, 50c to 65c; 5-in pots, 75c to \$1.25; 6-in. pots, \$1.50 to \$2.00; 7-8-in. pots, \$2.50 to \$5.00.

- Hillsii, Scottii and Teddy Jr. Short, bushy ferns of the Boston type; many more fronds to the plant. Make the hardlest and finest pot plants. 4-in. pots, 50c to 75c; 5-in. pots, 75c to \$1.00; 6-in. pots, \$1.25 ot \$1.75.
- Superbissima and Muscosa. Short, stocky, stiff; very curly, bright green. 5 pots, \$1.25.
- PLATYLOMA falcata. Bedding fern short sword-like leaves, dark green, almost black, thick and leathery. 3-in., pots, 30c; 4-in. pots, 50c.
- POLYPODIUM aureum (Bird's Foot Fern). Tall fronds, 3-4 ft., heavily cut, silvery gray foliage, thick creeping rootstocks, covered with golden hairs. Large plants, \$1.50 to \$2.50.
- POLYSTICHUM angulare prolifera (Lace Fern). Stems covered with light brown hairs, foliage very fine and lacy, propagates by young sprouts off of the older leaf stems. A beautiful outdoor fern, diffcut to keep in correct condition in a pot. 3-in. pots, 35c; 4-in., 50c; 5-in., 75c to \$1.00.
 - setosum (Vase Fern). Dark, glossy green, fine cut, very graceful fronds, upright habit, beautiful in pots but hardier in ground. 4-in. pots, 50c; 5-in. pots, 75c.
- ERIS. A very large group of ferns, very diverse in foliage and appearance. Mostly for outdoor planting, but a few make fairly good pot plants; most of them strong growers and quite hardy. PTERIS.

- adiantoides and hastata. Dark green leaves with slender black stems, resembles Maidenhair but much coarser.
- cretica alba lineata, serrulata and others. Finger-like fronds, curled and crested.
- longifolia. Long like sword fern; argyrea, silvery variegated.
 - All of above: 2½-in. pots, 20c; 3-in. pots, 30c; 4-in. pots, 50c; 5-in. pots, 60c to 75c.
- tremula. The fastest growing and best of this class; grows 2 ft. or more in a single season, finally reaching 3½-4 ft., fine cut, upright fronds, very hardy; sometimes called Brake Fern, 3-in. pots, 25c; 4-in., 35c to 50c.
- SCOLOPENDRIUM (Hart's Tongue). Low growing light green, long tongue-like foliage, some varieties waved and crested. 3-in. pots, 40c; 4-in pots, 60c. Low growing,
- SITOLOBIUM cicutarium. Fast growing large fern, same type as Peteris Tremula, but graceful, arching fronds, glossy green. 4-in. pots, 50c.
- *WOODWARDIA radicans (Giant Canyon Fern, Brake Fern). Often grows 6 ft. high in our canyons, and one of the hardiest most reliable ferns in culti-vation. Splendid wherever large ferns are required and stands poor soil and drought remarkably well. Large plants in cans, 50c, 75c and \$1.00.

BEDDING AND BORDER PLANTS

- ERATUM. Small, soft, blue, fuzzy flowers, fast growing, tender for frost. Small plants, 15c and 20c. AGERATUM.
- ANTIRRHINUM (Snapdragon). A hardy winter bedding plant, but often used through the whole year. Tall, slender spikes of brilliant flowers, fine for cutting; all colors. Plants from flats, 40c to 50c per doz. From pots, 75c to \$1.00.
- ARMERIA maritima (Thrift, Sea Pink). Small grass-like plants with pink flower heads on 6 or 8-inch stems. Used for borders in shady places. Small plants, 15c; \$1.00 doz.
- ASTER, China. One of the most showy summer flowers, fine for cutting, resembles chrysanthemums. Plant in April, May or June. We have both early and late blooming varieties in many colors. Plants from flats, 25c to 35c per doz; \$2.00 to \$2.50 per 100.
- BABY MARGUERITE. See Erigernon mucronatus.
- BALSAM (Lady Slipper). Bushy plants 14 to 24 in., every stem thickly covered with bright, delicately colored blossoms resembling miniature roses or camellias. 35c to 50c doz.
- BELLIS perennis (English Daisy). Dwarf plant blooming during the winter, stands cold, small flowers shape of dandelions, but pink and white. Plants from September to April, per doz., 25c to 50c.
- CALENDULA officinalis (Pot or Winter Marigold).

 One of the showiest, hardiest, and freest blooming, winter flowering plants. Flowers orange, golden or lemon yellow on tall straight stems, not injured by frost. Will bloom in summer, but poor quality. Fine for winter bedding, blooms very young and continuously. From flats, 40c to 50c doz. From pots and ground, 75c to \$1.50.
- doz. From pots and ground, 75c to \$1.50.

 CARNATION. The favorite flower for cutting, blooms all the year. Likes sandy soil, but will grow anywhere. Young plants should be cut back several times before they are allowed to bloom. This forms a broad spreading clump, increases the number of blooms and prevents the plant breaking off at the ground because top heavy. When cutting blossoms cut the stem back within an inch of the base. This also helps to keep the plant compact. The entire plant should be pruned once a year, but this should be done in two operations several weeks apart so all the old stems need not be removed at once.


 White, Blush Pink, Pink, Rose, Scarlet and Crimson; named varieties of each color. Pots, 10c each; \$1.00 doz. Larger, 15c each; \$1.50 doz. Field clumps, 40c each.

 CAREX Japonica variegata. (Dwarf Japanese Grass).
- CAREX Japonica variegata. (Dwarf Japanese Grass). Narrow blades growing 6 to 10 in. high, for tufts in rockeries, borders or edgings in shady places. 4-in pots, 25c; 5-in. pots, 40c.
- CENTAUREA Cyanus (Bachelor's Button). Blue, free blooming annual, growing very fast to 2-3 ft. In flats, 5c each; 50c doz. Pots, 10c each; \$1.00 doz.

- nperialis. Fairly hardy, blossoms like carnations on long stems, but flufflier, more like thistle blossoms, beautiful colors, fine for cutting. From flats, 50c to 75c doz.; in pots, 75c to \$1.50. imperialis.
- CANTERBURY BELLS. Blooms the second summer, plants 2 to 3 ft. covered with large bells, white, pink or blue. Potted plants, 10c to 20 c each; 75c to \$2.00 doz.
- OSIA. Crested kinds called Coxcomb; the soft plummy sprays called Prince's Feather. All summer, scarlet, crimson and gold. 35c to 50c doz.
- CERASTIUM Tomentosum (Carpet of Snow). Dwarf creeping edging and bedding plant, silvery leaves, covered with a mass of snow white dainty flowers for about 6 weeks in spring. Potted plants, 10-20c.
- COSMOS. Graceful single blossoms; white, pink and red; fine cut flowers in autumn. Grows 6 ft. 35c
- to 50c doz.

 PHEA hyssopifolia. A dwarf bushy plant, narrow leaves, tiny lavender flowers, everblooming, grows leaves, tiny lavender flowers, everblooming, some-CUPHEA hyssopifolia.
 - leaves, finy lavender flowers, everblooming, grows compact, fine for dwarf hedges or edging. Somewhat tender for frost, likes some shade. Potted, small, 10c and 15c. Bushier plants, 20c and 25c. ignea (platycentra) (Cigar Plant). Small, bushy, plants with small tube-like flowers, orange-scarlet with black and white tip; always in bloom. Likes bright sunshine, good for borders, pots, baskets and window boxes. Stands only a little frost. Pots, 15c to 35c
 - 15c to 35c. llavea. Similar to above, more spreading and drooping, flowers larger with purple tips; fine rockery plant. Pots, 20c to 40c.
- DUSTY MILLER (Centaurea candidissima). Low compact plant, silvery white foliage, used for borders. Medium slow growth, very hardy. Very effective contrast to green leaves and shrubbery or bright colored flowers. Flat, small, 50c to 90c doz. Pots,
 - 75c to \$150 doz.

 There are taller and bushier plants also called Dusty Miller, but seldom used in California. Cineraria martima is a cut leaf plant growing 2 ft. in one year from seed.
- ECHEVERIA secunda glauca (Hen and Chickens). Succulent plants, cabbage form, silvery blue, stand any amount of cold, drought, or heat. Young plants appear in clusters beneath the older plants. Transplants readily. Plants, 50c to \$1.00 doz.
- ERIGERON mucronatus (Vittadinia) (Baby Marguerite). Spreading, trailing plant, small leaves, blossoms size of dime, flat, daisy-like, white when open, changing pink next day. Blooms 6 or 8 months, fine ground cover for parkings, banks, window boxes and hanging baskets, stands sun and frost. Small plants, pots and cans, 75c to \$1.25 per doz. Larger, 20c to 50c each.
- GAZANIA splendens (Sunshine and Shadow). Flat spreading plant, very hardy and drought resistant, used for bedding and ground cover. Flat brilliant



DOUBLE RUFFLED GIANTS OF CALIFORNIA SOME OF OUR IMPROVED TYPES OF PETUNIAS

yellow flowers with black markings in center, close at night and cloudy days. We have the Orange and Lemon Yellow varieties. 75c to \$1.50 per doz.

- LIPPIA repens (Fog Plant). Flat trailing plant used as lawn and ground cover, very drought resistant, beautiful in summer, flowers resemble white clover. Inclined to grow stemmy with age and in the winter. Flats 18 in. square, well sodded, \$1.50; flats, younger plants, \$1.00 each.
- GEUM. Leaves in flat rosettes from which spring the slender branching flower stems growing 2 to 2½ ft., bright red flowers, blooming almost the whole year. Very hardy in all respects. Small plants, potted, 10c and 15c. Large plants and clumps, 20c to 50c.
- LOBELIA compacta. Beautiful blue flowers, small dense foliage, border plants. Flats of 100, \$2.50; Potted, 60c to \$1.50 doz. Trailing variety fine for baskets and rockeries. In pots, 10c to 25c each.
- MESEMBRYANTHEMUM. Hardy, exceedingly resistant to drought, fast growing, small thick, succulent leaves on woody stems, roots very easily, fine ground and bank cover, 4 or 5 varieties.
 - equilaterale. Large, light green fleshy leaves, 3 edged, 2 or 3 inches long, exceedingly hardy, large cream colored flowers.
 - floribundum. Makes a thick mat of wiry stems, covered with small, soft, gray foliage. Fine for ground cover or trailing over banks, very hardy, small lavender-pink flowers.
 - spectabilis. Leaves medium, dark green on stiff wiry stems, good sized blossoms, dark magenta rose color, much used for parkings.

Cuttings of all of above, root very easily and are much cheaper than rooted plants. We can furnish unrooted cuttings 6 to 10 inches long at \$1.50 per 100; \$12.00 per 1000.

- mutabile. Stiffer, brilliant orange and rose, like changeable silk.
- yellow. Large lemon blooms, thick leaves. Rooted plants, 10c; \$1.00 doz.
- PARSLEY. Curled and crested; one of the hardiest, greenest, prettiest and most satisfactory border plants or edgings. 25c-75c doz. Flats, \$1.50 per 100.
- PANSY. Blossoms from November till June, and can be kept in bloom in summer in cooler climates with some cutting back and frequent watering. Frost resistant. We handle the large flowering type. Plants, 40c doz; \$2.75 per 100.
- PETUNIA. Very hardy showy plants, free growing, blooming summer and winter. The small, single flowers are the best for winter blooming and very dry locations. The double and the Giant of California are wonderful for size and beautiful color. May be used in porch boxes and hanging baskets. Need pinching back and fresh fertilizer every 3 or 4 months.

Single, including Rosy Morn, beautiful pink. Potted, small, 10c; \$1.00 doz.

Double, all colors mixed, Ruffled and Giants of California: Pots, small, 15c each; \$1.00 doz. Larger, 20c and 25c each.

- SANTOLINA chamaecyparissus (Lavender Cotton). Gray plant, soft, fine foliage, used for dwarf edging, may be trimmed as a miniature hedge. Needs trimming about four times a year. Very hardy and drought resistant. Flats of 100, \$2.50 to \$4.00. Pots and cans, 10c each; 75c to \$1.00 doz.
- STOCKS. One of the best winter blooming plants, grows 2 to 3 ft., large spikes of fragrant blossoms, all colors. A certain portion always come single flowers. Stands frost well. In flats, 40c doz.; \$2.75 per 100.
- STRAWBERRY. Flowering or Ornamental, Chilean. Large white flowers, non-fruiting type; heavy, glossy, shining leaves, fine ground cover. Plants, 75c to \$1.00 doz.
 - Trailing or Basket. Yellow flowers, fruit brilliant crimson, dry, unpalatable, but lasting a long time; very fast growing trailing vine, used in baskets, best in partial shade. Potted, 10c to 20c each.
- THYME. Dwarf, dark green almost black, small compact foliage, very hardy for edging or rockery plant. 10c to 15c. Variegated Thyme, 10c to 20c.
- VALERIAN rubra. Thrifty grower, hardy, grows 15-18 in., flowers in spikes, red. 10c to 25c.
- VERBENA officinalis (Bedding Verbena). Perfectly hardy, blooming several years, not affected by frost. Keep trimmed back regularly and spray or dust with Bordeaux to prevent white mildew. Brilliant colors. Seedlings from flats, 50c to 75c doz. Separate colors, giant blossoms, grown from cuttings: Pots, 10c to 20c each; \$1.00 to \$2.00 doz.
 - erinoides (Sand Verbena). Very hardy, fast and free blooming, bright green, finely cut foliage. White and lavender only. Pots, 10c and 15c each; 75c to \$1.00 doz.
- VIOLET (Viola odorata) Princess. Single purple, fragrant, long stem. Pots, small, 5c each; 50c doz. Larger, 10c each; 75c doz.
 - Gov. Herrick. Much deeper purple, exceedingly fragrant, shorter stems. 10c each; 85c doz.; clumps, 35c.
- White Violet. Pots, 15c each; \$1.50 doz.
- VITTADINIA tricolor. See Erigeron—Baby Marguerite.
- ZINNIA. Immense blossoms, often 6 inches across; brilliant, even gorgeous colors, newer sorts in delicate pastel tints. Blooms young and freely, June until frost; bushy. Plants, 35c doz; extra large, 50 doz.

BULBS AND TUBEROUS PLANTS

This class is one of the easiest to grow. The greenest amateur gardener is seldom able to make a mistake in planting which will prevent a beautiful harvest of bloom, when working with bulbs. Their ease of cultivation should appeal to the person with little time, little strength or little inclination to effort, of whom the last are more than the first in California. Plant them and pick them, is about all that many varieties require. For most dry bulbs a good rule for depth in planting is four or five times its greatest diameter. Bulbs like a rich rather loose and well drained soil, but do not want heavy fertilizing with fresh manure, except possibly Cannas, Caladium and Dahlias, which are gross feeders. Several others are beter for fertilizing if the fertilizer is well rotted and very fine. Many varieties are better if allowed to dry after flowering, lifted from the ground when the leaves begin to yellow, dried in the shade and stored in sand. Many other varieties are just as well off if allowed to remain in the ground from year to year, but the time of blooming cannot be so readily controlled.

Planting. ..The planting of fall bulbs usually begins with Amaryllis Belladonna, Freesias and Chinese Narcissus in July and August, following with Watson as, Callas, Spanish Iris and the numerous Narcissus family in September; Hyacinths and Tulips in October and November; Lilies in November, December and January; Tuberoses, various Amarylli, Montbretias in early spring; with Gladioli, Cannas and Caladium closely following and Dahlias soon after. German Iris plants well in June and July. These dates are very elastic, and very good success can be secured even with much belated planting. We have had good success, for instance, planting left-over Hyacinths even as late as March, and Gladioli may be held and planted every month in the year, to secure a succession of blooms.

We have a nice stock of spring blooming bulbs, still on hand as this catalogue goes to press, which may be planted now very successfully. New Bulb List issued in August or September. Write for it.

- AMARYLLIS. Persistent, exceedingly hardy, very strong bulbs, bloom better if left undisturbed a number of years. Broad, light green leaf blades; flowers lily-like, in umbels of 3 to 10 flowers at the summit of a rather heavy flower stalk.
- belladonna major. Beautiful soft pink, flower stalk 2½ to 3 ft. blooming in July and August. Foliage disappears in spring and blossoms shoot out of bare earth unexpectedly. Beautiful for cutting or bedding among ferns or similar low green foliage. Grows well in either shade or sun; stands any adverse conditions and multiplies rapidly. Giant bulbs, 4 in. diameter, 40c; \$4.00 doz. Large, 15c and 20c; \$2.00 doz. Small, 5c.
- belladonna minor. Is similar, smaller, lighter center, Johnsonii. Blooms in early spring, bright red with white stripe in the middle of each segment. Very showy and hardy. Each 35c.
- Vittatta Hybrids. Many colors in combinations of red, white and pink, extra large blooms on short stems appearing in May, June and early July. Large bulbs, 35c.
- ANEMONE. Spring blossoms, semi-double saucershaped discs. Scarce and high since Quarantine 37. 75c to \$1.00 doz. For Japanese Anemone see Hardy Perennials.
- CALADIUM esculentum (Elephant Ear). Grown in summer for the giant foliage, sometimes growing 4 ft. long by 2 ft. across, on stalks 6 ft. high. Exceedingly tropical in appearance, especially when combined with Bananas or Cannas. Needs extra rich, heavily fertilized soil and abundance of water. Does well in semi-shade. Frost cuts the foliage, but the roots are very seldom harmed. Giant bulbs, 35c to 60c. Large, 25c. Small, 15c and 20c. Plants in pots, 35c to \$1.00.
 - Fancy leaved. Pot plants for indoor use, small leaves with wonderful colorings. One of the best pot plants for summer in shaded places. Pots, 50c to \$1.50.
- CALLA, White (Richardia Ethiopica). Likes rich soil and plenty of moisture, but will grow and bloom nearly everywhere. Blooms December to May; will do well in either sun or shade; a favorite for planting on the north side of the house. Dry bulbs or potted plants, 10c to 25c; \$1 to \$2.50 doz.
 - Yellow (Calla Elliottiana). Blooms in summer, May to August, brilliant yellow blossoms, leaves spotted white. Likes sunny exposures and good soil. 30c each; \$3.00 doz.
 - Black (Arum Dracunculoides). Immense blooms often 16 in. long, purplish brown, shaded green throat, very heavy purple spathe almost as long as the flower. A very interesting and striking plant; large, deeply cut foliage. Cans, large plants, 50c to \$1.00.
- CRINUM (Angel Lily). Also resembles Amaryllis, but flower stem taller, and flowers narrower, more tube-like. Leaves broaded and lighter green. Very large bulbs. Soft pink color, blooms June. Bulbs, 40c and 25c each.

- CANNA. Well known, brilliant summer flowers of very tropical appearance. Need heavily fertilized soil, plenty of water and are better for transplanting every year or at least every two years. May be planted practically any time. Choice varieties:
 - King Humbert. Bronze foliage, orange-scarlet blossoms, extra large. Queen Heien. Very large, dark yellow, occasionally half a bloom will be red and the other half yellow. Hungaria. Rather dwarf, rose pink. Mrs. Conard. Soft salmon-pink. Furst Weid. Clear dark scarlet. Mephisto. Dwarf, dark blood crimson. Gustav Gumpfer. Golden yellow. Divided roots, 10c each; \$1.00 doz. Clumps, 40c to 60c each.

We can usually furnish a number of other varieties, at 60c per doz.



GOLDEN YELLOW

CLIVIA imantophylla. Similar to Amaryllis but brilliant orange. \$1.25 each.

DAHLIAS. We have made an arrangement with a dahlia specialist, which enables us to offer the cream of his collection of over 200 varieties; many of them prize winners at the Fall Flower Shows. The plants we offer are divided field roots, strong divisions—until May 15. After that we have some potted plants from cuttings. We list here only a few varieties, but will gladly send the full list on request. For an order of 20 bulbs, we will allow a discount of 10% from these prices, and for an order of 50 or more bulbs a discount of 20%. Plants may be planted any time after March 1st, and it is well to order early, as the stock of some varieties is limited and will soon be sold out. Plant in rich ground, deeply cultivated. Stake the plants as they grow and if extra fine blooms are desired disbudding must be practiced.

We have listed the following as very satisfactory growers and beautiful cut blossoms:

| S T s T S | 50 |
|---|-----|
| | 25 |
| | |
| | 35 |
| Dora Fisher (col). Best pink | 50 |
| Doazon (dec). Orange red | 25 |
| | 25 |
| Delice (dec). Pink | 40 |
| | 25 |
| Whiz (hyb cac). Buff and salmon | 50 |
| Geo. Walter (hyb cac). Salmon pink and gold | 75 |
| | 75 |
| | 25 |
| | 40 |
| King of the Autumn (dec). Buff yellow and | |
| | 75 |
| la Favorite (hyb cac). Reddish salmon | 50 |
| Mrs. R. Lohrman (hyb cac). Golden yellow 1. | 00 |
| Mrs. R. Lonrman (hyp cae). Golden Jenow | 75 |
| Mrs. Jack Green (dec.) Red | 75 |
| | |
| Minna Burgle (dec) Bright red | 25 |
| | 50 |
| Nihalunganhart (hyb cac) Pink | 25 |
| Osam Shudow (dec). Old rose and lilac | 00 |
| Ollie Robinson (dec). Lemon yellow I. | 00 |
| | 75 |
| | |
| Queen Mary (dec). Satiny pink | 25 |
| Surprise (cac). Orange amber | 50 |
| Washington City (dec). White | 25 |
| Pompon | |
| Pompon Eileen. White tipped lavender | 35 |
| Elleen. White tipped lavelider winds | 35 |
| | |
| Nerissa. Soft yellow | .35 |
| Prince Charming. Lavender tipped crimson | |
| purple | .35 |
| | .35 |
| VIVIG. CITIIISOII | |
| | 600 |

MIXED DAHLIAS. A collection of fine blooming sorts. 20c each; \$2.00 doz.



PURITY FREESIA FRAGRANT, HARDY, FREE-BLOOMING

FREESIA. One of the hardiest bulbs, remaining in the ground and multiplying from year to year. Long stemmed sprays with bell-like flowers, very fragrant, appearing in March and April. Bulbs may be planted until February or March.

Purity. Pure white, very long stems, very fragrant. 20c doz.; \$1.35 per 100.

refracta alba. Creamy, the oldest variety, very hardy and reliable. 20c doz; \$1.00 per 100.

Rainbow. All colors mixed, 35c doz. Sunset. A collection of pink hybrids. 50c d Splendens. Lavender hybrids, very choice. 50c doz. Red Freesia (Tritonia or Lapayrousia). Brick red.

Blue Freesia (Babiana). Delicate blue-bell shaped flowers. 75c doz.

ADIOLUS. Summer blooming bulbs of easiest culture, growing well in almost any situation, but attaining greatest size and perfection in rich soil with plenty of water. Will remain in the ground and improve in size for several years. Bulbs may be held and planted 4 to 6 weeks apart from early spring till mid-summer, thus securing a succession of bloom. One of the best cut flowers, the buds opening for over a week if the cut spray is kept in a cool place, bottoms of stems freshly cut and new water given every day. We offer the best standard sorts. GLADIOLUS. standard sorts.

America, pink; Halley, salmon; Mrs. Frances King, scarlet; White and other colors. Medium sized bulbs, good bloomers. 50c doz.; \$3.75 per 100. Mixed assorted, very fine blending of colors: 45c doz.; \$3.50 per 100.

Baby Gladiolus. A very small early type blooming 6 weeks earlier than any other. Pink and white, bulbs quite small. 75c doz.

OXINIA. See Flowering Plants—Indoor. Bell-shaped velvety flowers and soft velvety leaves. Can sometimes supply dry bulbs in early spring at 30c to 40c each. Potted plants, 50c to \$1.00.

HEMEROCALLIS (Day Lily). Summer blooming, yellow and orange flowers, very hardy and showy, 3 kinds, flava, fulva and Kwanso, 20c and 25c each; \$2.25 doz.

HYACINTH. Very easily grown, both for pots and bedding; fragrant spikes, beautiful colors, do well in slight shade. Occasionally start to bloom with very short stem. Placing a tall paper cylinder over the plants will often draw them up to the light. Hyacinth bulbs are not often permanent, sometimes running out after the second year's growth. Blooms about April. We have often secured good results planting outdoors in partial shade as late as February, but earlier is preferable. We find that the miniature grade of bulbs will produce practically as good flowers outdoors as the larger bulbs, at about half the price, so we are offering this grade. this grade.

named varieties. Separte colors: F White, Light Blue, Dark Blue. 80c doz. Red, Pink,

Potted. 3 to 5 bulbs, 35c to 75c.

IRIS, German or Liberty. Absolutely hardy, strong growers, profuse bloomers, long lived, and very large assortment of beautiful colors. Some of the new varieties are almost as delicately toned and shaded as orchids. Should be much oftener planted as they their anywhore increase midly without as they thrive anywhere, increase rapidly without care or attention. Fine for borders of drives or paths, for rockeries or around pools or fish ponds. We mention only a few of the many varieties we can supply. May be planted entire year.

rimson King. An everblooming iris, flowering at intervals throughout the whole wear, blooming at this writing—December—quite profusely. Deep royal purple, solid color, very large, dark and fine. Crimson King.

Honorabilis. Dark yellow, shaded brown, dwarf. Mad. Chereau. White, edges delicately pencilled light

Violet Queen. Light violet blue.

Florentina alba. Pure white.

Perfection. Dark blue and white. Also 6 other colors. Divided roots, each 15c; \$1.50 doz. Clumps, balled, 40c each.

Extra Choice Varieties. There has been a wonderful development in Iris in recent years. Some of the new sorts are:

Pallida Dalmatica. Very strong grower with broad foliage. Flower stalks 3 ft. extra large, full blooms, solid light lavender blue of a very attractive shade.

Albert Victor. Very similar, but darker shade.

Dr. Bernice. Standard yellow, falls mahogany brown, Queen of the May. Rosy lavender, almost a delicate pink; very early.

Elinor. Soft light yellow, tinted delicate blue-gray. And several others: Divided roots, each, 25c; \$2.50 doz. Clumps (not all varieties) 60c each, balled.

Collection A. 10 all different, labeled with colors,

divided roots, \$1.50.

Collection B. 8 different from the first collection—choicer varieties, \$1.50.

IRIS, Japanese. Wonderful flowers, broad and flat instead of with standards and falls as in the German Iris, on tall 2½ and 3 ft. stems. Must have abundance of water and very rich soil, beds should be sunk lower than the surrounding ground so they can be flooded about twice a week. Partial shade is good. A fine mixed collection of beautiful sorts. Plants in pots and cans, 30c each; \$3.00 per doz.

IRIS, Spanish. Six-petaled flowers on slender stems, blooming in February, March and April. Very graceful and fine for cutting. Colors, blue, yellow and white. Scarce and high priced since Quarantine 37. Mixed bulbs, 75c per doz.

Very small bulbs resembling freesias; slender grass-like spikes, bearing clusters of open flowers in beautiful colors. One of the hardiest, eastest grown bulbs. Scarce since Quarantine 37. Doz., 60c.

LILIES, Easter. Including Lilium Harrisii, Japonicum and Formosum. The well known white lily, grown in pots for Easter. Does well in the open ground here, especially in partial shade, blooming for years. Blossoms in May and early June when grown outdoors. Good bulbs, 45c each; \$4.75 per doz. Potted plants for Easter, 60c per flower and

Pardalinum (Leopard Lily). Native California lily from the North. Beautiful bright orange-yel-low, petals broad, much recurved, black dots. Balls, 20c each; \$2.50 doz. Potted plants, 25c and *Pardalinum 30c each.

-lumboldtii. Native in our mountains. One of the very best of the Tiger Lily class, often growing 6 ft. high, with 20 or 30 blossoms. Scarce. Bulbs, 25c to 35c. Potted, 35c to 40c. *Humboldtii.

Auratum (Gold Banded Lily). Broad white petals with golden stripe down the center of each, sometimes pink, or dotted; blooms June to August. Bulbs, 45c each. Potted, 50c to \$1.00 each.

Speciosum Rubrum. Very lovely and easy bloomer, petals much reflexed, shaded rose pink, thickly sprinkled with dark dots, blooms June to August. Bulbs, 40c each. Pots, 50c to 75c.

Candidum (Annunciation Lily). White, thick clusters of leaves at base. Hardy, blooms May and June. Bulbs, 35c each; \$4.00 doz. Pots, 40c to 50c

Day. See Hemerocallis, above.

JONQUILS. See Narcissus.

MONTBRETIA crocosmaeflora. Blooms in summer, June to August, foliage like gladiolus, but more slender and graceful; sprays of brilliant orange-yellow flowers branching in a very artistic effect. One of the hardiest bulbs, persisting and increasing for years, making a brilliant show with almost no care. Bulbs, 50c doz.

MORAEA iridioides. Like an iris, slender green leaves, good color the entire year, blossoms almost every month in the year, white with faint touches of blue near the middle and a yellow eye. Beautiful cut blossoms. Small pots, 25c; 4-in. pots, 35c. Cans, 60c to 75c. Clumps, \$1.50.

NARCISSUS. A very large group, all of much beauty and very easy culture. There are several types of blossoms, the principal ones being the Cluster Flowered type such as the Chinese and Paper White; the Poeticus, flat flowers with very small dark colored cups; the Trumpet type usually called Daffodils having large trumpets and big saucers; the Short Trumpet or Hoop Petticoat type, such as Sir Watkin, etc.; and the Jonquils similar to the Trumpet type, but more slender and smaller.

There are many new varieties appearing, and some hybrids, especially the Poetaz type which is a Cluster strain, larger, later and of varied color. ings. Nearly all are sweet scented.

All grow readily anywhere, and most varieties increase and multiply rapidly, only the Jonquils and large Trumpet type being at all difficult to keep permanently when once started. Below we list some of the most important varieties. We can usually furnish others.

Chinese. Well known; creamy clusters, the earliest bloomer and hardiest of all, often in bloom by Dec. 15. Large bulbs, 50c doz; \$3.00 per 100. Smaller bulbs, 40c and 30c per doz.

Paper White. Pure white, similar to above. 50c to

Paper White. Pure white, similar to above. 50c to 75c per doz.

Both varieties are often grown in dishes filled with pebbles as pot plants.

Poeticus Ornatus. Flat white with deep yellow eye, early. 45c doz. Per 100, \$3.50.

Golden Spur. Trumpet type, all yellow, early, January or February. Doz., 60c.

Emperor. Larger, 3 weeks later; best known of all large yellow daffodils. Doz. 60c.

Bicolor Victoria and Empress. Large, yellow trumpet, white saucer. February and March. Doz., 60c.

Sir Watkin. Short trumpet, fluted, all yellow, February and March. Doz., 60c.

Jonquils. Campernelle, Slender trumpet, golden yellow. March. Doz., 45c.


XALIS. Small bulbs, trifoliate leaves resembling clover, bright colored blossoms on slender stems, March to May. All 30c per doz.; \$2.25 per 100. Buttercup, yellow. Duchess, large flower-like Morning Glory on very short stems close to the ground, fine bedding bulb, especially in narrow beds around trees, etc., in lawn. Three colors: lavender, pink and white. Bowlei, bright rose pink on long stems.

ORINTHOGALUM. (Star of Bethlehem). Greenish white with black eye, grows in clusters, very hardy. Small bulbs, 60c doz.

RANUNCULUS. Extremely odd shaped bulbs, pronged like a tooth, and much curled and twisted when dry so that they look dead. Should be soaked in lukewarm water for four to six hours before planting. Foliage broad, much cut and dissected. Flowers double and semi-double, beautiful tints of pink, white, rose and yellow in March and April. Scarce and high since Quaarntine 37. Doz., 60c to 75c.

SPARAXIS. Similar to Ixia but larger flowers and at the top instead of along the sides of the stem. Mixed colors, shades of pink, white and laven-

tricolor. Red at each; 90c doz. Red and yellow, a most brilliant flower, 10c



MONTBRETIA

- TUBEROSE. Fragrant white flower in summer and fall. We can usually supply the Single Mexican, tall and free blooming; also Double Pearl, very double, small bulbs, 60c doz.; large, \$1.00 doz. In pots, 20c each.
- TUBEROUS BEGONIA. See Flowering and Decorative Plants. Bulbs ready in the spring, later we can supply plants in pots all summer. Wonderful colors and beautifully formed blossoms, in all shades of red, yellow, salmon, cerise, rose, and crimson; and in Double, Fringed and Crested types. Bloom all summer, become dormant and should be stored in a warm dry place in winter. Plant in rich loose leaf mold; usually grown in pots but do well out of doors in protected places suitable for ferns. Should be tied to small stakes as they are easily broken. 25c to 35c each. Potted, 40c to \$1.00.
- LIPS. Beautiful cup shaped blossoms on tall stems. Some varieties do not succeed in California, the early varieties and all double tulips should never be planted here and are not often offered. The May Flowering or Cottage, the Darwins, the Parrots and the few other late types do well; these bloom late in April or in May and are very tall, especially the Cottage group. Should be planted fairly deep, 5 to 7 inches, in rich soil in partial shade and kept as damp and as cool as possible. Gesneriana Major, bright scarlet with blue black center, is perhaps the best Cottage Tulip. Clara Butt, shaded pink, is one of the best Darwins. We have in season several named varieties. 75c to \$1.00 per dozen; \$5.00 per 100.

 We also offer the different strains, Darwins, Cot-TULIPS. Beautiful cup shaped blossoms on tall stems.

We also offer the different strains, Darwins, Cottage, Parrot, etc., in mixed colors: 60c per doz.; \$4.50 per 100.

- WATSONIA: Similar to Gladiolus, but taller, more robust, growing about 5 ft. Flowers smaller borne on strong, vigorous shoots, blooming in April and May. Should be planted early in the fall if possible. White. Dozen, 60c; per 100, \$3.00.
- PHYRANTHES. (Fairy Lily). Dwarf white flowers, bell-shaped; foliage green most of the year and flowers appear for several months. Exceedingly hardy multiplying from year to year. Fine for borders of paths and flower beds. 25c doz.; \$1.50 per 100. ZEPHYRANTHES.
 - rosea (Pink). osea (Pink). Very scarce, exceedingly graceful flower; when obtainable, bulbs 20c each.

BAMBOO, GRASSES, ETC.

Nothing adds the tropical touch to a landscape effect like a liberal use of bamboo and similar foliage plants, especially in connection with palms, bananas and other large leaved specimens.

large leaved specimens.

They should be used plentifully in Southern California, where blue skies and bright sunshine invite and enhance the tropical. They are equally good in connection with pools and water gardening; and some unusual jungle effects can be obtained where there is a narrow ravine, small canyon or other depression, whose depth can be enhanced and size magnified by their mysterious veilings and revelations. Whether used thus liberally or not, a group of bamboo gives a softening effect to many an ungraceful angle or otherwise abrupt ending, either of architecture or landscape planting. Nearly all of this group of plants are hardy, drought resistant and easily grown.

- ARUNDO Donax (Giant Reed or Cane). Exceedingly hardy, strong growing and drought resistant, although it grows exceedingly fast near water. It is often used as windbreak, or to stop drifting sand, or to line the sides of ditches to prevent washing out of banks and change of channel. To look well should be cut to the ground every winter and allowed to grow new canes. Grows 12 to 16 ft. in one year. 5 gal. cans, 50c to 75c. Divisions, 30c.
 - Donax Variegata. Striped form of above; very ornamental but liable to revert to green if given much water. Looks better if cut back to the ground frequently. Fast grower. Small cans, 50c; 5 gal., 75c and \$1.00. Divisions, 35c.
- BAMBOOS. Giant grasses, exceedingly ornamental.
 - Bambusa Metake (Arrow Bamboo). Dwarf, 5 ft. height, slender stems not much larger than lead pencil, broad leaves, very hardy, standing frost to 10 degrees Fahr. Useful in front of larger bamboos or other foliage plants. Divided clumps from field, 75c to \$1.00.

- Bambusa Nana. Medium size, growing 10 to 12 ft., bushy habit, slightly arching, medium sized leaves. Large clumps, 8-10 ft., \$10.00 to \$15.00. Divided clumps, \$1.50 to \$4.00.
- Bambusa? (Chinese Bamboo). Straight upright habit, 12-15ft., foliage medium broad, light yellowish green, clothed with leaves to the base, no bare stems, rather slow growth. Divided clumps, \$1.50 to \$5.00.
- strong arching growth to 25-30 ft., canes 1½ in. in diameter, entirely hardy; a little slower than Dendrocalamus, more graceful shape, foliage not quite so good. 5 gal. cans, single stem divisions, 3-4 ft., established, \$1.50 to \$2.50. Larger divisions, freshly dug, \$6.00 to \$10.00.
- DENDROCALAMUS latifolius (Giant Bambaa, Upright). The largest and tallest bamboo grown in California, attaining 40 to 60 ft. height, with stems up to 3 inches in diameter. A clump of this species makes a monumental figure in the landscape, effective as a large tree. Especially good near a driveway entrance. Occosianlly cut by frost. Small cans, slender, 3-4 ft., \$1.50 to \$2.00; 5 gal. cans, 4-5 ft., \$2.50 to \$3.50. Tubs and boxes, heavy canes, single 7-9 ft., \$5.00 to \$8.00. Several canes, \$8.00 to \$12.00. Clumps from field, \$-12 ft., \$20.00 to \$30.00. to \$30.00.
- PHYLLOSTACHYS aurea (Golden Fishpole). Very fast grower to 15-18 ft., stems become bare at base, golden yellow color, spreads rapidly underground. Divisions, \$1.00 to \$2.50. There is a green form even larger; when obtainable, \$2.50 up.
- nigra (Black Bamboo). Stems green the first season, becoming black with age. Grows 10 to 12 ft., fine, graceful foliage. A charming bamboo except when its flowering year arrives, when it loses its foliage and is clothed with dry looking seeds. There is no remedy except to cut it down and wait for foliage stalks to appear again. Cans 2-4 ft., \$2.00 to \$3.00 abch. to \$3.00 each.
- (falcata?) (Hedge Bamboo). Sometimes called Golden Bamboo. Slender canes, 9 to 12 ft., much branched and covered with very small, graceful sprays of leaves. Clumps are airy and graceful, does not spread much at the roots, used for screens, shade for porches and hedges on large estates. Rather scarce. Divided clumps, \$1.00 to \$1.50; 5 gal., \$2.00.
- Philapense (Philippine Bamboo). Dwarf, very spreading, fine cut compound leaves, as graceful as a fern, grows 6 ft. high with a spread of 10 ft. or more. Makes a beautiful single specimen or fine in masses and combinations. Gal. cans, 3 ft., \$1.25 to \$1.75. Larger, \$2.00. Divided clumps, \$3.00 to \$5.00.
- CYPERUS, Umbrella Plant. Forms small clumps, 2 to 4 ft. stems, with spreading umbrella-like heads. Used near water, beside porch steps, etc.
- alternifolius. Rather broad divisions in the head, grows 3.4 ft.

 a. gracilis. Narrow divisions, dwarfer and finer foliage, grows 1½-2½ ft.
- palmensis. Broad, flat divisions on fine, graceful stems; the prettiest of all; does best in partial shade and near water.

All varieties, small pots and cans, 1 to $1\frac{1}{2}$ ft., 25c to 35c; gal. cans, 40c to 50c.

- LALIA. Tall, narrow leaved grass, forming grace-full clumps 4 to 6 ft. tall; foliage is deciduous, dying in the winter and growing quickly from the hardy roots in spring. Three varieties: gracillina (Nar-row Leaved). Japonica Variegata (White Striped), zebrina (Yellow Banded). Small plants, 25c; zebrina () larger, 50c.
- LEMON GRASS Andropogon citratus or shoenanthus. Thick clumps of bluish green broad bladed grass growing 3 ft. tall. Has a strong lemon fragrance, 50c to 75c.
- PAMPAS GRASS (Cortaderia (Gynerium) argentea).

 Well known hardy grass, very harsh, sharp edged blades, beautiful soft plumes, September to November; clumps grow to height of 8 or 9 ft. Thrives splendidly without irrigation, roots very tenacious, often used along washes to prevent erosion of banks. A very striking specimen for landscape work. Gal. cans, 50c to 75c; larger, \$1.00; 5 gal., \$1.25 to \$1.50. Field clumps, \$2.00 to \$3.00.

- PAPYRUS antiquorum (Egyptian Papyrus or Paper Plant). Round reed-like stems growing 4 to 6 ft. high, surmounted by a soft thread-like crown of filaments, the whole plant presenting a very airy, graceful appearance. Fast growing, needs plenty of water and occasional transplanting to do its best, should have rich soil. Beautiful in water arrangements, and softens the hard angle of a building, where adjoining plants permit its use. Tops frost easily, but grow quickly. Gal. cans, light, 75c; larger, \$1.00 to \$1.25.
- PHORMIUM tenax (New Zealand Flax). Very hardy broad bladed plant, leaves 2 inches wide, growing 4 to 6 ft. in height, in thick, heavy clumps. Very pleasing dark green; frost proof; a good, bold, spec imen for lawns or center of beds, also works well in combination. Clumps, 18 in., 75c; 2 ft.,, \$1.00; 2½-3 ft., \$1.50.
 - t. variegata. Striped foliage, very pleasing near at hand, not bright enough to attract attention at a distance, should be used close to walks and in the most critically inspected locations. Light clumps, 2-3 ft., \$2.00. Stronger, \$3.00.

PALMS, DRACAENAS AND YUCCAS

Of late years there has been a tendency on the part of some landscape gardeners to ignore the plams in their work. Except for an occasional Cocos plumosa no palms are used. We believe that this is a mistake. California conditions, air, light, natural landscape and climate, all demand a liberal use of palms. Why ignore that which differentiates California from nearly all the rest of the United States, and forms the one striking note in our scenery? It is true that they have often been used unskilfully, and in some places too plentifully in the past, but that is no argument against their artistic and harmonious use in the present. It is also true that beautiful landscapes can be created without palms; but it is equally true that when a photograph of a completed planting does not show whether the place where the picture was taken is located in California, or is a country place in Long Island, or a residence on Lake Shore Boulevard, Chicago—somebody has wasted an opportunity.

Not every landscape scheme can amalgamate with palms, and palms nowhere look worse than when used out of harmony with their surroundings, but by a judicious gradation and blending of other suitable plants, place can often be found for one or more palms, which will add a distinctly Californian touch to an otherwise commonplace planting.

It is not necessary that every house or grounds should show a palm, but there should be enough in the neighborhood or on any street to let the casual visitor know that he is not in Oshkosh, Wis.

Remember in planting palms that much of the stiffness so often complained of is removed by planting groups instead of single specimens; and much artistic beauty and architectural effect is gained. This applies especially to the Fan Palm group.

The outdoor palms used in California have many things to recommend them. They are long lived; remarkably hardy, standing cold, heat and drought. Have fewdiseases or insect pests; are not harmed by neglect or exposure; and are distinctive, tropical and Californian. PLANT PALMS!!! PLANT PALMS!!!

CHAMAEROPS (Trachycarpus) excelsa (Japanese Windmill Fan Palm). Slender trunk clothed with thick fibrous hairs, dense head of windmill-like fan leaves, large yellow clusters of blossoms followed by great bunches of blue berries the size and color of Concord grapes. Slow grower, very hardy in all respects—heat, drought, and cold, but likes heavy soil best, very slow and difficult to grow in coarse sand or gravel unless given plenty of water. Attains a height of 15-20 ft. in 20 years. A good palm for pairs at an entrance, or along narrow walks or drives, also effective in groups. Very good while young, may be used as tub plant. Balled, 2 ft., \$1.00; 3 ft., \$1.50; 4 ft., \$3.00; 5 ft. \$5.00. Balled, 6 ft top. 3 ft. stem, \$10.00; 7-8 ft. top, 3½-5 ft. stem, \$15; 9-10 ft. top, 5-7 ft. stem, \$200. Boxed, \$5.00 to \$10.00 additional.

Fortunei. According to Bailey's Encyclopedia this is the correct name for excelsa, but as it is never so called in California we have reversed the names, and apply the name Fortunei to the true excelsa. Same as above, but leaves are stiffer without flexible tips. Larger sizes only. Same prices.

CHAMAEROPS humilis (Dwarf Fan Palm). Somewhat resembles the preceding, but much more dwarf in habit and leaf stems armed with sharp spines; very hardy, standing 15 degrees of frost; fine palm for lawn specimen. Leaves small and very abundant, clothing the trunk to the base. A beautiful and hardy tub palm.

Cans or balls, 12-15 in., \$2.50; 18-24 in., \$4.00; 3½-4 ft., \$12.00.

cocos australis (Hardy Blue Cocos). This palm will stand more frost and heat, more drought, floods, exposure and hardship of every kind, and yet continue to look better as an ornamental palm or lawn specimen than any other variety. Will survive a temperature of 15 degrees. Silvery-blue, recurved leaf fronds, arching gracefully to the base. Makes trunk very slowly, maintaining its beautiful bushy form until a good age. Fine for tubs or boxes. Has been rather neglected in favor of the Cocos Plumosa, but it is equally worthy and should be planted much more freely. Its color makes it a striking individual specimen on a green lawn. An admirable palm for roadsides where there is a wide parking or no sidewalk. Looks particularly well interspersed with some taller, slender palm, or a tall tree such as Cypress, etc. Seeds surrounded by a yellow tart pulp from which jelly may be made.



CHAMAEROPS EXCELSA

Established in boxes and large cans (price depends on number of leaves and general appearance), 4-5 ft., \$3.50 to \$7.50; 6-7 ft., \$5.00 to \$10.00; 8-9 ft., \$8.00 to \$12.00. Balled from field (there will probably be some loss of leaves in balling, but palms very seldom die, growing out eventually from the center and regaining their beautiful shape. Boxing holds more foliage, but balling is much cheaper.) Bushy, well shaped plants, 4 ft., \$5.00; 5 ft., \$6.00; 6 ft., \$7.50. Rather slender palms, grown thick in row, 5 ft., \$2.50; 6 ft., \$3.00; 7 ft., \$3.50; 8 ft., \$4.00. We will make a special price for lots of 20 or more of this grade, fine for street work. Boxed from field usually retain most of foliage—bushy, well shaped palms. 5 ft., \$9.00; 6 ft.,



COCOS AUSTRALIS
The Silvery-Blue Palm for Lawns

\$10.00; 7 ft., \$15.00; 8 ft., \$20.00; 9 to 10 ft., \$30.00 to \$75.00, according to weight of box.

to \$75.00, according to weight of box.

COCOS plumosa (Queen Palm or Feathery Cocos). Tall, upright, smooth stem, very graceful with bright green leaf fronds. The most popular palm in Southern California today. Is sometimes injured by severe frost, but except in very small sizes usually recovers quickly. However, it is not advised for planting in cold locations. Some strains are more frost resistant than others. A very effective palm to plant near the house or in pairs, groups or borders. The most graceful, most adaptable and least stiff of all our palms. Fairly fast grower, eventually reaching 30 or 40 ft., with a 10 to 15 inch trunk. Its smooth graceful trunk is one of the principal charms of this palm. Medium sizes are scarce at present. We offer a few in boxes, 6-7 ft., rather light, \$5.00. Large, heavy, balls and tubs, 4 or 5 in. stem, 8-9 ft., \$12.00 to \$15.00. Boxed, 6-8 in. stem, 12 ft., \$35 to \$50.

The variety flexuosa is scarcely distinguishable from plumosa. Said to be hardier.



COCOS PLUMOSA The Most Popular Palm

PHA austrais (Livistonia austrais). A plain rare Southern California, where it ought to be plen-ul. Fan palm with slender trunk and compact CORYPHA austrais (Livistonia austrais).

head, rather more graceful than any of the Washingtonias—(the common California Fan Palm)—and growing more slowly than those, to 20 to 25 ft. While young makes a beautiful pot or tub plant, not stiff, but leaf stems spreading in a graceful, arching form, very attractive. Will grow anywhere, but is especially beautiful in shade, developing a peculiar glossy sheen and luster of foliage. The leaves are affected by frost, but the palm is seldom harmed, developing new growth rapidy. Would not plant in very cold sections.

Pots and cans, pot grown, light plants, 2 ft., \$1.25. From field, balled, 3 ft., \$2.50; 4 ft., \$3.50; $4\frac{1}{2}$ ft., \$5.00. Tubs extra.

CYCAS revoluta (Sago Palm). Very dwarf and compact, with many shining, dark green leaves; long stiff fronds of the finely divided feather type. Very hardy and a splendid pot palm. Thick, heavy stem, which in small plants resembles a pineapple, but almost black. Stock scarce and high since Quarantine 37 was proclaimed. \$3.00 to \$40.00, according to size and condition.


ACAENA australis (Broad Leaved Dragon Palm). Plants with long flat grass-like leaves, with a palm-like stem, developing into branches each carrying its crown of foliage. While young the leaves clothe the entire trunk, making a very graceful plant much used for tubs. This variety has broader leaves than indivisa, sometimes over 2 inches in width. Withstands considerable frost, but injured below 20 degrees. All dracaenas will stand considerable drought if planted in heavy black soil, but in sandy or very gravelly soils need a large amount of water and are difficult to grow. Scarce at present. We can only offer a few, balled, 3 to 5 ft., \$3.50 to \$8.00 each.



DRACENAS Especially Good in Heavy Soil

DRACAENA indivisa. Rather more common than australis, and a little hardier; foliage narrower and longer, and of slightly faster growth. Ultimately reaches tree form with irregular, spreading branches. Small plants often used alone or with other plants in hanging baskets, tubs and porch pots. Pots, 12-16 in., 35c.

Balled from field, 3 ft., \$3.50; 4 ft., \$5.00; 4-6



ERYTHEA ARMATA Silver Fan Palm

ERYTHEA armata (Blue Fan Palm). An unusual palm, silvery-blue, almost white in color, very attractive on a green lawn. Unusually hardy, being a native of the dry section of Lower California. Not injured by cold at 18 degrees, stands any amount of heat, sunshine and drought. Rather slow growth, forming a large rounded clump of leaves for several years before it begins to develop a trunk. A splendid palm for intersetting between other trees on roadsides, perfectly hardy, needing no attention or water after the first season, and making a striking contrast with other planting. 5 gal. cans, 2 ft., \$1.50; 3 ft., \$2.25. Balled from field (these will probably lose some leaves), 3½ ft., \$3.00; 4 ft., \$3.50; 4½ ft., \$4.00; 5 ft., \$5.00; 6 ft., \$6.00. Boxed, 4 ft., \$6.00; 4½ ft., \$7.00; 5 ft., \$8.00; 6 ft., \$10.00; 7 ft., \$12.00.

ERYTHEA Brandegei. A rather new and rare species, also from Mexico. The fan-shaped leaves are smaller, more delicate and more numerous than the Guadalupe variety, of a soft shade of green.
Boxed and established, 4 ft., \$7.00; 5 ft., \$10.00. Balled, 3 ft., \$3.50; 4 ft., \$5.00.



PHOENIX CANARIENSIS
Majesty and Grace

edulis (Guadalupe Fan Palm). The best fan palm grown in California, but for some unknown reason very seldom planted. Leaves larger, better shape and richer green in color than either of the Washingtonias, retaining the bright color and fresh appearance all through the winter when the other fan palms are yellow or brown. Does not begin to make a trunk quickly, but the trunk is prettier and smoother, the leaves shedding readily from the trunk after drying without the use of the knife. Balled plants (will lose some leaves in transplanting), 6 ft., \$3.00; 7 ft., \$4.00; 8 ft., \$5.00; 9 ft., \$6.00. Boxed, \$4.00 to \$6.00 extra.

JUBEA spectabilis (Chilean Wine Palm). Resembles Phoenix Canariensis very strongly but a better palm, has no thorns, is more massive, deeper green and heavier trunk. Very rare. We have only one or two left, 4-6 ft., \$15.00 each.

KENTIA Belmoreana and Kentia Fosteriana. House palms for pots and tubs, occasionally planted out in rockeries, ferneries, patios or other warm, sheltered and shaded locations. Very graceful and very hardy for indoor use, standing the dry atmosphere and the shaded interior better even than ferns. Belmoreana is more graceful, the leaves more divided than the taller, heavier Fosteriana.

4-in. pots, 15 in., \$1.25; 5-in. pots, 18-24 in., \$2.50; 6-in. pots, 24-30 in., \$3.50.

PHOENIX Canariensis (Canary Island Date Palm). OENIX Canariensis (Canary Island Date Palm). The largest and most striking palm in Southern California, very common in most localities. Very hardy, healthy and fast growing, making a spread of foliage 35 ft. across and reaching 30 or 40 ft. in height, with a trunk thickness of 4 or 5 feet. Will grow anywhere, stands drought but likes plenty of water for rapid growth. Much used as a tub plant and often shipped East by the carload for this nurrose. for this purpose.

Cans and boxes, 2 ft., \$1.25; 3 ft., \$2.00; 4 ft., \$3.00; 5 ft., \$4.00; 6 ft., \$5.00.

Balled from field, extra large stock (this will lose some leaves, but will grow out again), 8-10 ft., tal land slender, \$4.50; 10-12 ft., \$6.00. Boxed, \$6.00 extra.



WASHINGTONIA FILIFERA One of the Choicest Palms

cclinata. Slender stem, usually 10 to 12 inches the diameter, leaves more open and drooping, plant makes suckers or offshoots readily from the base, somewhat tender for frost.

Established plants in large cans, 4 ft., \$3.00; 5 ft. \$4.00

5 ft., \$4.00.

Roebelenii. A very graceful fine leaved species much used as high-class pot plants. Can be grown in warm, sheltered places outside. Very scarce. 6-8 in., pots, 18 in., \$5.00.

*WASHINGTONIA filifera (Pritchardia fiilifera (California Fan Palm). This is the only palm native to California, growing wild in Palm Canyon in the Coachella Valley. Makes a massive trunk often 3½ ft. in diameter, has very large leaves on long leafstems, leaves fringed with coarse white hairs. Very hardy, stands almost anything in the shape of heat, also severe cold; fast growing, attains a height of 35 or 40 ft.

Balled from field (leaves cut off, but grow again in one season), 1½ ft., light, 75c; 2 ft., light, \$1.00; 3 ft., light, \$1.50; 4 ft., light, \$2.00; 5 ft., strong, \$2.50; 6 ft., heavy, \$3.50; 7 ft., \$4.00; 8 ft., \$7.50.



WASHINGTONIA ROBUSTA (Gracilis)
The Tallest Palm in California


robusta (correctly W. gracilis). Similar to the preceding but much more slender trunk, usually only about 16 in. diameter, but faster grower, attaining a height of 75 or 80 ft. Leaves smaller, with shorter stems and fewer filaments. Very extensively planted.

Both of these fan palms will be much more effective if grouped either with their own species or other palms, than when planted in rows or single pairs.

Balled (leaves cut off), 2 ft., \$1.25; 3 ft., \$1.75; 4 ft., \$2.50; 5 ft., \$3.50; 6 ft., \$4.50; 7 ft., \$6.00; 8-9 ft., \$10.00.

CENTURY PLANT (Agave Americana). Makes a mammoth plant growing in the dryest places. Well known. We have on hand the Variegated with white edges. 15 in., \$1.00; 18 in., \$1.50; 2 ft., \$2.00. Can usually secure other varieties also.

SABAL Palmetto. Broad leaf fan palm of heavy, massive appearance and slow growth. Very hardy. Established in cans, 4 ft., \$3.; 5 ft., \$4.50; 6 ft., \$6. longifolia. Dwarf habit, seldom attaining any trunk. Balled from field, 3½-4ft., \$3.00.



YUCCA PENDULA GLAUCA The Hardiest Plant for Tubs

YUCCA pendula glauca. Broad ribbon-like leaves of thick leathery texture, ending in sharp thorny points. Single stem when young, making a very fine tub plant, foliage drooping and well shaped, and exceedingly hardy. You can go to the beach for two weeks and forget this, and it will be the only potted plant alive when you return. Blooms with a 3 ft. spike of creamy lily-like flowers; afterward developing branches, and becoming a bushy plant 6 to 8 ft. tall, blooming for several months.

Balled, 15-20 in., \$1.25; 2 ft., \$2.00; 5 and 6 ft. clumps, \$4.00 to \$7.50.

VINES AND CLIMBERS

Vines are the ribbons and laces of architecture; the outdoor curtain of the home. They lend a grace, a delicacy, a finish, not supplied by any other class of plants. Their utilitarian service in softening the glare of painted surfaces, providing cooling shade, and securing seclusion, is self evident. The wealth of flowers of some varieties, the pleasing diversity of foliage, both in shape of leaf and shade of color; the rapidity of growth, giving exceedingly quick results, all together make vines one of the most important factors in ornamental planting.

AMPELOPSIS striata sempervirens (Evergreen Boston Ivy). Very small leaves, slender dark stems, compact growth. Fine for steps or banks. Cans, 10-15 in., 25c.

BIGNONIA cherere (correctly buccinatoria) (Evergreen Scarlet Trumpet Vine). Fast growing, large vine, dark vigorous foliage, scarlet trumpet flowers, very long tube, sometimes 4 inches, blooms nearly the entire season. Somewhat susceptible to mealy bug and tender for frost. One of the best for warm locations. Pots, small plants, 6-12 in., 35c; 15-20 in., 50c; 3 ft., 85c.

Tweediana. Clings to almost any surface by means of exceedingly sharp hooks on the tips of the tendrils. Small leaves, lying flat to the wall. Grows rapidly, ascending tothe top of building and begins to branch from the top, covering the top better than the bottom. For this reason often used together with Ficus repens which has just the opposite habit. Perfectly frost proof. Large, canary yellow flowers in June. Pots and cans, 15-18 in., 30c; 3-4 ft., 50c.



BIGNONIA TWEEDIANA Clings to Walls, Very Fast

iolacea (speciosa). Strong, vigorous, extra large vine with beautiful glossy leaves. Flowers delicate lavender blue, irregular trumpet form in large clusters, appearing in June and July. One of the very best vines. Cans, 2-3 ft., 75c. (For other Bignonias see Tecoma.)




BIGNONIA VENUSTA
Winter Blooming, Golden Trumpets

venusta. One of the showiest winter blooming vines, blossoms long tube-like trumpets, bright golden orange color, hanging in pendulous clusters at every leaf joint of the long drooping sprays. Rank grower, covering gables and roofs, and hanging from the eaves of porches. Damaged by any considerable frost, but older plants usually revive. 15-18 in., 40c; 2 ft., 50c. Cans, 4 ft., 85c; 5 ft., \$1.

BOUGAINVILLEA Braziliensis. This is probably the best variety, covered with brilliant reddish-purple flowers almost the entire year, flowers larger and brighter than the older variety, glabra Sanderiana. Bougainvilleas want the hottest sunniest spots, the south or west side of a building preferred. Very easily frosted; plant only in warm locations and well protected places. One of the brightest and showiest flowers in California, but difficult to harmonize with other colors, probably the most suitable being yellow or white. Usually given a distinct setting all its own, in the background away from other flowers. Bougainvillea and Bignonia venusta both usually grow better and quicker if planted in warm weather, rather than in the winter. Cans, 18 in., 85c; 2 ft., \$1.00; 3 ft., \$1.25; 3½-4 ft., \$1.50. 5 gal. cans, 4 ft., \$2.25; 5 ft., \$2.75. glabra Sanderiana. A free blooming variety, flowers

glabra Sanderiana. A free blooming variety, flowers smaller and not so bright as Braziliensis. Cans, 3 ft., \$1.00.



BOUGAINVILLEA Ever-blooming, Brilliant

steritia. Brick red flowers, entirely distinct color; blossoms usually in February and March, occasionally at other times, foliage distinctly downy. This is much more tender than the purple sorts. Plant only in frost proof locations. Much harder to propagate than any other, therefore, always scarce and high. 12-24 in., \$3.50; 2-3 ft., \$5.00.

lateria rosea speciosa. Similar but with pink shades overlying brick, making a very pretty combination. Strong grower, but shy bloomer. We expect to have small pot plants next summer. 6-10 in., 75c to \$1.00.

refulgens. A distinct sort. Immense purple clusters blooming in early spring, larger and finer than Braziliensis but only for a short period. Very wooly foliage and stems. Short, compact, heavy growth. Also very tender. Pots, 8-12 in., \$1.00; large plants, 2-4 ft., \$3.50.

- CAMPSIDIUM felicifolium. Said to be the same as Tecoma australis. When grown from seed the leaves are smaller, more pinnate, more finely divided than the Tecoma australis grown from cuttings. A fast grower, very long slender vine, with fine cut, graceful, small foliage, very hardy. Cans, 3 ft., 35c; 4-5 ft., 50c.
- CISSUS rhombifolia (Vitis r.) (Small-leaved Evergreen Grape). Very fast grower, abundant foliage, very soft green with bronze shadings; fine screen for porches, etc., and good ground and bank cover. Frosts easily; plant only in warm locations. Cans, 15-18 in., 40c; 2 ft., 50c; 3 ft., 75c.
- EUONYMUS radicans (Trailing Euonymus). Prostrate, much branching, very small leaves, absolutely hardy. Fine for banks or rockeries.
 - radicans variegata. Same, but foliage strikingly variegated with white. In full sunshine makes a compact, low-spreading clump. Both varieties, pots and cans, 8-12 in., 25c; 15-18 in., 35c.
 - scandens (vegeta). Semi-prostrate, spreading, round leaves, some of which color in autumn and become deciduous. Cans, 18 in., 40c.
- FICUS repens (Creeping Rubber). Small leaved vine clinging closely to the wall. Very dark green, almost black, grows slowly while young, giving little covering until 2 or 3 years old, but living for years and eventually completely covering large spaces. Very hardy. 2½-in. pots, 15c; 3-in. pots, 25c; 4-in. pots, staked, 35c.

 repens minima. Very minute leaves, half the size of the larger variety, slower and dwarfer grower, fine for rockeries. 2½-in pots, 20c; 3-in. pots, 30c.
- GELSEMIUM sempervirens (Carolina Yellow Jasmine). Rapid grower, rather slender vine, covered in spring at every leaf joint with golden yellow bells, very fragrant and very hardy. Pots and cans, 12-15 in., 25c; 18 in., 35c; 2 ft., 40c; 3 ft., 50c; 4-5 ft., strong, 75c.
- HONEYSUCKLE (Lonicera). Almost the hardiest evergreen vine grown.
 - Evergreen (L. Chinensis or sempervirens). growth, making a dense green vine, leaves some-times cut at edges. Flowers fragrant, white chang-ing to yellow, blooms more or less all the year. This and the following sort make a fine ground cover for banks and hillside slopes.
 - Halliana (L. Japonica Halliana). Very similar above, leaves sometimes have a more bronzy tinge, flowers sometimes touched with pink.
- Golden (L. Chinensis aurea reticulata). Foliage marked and marbled golden yellow. All of above: Pots or cans, 10-15 in., 20c; 18-24 in., 25c; 24-36
- Fots or cans, 10-15 lm., 20c; 18-24 lm., 25c; 24-36 in., 40c.

 Scarlet Trumpet or Coral (L. Punicea). Bright red flowers, almost deciduous, does not grow as strong as the previous varieties; not good for shade. Cans. 18-24 in., 50c.
- IVY, English (Hedra helix). Dense, dark, vigorous climber, especially suited for shade, but grows well in sun if not too hot. Clings well to brick or stone walls, especially in the shade. Also one of the best ground covers, particularly on banks, under trees, and for street parkings. Stands hard freezing. Pots and cans, 6-12 in., 15c; 18 in., 2c; 2-3 ft., 35c; 4 ft. 50c

4 ft., 50c. Special prices on large quantities, for parkways, terraces, etc.

- Variegated Ivy. Leaves mottled, sprinkled with white. 18 in., 25c; 2-3 ft., 35c.

 Dwarf Crested Ivy (Crenulata). Very slow and dwarf, leaves close together, curled and compact. Very pretty for pots, rockeries or borders of walks. Pots and cans, 10-12 in., 25c; 15-18 in., 35c.
- ONVINE. Japanese Blue. Exceedingly fast, blooms continually, blue flowers like Marris Co. continually, blue flowers like Morning Glory, but has no seeds. Cans, 2-3 ft., 25c.
- JASMINE (Jasminum). See also Evergreen Shrubs. Carolina Jasmine see Gelsemium; Chilean J., see Mandevillea; Malay J., see Rhyncospermum; Cata-lonian or Star J., see J. grandiflorum.
 - Beeslanum (Pink Jasmine). Slender growth, small narrow leaves, twining habit, yet might be pruned to grow as a shrub. Distinguished as being the only pink variety grown in cultivation. Small pinkish-red flowers, slender narrow tubes, in spring. Pots and cans, 12-15 in, 25c: 28-24 in, 40c; 2-3 ft., 60c. Balled, 3-4 ft., strong, \$1.50.

- gracillimum. Flowers in clusters, white, many narrow, long petals. Leaves light green, long pinnate fronds, forming a rather flat, thick surface of green; a very good screen. Makes a large vine. Cans, 12-18 in., 35c; 2-3 ft., 50c.
- grandiflora (Catalonian or Star Jasmine). Everblooming, round petals, exceedingly fragrant, forms a much branched, bushy, heavy-headed vine, sometimes injured temporarily by hard frost. Pots and cans, 12-15 in., 25c; 18-24 in., 35c; 2 ft., 50c; 2½-3 ft., 75c.
- poetica (simplicifolia). Single, flat leaves of shining green, slender dark stems. Flowers small, delicate, star-shaped in loose sprays, in June or July. Slight-ly tender for frost.
- primulinum (Yellow Trailing). Often grown as a shrub. Strong, rank grower of trailing habit, reaching 15 ft. Blooms in winter and early spring, big yellow blooms, size of half a dollar. Fine for pergolas, bank covers, etc. Cans. 18-24 in., 50c; 5 gal. 3-4 ft., \$1.50. Balls, 4 ft., \$2.25; 5 ft., \$3.00.
- LANTANA, Trailing. Lavender blue, very profuse bloomer, fine for dry, hot, sunny places, banks, hanging baskets, etc. Small pots, 4-8 in., 15c; 15 in., 25c; 18-24 in., 40c.
- LOTUS peliorhynchus. Trailing plant, soft foliage resembling Asparagus Sprengerii somewhat in habit, but beautiful silver-gray color. Grows well in baskets, pots or window boxes, or along walls or banks. Peculiar claw-shaped red flowers. Fast grower, should be cut back and renewed occasionally. Susceptible to mealy bug. Fairly hardy but not very long lived. Pots, 8-12 in., 25c; 15-18 in., 35c.
- SOLANUM jasminoides (Potato Jasmine). Very fast, very large and very hardy vine, slender stems and long pointed leaves. Flowers in clusters, very much resemble potato blossoms, white faintly touched blue. Cans, 18-20 in., 35c; 2-3 ft., 50c.
- heterophylla (Australian Blue Bell), Fineleaved vine, bushy with small dark blue flowers and wiry stems. Very pretty either as vine or trained as shrub. Very hardy. Pots and cans, 10-15 in., 25c; 18 in., 40c; 2 ft., 60c.
- STAUNTONIA hexaphylla. A Japanese vine, heavy leaves with 5, 6 or 7 leaflets in a flat, palm-like frond or cluster. Not injured by frost, grows faster in shade than sun. A very distinctive vine, white flowers. Cans, 12-18 in., 75c.
- STIGMAPHYLLON ciliatum. Golden orchid-like flowers on slender vines with small, sharply pointed leaves. A tender vine for protected places. 2-3 ft., \$1.25.
- TACSONIA (Red Passion Vine). Three or five-fingered leaves, bright, clear green, very fast growing, free bloming, flat red or pink flowers. Stands a light frost, but killed by hard freeze. Fine for hot, sunny locations. Sometimes affected by caterpillars, which are easily killed by dusting foliage with Arsenate of Lead.
- TECOMA australis. Glossy, green leaves, very fast rank grower, making an immense vine, exceedingly hardy. Blossoms creamy white, small bells, for two, weeks in early spring. Pots and cans, 15-18 in., 35c; 2 ft., 50c; 3-4 ft., 75c.
- capensis. Leaves small, round, bright, glossy green, foliage dense and compact, flowers bright orangered, in small clusters of 6 to 10. Blossoms for 6 or 8 months; fine for winter effect. Often grown as a shrub. Fairly hardy for frost, and stands sun and heat perfectly. Pots and cans, 10-15 in., 35c; 18 in., 45c; 2 ft., 60c.
- Mackenii (Pandorea Ricasolinii). Pink trumpet flowers in large clusters blooming June till September. Very strong grower, pinnate, sharply pointed leaves, hardy in every respect, makes a very large vine. Fine for large pergolas or for covering tall fences.
- VINCA major (Periwinkle or Trailing Myrtle). heart-shaped leaves on slender trailing styrile). Smooth heart-shaped leaves on slender trailing stems, good ground cover, roots easily and spreads rapidly. Will grow in sun, but liable to fade color in summer unless given lots of water. Looks best in shade. Very hardy in every respect. Large blue bleaves in corriect. blooms in spring.
- major variegata. Same strongly variegated with creamy white. Makes a fine basket or window box plant. Both varieties. Pots or cans, 6-8 in., 7c; 12-15 in., 10c; strong plants, 15c and 20c.

VITIS capensis (Evergreen Grape). Large grape-like leaf of attractive shade of yellowish green, touched with bronze. Fast grower, makes a beautiful vine; very fine for screen or pergola. Bears black grapes in small clusters, which are edible. Easily frosted. Plant in warm locations. Pots and cans, 10-15 in., 35c; 18 in., 45c; 2 ft., 60c.

DECIDUOUS VINES AND CLIMBERS

Where extra hardiness is required a deciduous vine will often supply the need. Also there are many places which need shade and coolness in the summer, but in winter the grateful warmth of the sun is appreciated. For such locations plant a deciduous vine.

- AMPELOPSIS quinquefolia (Virginia Creeper-Woodbine). Five-parted leaves on very strong growing vine; clings to rough surfaces. Foliage becomes bright red in autumn. Cans, 18 in., 35c; 2 ft., 50c; 3 ft., 75c.
 - ouc; 3 It., 76c. Veitchii (tricuspidata) (Boston Ivy). Foliage varies from very large to very small, and from entire to three-parted leaves. Clings closely to almost any surface, and is largely used for covering walls. Foliage very beautiful in early spring and again in the autumn, when it changes to red, purple and bronze. Pots and cans, 6-12 in., 20c; 15-18 in., 35c; 2-3 ft., 50c.



BOSTON IVY Covers Walls Quickly

- ANTIGONON leptopus (Rosa de Montana). Fast growing vine often dying back to dormant roots in winter. Covered in late summer with magnificent sprays of small bright rose-pink blossoms. Is not always successful, but when once seen in blossom it is never forgotten, and always desired. Pots and cans, roots dormant in winter, 50c to \$1.00.
- CLEMATIS paniculata (Virgin's Bower). Very fast growing, large vine with clusters of flat white flowers, followed by soft silky plumes as the seed ripens. Not always successful here on account of a disease which seems to affect all clematis in California, but occasionally a very large vine is seen. Cans, 12-18 in., 40c; 2-3 ft., 50c.
 - Jackamanii. This and other large flowering kinds are beautiful for a few years but do not last long in California. Big, flat, blue flowers 3 or 4 inches in diameter. Plant in shade. Strong plants, 1½-2 ft., 75c.
- DECUMARIA barbara (Matrimony Vine). Clings to wall, and is covered with flat, glossy, light green foliage in summer. Rather slow growth and not well known. Best planted in partially shaded locations. Cans, 2 ft., 60c; 3-4 ft., very heavy, \$1.00.

- DUTCHMAN'S PIPE, Aristolochia. Large heart-shaped leaves, very peculiar pipe-shaped blossoms. 15-18 in., 40c.
- HOP VINES, Humulus. Very fast grower, dormant in winter, good for quick shade. Small roots, 15c. Large roots or plants in cans, 25c to 40c.
- KUDZU VINE (Pueraria Thunbergii). Exceedingly fast grower, making a vine 50 or 60 ft. long. Sometimes dies to the ground in winter, and may always be cut off at the heavy root; sends up shoots very rapidly in the spring. Large, coarse leaves. Small clusters of reddish purple flowers in late summer—on old vines only. Small, 25c to 35c. Large, 50c-75c.
- SOLANUM Wendlandi (Blue Potato Vine). Thick, fleshy leaves and rather soft fleshy stems, which sometimes frost or die back during the winter. Slow in starting in spring, but grows rapidly. Large flowers, in large clusters, beautiful shades of lavender-blue, sometimes afflicted with black scale. Pots and cans, 8-12 in., 30c; 15-18 in., 45c; 2-3 ft., 75c.
- SMILAX, Asparagus asparagoides (myrsiphyllum). Well known, small pointed leaves making very soft graceful sprays of bright green. Grows during the winter and spring, dormant in summer. Likes partial shade, grows rapidly, fine for cutting. Pots and cans, 15c. Larger, 25c.
- TECOMA radicans (Scarlet Trumpet Vine). Very fast, extra hardy vine growing very large size—25 to 30 feet. Fine for covering trees, sheds or any large object. Flowers bright red shaded with orange; large trumpets in clusters of 6 to 12 on the end of strong branches, Exceedingly showy blooms from June to October. Stands heat, cold and drought. Cans, 15-18 in., 25c; 2-3 ft., 40c; 3-4 ft., 50c; 5 gal. 4-6 ft., \$1.00 to \$1.25. Bare root, strong, 4-6 ft., \$1.
 - radicans grandiflora (Chinese or Large Orange Trumpet Vine). Flowers larger than the preceding, broader and light buff-orange color, very showy. Vine equally strong and desirable in every way. Bare root, 2-3 ft., 75c; 3-4 ft., \$1.50. Cans, 2-4 ft., \$1.00; 4-5 ft., \$1.50.
- WISTARIA. This is one of the hardiest, fastest growing and largest vines in existence, besides being one of the most beautiful when in bloom. The flowers are pea-shaped, borne in long racemes or clusters, very early in the spring, the whole vine being covered with their graceful masses. The Chinese varieties bloom before any leaves appear, making the whole vine one solid mass of color. The Japanese or Multijuga varieties blossom along with the young leaves, through which they droop in long slender sprays. Wistarias often grow 15 or 20 ft in 3 years, and continue to grow indefinitely, some mammoth vines covering a quarter of an acre. The more rapidly they grow the slower they are to bloom; even some grafted vines blooming in pots, when planted in the ground grow so fast they may not bloom again for 5 or 6 years, at which time they may be 25 ft. across. The Chinese varieties usually bloom younger than the multijuga.
 - Chinese Blue. Short sprays, but one of the freest bloomers; earliest of all, medium blue or purple. Not grafted, from field, bare roots, 18 in., 35c; 2 ft., 50c; 3 ft., 75c; 4 ft., \$1. Cans, later in spring, 2 ft., 50c; 3 ft., 75c. Small cans, 1 ft., 25c.
 - Chinese White. Same, but pure white; very early and covered with masses of bloom. Not grafted, field, bare root, 18 in., 50c; 2 ft., 65c; 3 ft., 85c. In eans ,2 ft., 75c; 3 ft., 90c.
 - multijuga. Long Purple Japanese. Flower racemes long and slender, sometimes 15-18 in. Very strong growing vine.
 - multijuga. Long Light Lavender. Same but lighter colored blossoms.
 - multijuga. Pink. Long slender clusters of delicate pink. A most charming variety, a few days later than the purple.
 - multijuga. Double Purple. Flowers are double, like double violets, bunches shorter and heavier than the single sorts; a very rare sort. Stock of this is scarce. We have very few this season. Prices on all varieties, grafted plants, bare root, 1 ft., 75c; 18 in., \$1.00; 2 ft., \$1.50 2½-3 ft., \$2.00.

In cans, after April, 18 in., \$1.25; 2 ft., \$1.50; 3 ft., \$2.00.

Small plants recently grafted, pots or cans, ready in July: 4-10 in., 50c.



ROSES

There is no group of flowers so universally popular as Roses. For ornamental effects in rows or beds, or as climbing vines they are unsurpassed; and of course as cut flowers there is nothing comparable. Roses are much more effective if segregated in a planting to roses alone. As a rule they do not combine well with other shrubbery (this does not apply to climbers) and it is only occasionally that they are advisable or effective as single specimens. Tree or Standard roses make good specimens if well trained and carefully tended—if they grow well. Nine out of ten in Southern California do not. Tree roses should have their trunks whitewashed, or wrapped in burlap; and should be staked, tied, pruned, trimmed, disbudded, shaped, fertilized, suckered, sprou ted and irrigated, over and over, to produce good results.

Climbing roses are usually successful with little care, but should be lightly pruned, the dead wood and a lot of small useless growth removed every year. Some of this pruning can be done just after they have finished a big crop of blossoms, but most of it is probably best done in winter when the plants are most dormont, which may be in December, January or February, according to the weather and the way the vines mont, which may have been handled.

Bush roses should be pruned heavily only once in two or three years; at other times it is best to prune less and often, choosing a time when rather dormant, and cutting out the fine small growth, pruning each to strong buds. In cutting flowers for bouquets a great deal or pruning can be performed by cutting with long stems, even sometimes taking part of the older wood, but always cutting to where there is a prominent bud. The next shoot and flower will then be vigorous and large.

Roses of different classes will need different treatment which can scarcely be taught in such a brief sketch of the subject, but can be easily learned by a little watchfulness and a few experiments.

For mildew use sulphur dusted over the plant—or still better—Bordeaux mixture applied either as a dry powder while wet with dew in early morning, or as a liquid spray. Mildew is seldom lasting, and not serious; appearing for a short season in certain weather and soon disappearing, even without treatment. Some varieties are very much more affected than others. Bordeaux as a spray before the plants are affected, is a good preventive.

Blighting of the buds, which turn brown and do not open, is a different thing, and is prevalent with a few varieties, usually red roses in cool weather. There is no real remedy, the trouble disappearing with change of weather.

Aphis or green fly often spoils buds and injures leaves. A hose with a strong force of water will often wash them off; also Nicotine (Black Leaf 40) as a spray—one teaspoonful to ½ gal. water will do the work, but the easiest remedy is dusting in early morning with Nicodust, a preparation of Nicotine and Lime, etc.

We can supply any insect remedies and appliances and will be glad to quote same on request.

We can supply any insect remedies and appliances and will be glad to quote same on request.

Roses do best in sun, a few climbers may be grown in partial shade, but the more shade as a rule the fewer blossoms. Plant roses several inches deeper than they grow in the nursery, especially the ones which are budded on other roots. Budded roses should be carefully watched and if suckers appear, which have a different foliage and character, they should be removed, digging down to the root and taking them off clean, so they will not sprout again. Many budded roses are spoiled every year through neglect of this precaution, the suckers taking the strength of the root so that the buds die. On the other hand a sucker from a rose propagated on its own roots is just the same as the original plant and usually more valuable than the older growth. Leave them and encourage them. We prefer roses on their own roots. There are a few varieties which make a poor root systm or are such poor growers that it is always necessary to bud or graft them on stronger roots. Also many new varieties are so scare that they cannot be produced fast enough from cuttings. But roses in general, we believe, are best on their own roots. The plants are usually not as heavy or large when sold, but the results in future years are better. We handle some of both kinds of roses.

NEW ROSES

NEW ROSES. Prices quoted are for strong No. 1 stock. We often have smaller stock at slightly lower prices.

Angelus. A new white rose, very free bloomer and beautiful buds. \$1.00.

Columbia. Full, heavy bud on beautiful stem, showing almost perfect form at every stage until fully opened bright pink tip of outer petals sometimes silvery pink. A wonderful cutting and bedding rose. \$1.00.

Constance. Saffron yellow, delicious buds, opening flat, very unusual. \$1.00.

Crusader. Dark glowing crimson, abundant bloomer, vigorous. \$1.00.

Golden Ophelia. To the beautiful form and continual flowering of the Ophelia this brings a golden yellow color, unsurpassed in garden roses. Medium sized buds, \$1.25.

H. P. Pinkerton. Brilliant scarlet, shaded crimson.

Louise Catherine Breslau. Peculiar shade of salmon-buff over yellow, unusual. \$1.00.

Los Angeles. This has been the most sought after rose in years, very long stems, beautiful buds, a combination of pink and amber over yellow, very attractive. \$1.50 and \$1.25.

Lolita Armour. Brilliant combination of coral-red and copper-red, lighted from beneath by an underlying orange-flame color. \$1.50.

Mrs. S. K. Rindge. Bright deep yellow, very large buds fading to pink in the older flowers. \$1.50.

Mrs. Bullen. Yellow, shaded scarlet, very brilliant.

NEW CLIMBERS

Belle of Portugal—Climbing. New, strong, vigorous; long, graceful buds of beautiful dawn-pink. \$1.25.

Clg. Gen. McArthur. Just as good as the bush—we need say no more. Dark red. \$1.00.

Clg. Hadley. Brilliant dark crimson, like the bush variety. \$1.00.

Clg. Hoosier Beauty. One of the best dark crimsonscarlet roses ever introduced; strong climber. \$1.00.



FRAU KARL DRUSCHKI A Mammoth White

CHOICE VARIETIES Strong Plants, 75c; Lighter, 65c.

Frau Karl Druschki. The largest white rose, extra

Frau Karl Druschki. The largest white rose, extra strong growth, heavy foliage, very hardy. Gen. McArthur. For 15 years the best selling red rose. Dark red, splendid shape and color, almost ever-blooming but at its best in cool weather.

Hadley. Rich velvety crimson, beautiful buds, ever-



HADLEY Brilliant Dark Crimson

Irish Elegance. Very much like Fireflame, but more delicate coloring.

Irish Fireflame. Single, long pointed elegant bud; orange, flame and scarlet; beautiful for cut buds; do not last long on the bushes.

Juliet. Entirely distinct, full double rounded buds, on heavy stems. Upper surface of petals a rosy scarlet, underlaid by orange; reverse of petals soft salmon. With age fades to rosy pink.

Molly Sharman Crawford. Purest white, very double, beautiful bud, full open rose, blooms in great quantities three or four times a year.

Mrs. Geo. Shawyer. Long pointed buds, splendid stems, deep pink, one of the best new cutting roses.

Peach Blossom. Soft blush pink, new.

Persian Yellow. Bright yellow, color of dandelion, numerous small bristle-like thorns. Annual bloomer. an old favorite, rare nowadays.

Roger Lamberlin. Dark maroon-crimson, each petal argined, occasionally striped with white. Quite varimargined, occasionally striped with white. Q able. Blooms once, sometimes twice a year.

Soleil d'Or. Very double round buds and full open blossoms; yellow and old gold, with a touch of scarlet in the buds. Blooms about three times a year, defo-liates in mid-summer. Needs heavy pruning each spring to have long stemmed flowers.

Duchess d'Auerstadt. Full, very double, golden yellow, free bloomer, good color, and very vigorous grower.

Clg. Frau Karl Druschki. Same as the bush form, very large white, extra strong heavy canes.

Marechal Neil. Very fragrant, golden yellow, sometimes outer petals pink in the sun, beautiful buds. Rather weak grower, does best with roots in shade and the top in the sun.

Paul's Scarlet Climber. The brightest red rose grown, nearest to a pure scarlet, vivid flaming red; exceedingly strong, rank grower, blooms freely all summer.

Clg. Perle. Pure sulphur yellow, the most beautiful bud known. Rather difficult to grow well. Free bloomer.

Cig. Sunburst. Similar to the bush variety. Golden vellow, very brilliant bud and free bloomer. One of the best yellows.

GENERAL COLLECTION

All Tested, Tried and Good Varieties

Strong Plants, 60c each; \$6.00 doz. Lighter Grade, 40c to 50c each.

Antoine Revoire. Sea-shell pink, as firm and perfect in shape as a Camellia. Dark leathery foliage, stiff, heavy stems; for perfection of bud and daintiness of color there has been nothing better produced for 20 years. Not a very free bloomer.

American Beauty. Very large, full rounded double flowers, wonderfully fragrant; not an abundant bloomer outdoors, usually gives two good crops a year when the weather is just right—in spring and fall. Not always satisfactory.

Baby Catherine. Small flowers in clusters, almost


everblooming, beautiful white.

Baby Erna Terschendorf. Deep ters, free flowering, bright, dwarf. Deep crimson-red clusEdward Mawley. Dark brilliant crimson. Almost as good as Hadley and Hoosier Beauty, but not so well known.

Hoosier Beauty. Very much like Hadley, possibly a little more double. These two are probably the best two dark red roses.

Baby Orleans. Brighest rosy pink, with lighter center, large clusters, dwarf.

Cecil Brunner. Delicate pink blossoms, tiny buds perfectly formed. The best and most desired of all baby roses. The best for cutting. Almost an everbloomer.



ETOILE DE FRANCE A Rose That Loves Hot Weather

Etoile de France. The best hot weather rose. Opens full heavy, double and darkest red—almost crimson; very fragarnt, blooms in the warmest part of summer and fall. Not so good in very cool weather. Everblooming, slow growth.

Glorie de Rosomanes. See Ragged Robin.

Kaiserin Aug. Victoria. Perhaps the best known white. Perfectly shaped full pointed buds, shaded with ivory, opening creamy white. Heavy dark foliage. Blossoms very freely three or four times each year.

Lady Hillingdon. The most aristocratic, slenderly modelled bud of all. A brilliant golden yellow with copper tints; resembles Sunburst, not so double but better form. Delicate slender stems; moderate grower.

Mad. Abel Chatenay. Beautiful salmon-pink, nicely shaped bud but not large. A bunch of these light up better in artificial light than any other pink.

Mad. Caroline Testout. Bright pink, very showy, blossoms large and open, fine bedding rose. Strong, vigorous, growth; free bloomer.

Mad. Leon Payne. Tall rose with bronzy foliage. Salmon-yellow with pink and reddish shadings, reverse of petals darker; a beautiful bud, not a heavy bloomer.

Maman Cochet-Pink. No other roses will furnish anywhere near the quantities of perfect cut blossoms, that the Pink and White Cochets yield. Blossom continually and always perfect buds. Some complaint of weak stems; this is only in certain soils, and can be remedied by pruning to heavy buds.

Mrs. A. R. Waddell. Foliage large, bronzy yellow, free bloomer, apricot-yellow, shaded salmon and pink.

Ophelia. One of the freest blooming roses, unexcelled for cutting. Soft blush pink over a base of creamy apricot-yellow; sometimes yellow predominates in the bud and at other seasons, either warmer or cooler, blush pink prevails. Wonderful buds. We can offer some 3-year roses very heavy, 3-4 ft., at \$1.25 bare roots.



SUNBURST Brilliant Golden Yellow

Papa Gontier. One of the oldest and best known. Blooms abundantly in cool weather. Long pointed buds beautifully shaped, shading from light to dark red. Opens single, not good in heat.

Paul Neyron. A very large, double, light red rose; can often be cut with 3 ft. stems; very few side branches. Almost no thorns. Usually blooms twice a year.

Perle des Jardins. Clear sulphur-yellow—when perfect has never yet been equalled in either color of flower or perfection of form. Unfortunatly it is a slow, weak grower and in some localities the buds are subject to blight.

Prince Camille de Rohan. Rich, velvety marooncrimson. Like Black Prince, but larger petals. One good crop of blossoms and a few scattering blooms later.

Radiance. Very bright clear, dark pink, free blooming, good form.

Rodhate. Small, free blooming, dark crimson.

Ragged Robin (Glorie des Rosomanes). Continually in bloom, summer or winter. Single, bright scarlet, sweet scented. Often grows 10 ft. tall. Splendid for roadside planting in bush form; and often combined with White Cherokee to cover wire fences, making a wonderful hedge of white and scarlet bloom with glossy leaves.

Sunburst. Deep golden, almost orange-yellow. Wonderful color and free bloomer. Will retain its place as one of the best yellows for years.

Ulrich Brunner. Dark, rich red, large size and free bloomer through the late spring and early summer. Specially successful in the soil and climate of Pasadena, where it is considered one of their best red roses.

White Maman Cochet. Like the pink variety, this is more profuse in bloom, with more blooms of perfect form than any other rose. Will produce nearly twice as many cut flowers as any other rose. Long pointed buds, white in center, outer petals shaded pink.

Wm. Shean. The buds on a strong bush are often 2½ or 3 inches in diameter before they begin to expand. Dark rose pink, varying according to the weather and the season, from soft pink to almost red.

CLIMBING ROSES

American Pillar. Belongs to the rambler family, very rank strong grower, shining round foliage. Flowers single, bright rose, with distinct white center, one of the showiest roses ever produced

Clg. American Beauty. There are two Clg. Amer. Beauty Roses. One is small and dark, growing in clusters. The one we offer is large, equal to the bush variety, and of about the same color, sometimes lighter. Broad, smooth foliage, moderate grower, blooms two crops a year with occasional off blooms.

Beauty of Glazenwood. See Gold of Ophir.

Clg. Cecil Brunner. One of the littlest flowers on one of the largest vines. Rampant heavy growth, beautiful foliage and masses of dainty, perfectly formed miniature roses, delicate pink in color.

Cherokee-White. Bright, glossy, polished, green foliage; slender, wiry stems, single pure white blossoms, covering the entire vine for about six weeks. Beautiful for arbors and pergolas, but especially fine for fences, as it shears into a thick, glossy, hedge-like

Cherokee-Pink. Larger than white, flowers bright pink; blooms for a longer period than the white, sometimes nearly all summer.

Cherokee-Red (Ramona). Very much like the pink. Flowers darker shade, but variable, sometimes as light as the pink.

Dorothy Perkins. Rambler type, flowers very double, soft, bright pink in large clusters covering the entire vine, which grows to a very large size. Blooms about one month or more.

Dr. Van Fleet. A Wichurian hybrid, rank growth and good foliage. Flowers good size, a beautiful, soft pink, impossible to describe, but never forgotten when once seen, entirely covering the vine.

Clg. Etoile de France. Like the bush form this is at its best in hot weather—the summer. Very large, dark, sometimes crimson-red, fragrant. Slow growth.

Gold of Ophir (correctly Beauty of Glazenwood). Masses of semi-double, brilliant apricot, gold and pink. When in full bloom the blossoms hide the foliage en-tirely. Blooms about six weeks. Immense grower, fine for pergolas, tall fences or to cover outbuildings.

Clg. Grus an Teplitz. Bright crimson-scarlet, masses of flowers covering entire vine. Blooms heavily about six weeks in April and May; another crop later in the summer, with scattering blossoms at any time. Dark purplish foliage.

Clg. Kaiserin. Same as the bush form. Love blooms, perfect form. Stocky, heavy growth. Same as the bush form. Lovely white

Clg. Killarney. Long, pointed, pink bud, very beautiful, semi-double, not so susceptible to mildew as the bush variety of Killarney.

Lamarque. One of the oldest, white flowers in clusters, clean. light foliage, spreading rampant growth.

Clg. Caroline Testout. Exactly like the bush form, strong, heavy growth, not much branched.

Clg. Papa Gontier. Very large vigorous vine, probably the best red climbing rose for fall, winter and early spring. Shaded red, beautiful pointed buds. Not good for warm weather.

Clg. Pink Maman Cochet. Even bigger, better blossoms than the bush form. Almost always in bloom. Beautiful pointed buds. Cannot be surpassed as a pink climber.

Cig. Perie des Jardins. Sulphur-yellow, beautiful buds, and beautiful glossy foliage. Sometimes grows rather slowly.

Reve d'Or. Apricot, shaded yellow and orange, blooms in clusters almost continually the whole year around. Very strong grower, beautiful, clean bronzy yellow foliage.

Shower of Gold. Wonderful foliage, glossy, bronze and green, flowers golden in bud, fading to white as they open. Blooms in late May and June.


Tausendschoen. Thousand Beauties. Of the rambler type, but blossoms much larger than most ramblers, flower clusters very large, blossoms semi-double, shading from dark to light pink. Blooms nearly all summer. One of the very largest of all rose vines.

Clg. Winnie Davis. Soft, salmon-pink, a beautiful shape and color.

White Banksia. The thornless rose; long narrow leaves, much branching vine which can climb 50 or 60 feet. Flowers in small white clusters, resembling Double Bridal Wreath, blooms in April and May.

Wm. Allen Richardson. Dark orange buds, fading to yellow-almost white.

Yellow Banksia, Same as white, but buff-yellow color, very attractive.



WHITE BANKSIA A Rampant Climber

FRENCH PERGOLA ROSES

FRENCH PERGOLA ROSES

A group of very strong, rampant climbers with beautiful foliage, small round and glossy. They bloom for a period of six or eight weeks during May and June. The flowers, especially the buds, are beautifully formed, but small, partaking of the daintiness of the Cecil Brunner, which is one of the parents. The other one is Wichuriana, from which these hybirds derive their glossy foliage and hardiness. The flowers are borne both in clusters and singly, at the end of sprays; very suitable for cutting. The entire vine makes a beautiful display, and is especially recommended for pergolas, tall fences, outbuildings and above all for sloping banks or hillsides, where the thick masses of shining foliage make a very attractive ground cover.

Alex. Girault. Shaded red, very free bloomer.

Francois Fouchard. Light lemon-yellow; very pretty buds, foliage very small.

Jean Guichard. Light salmon-pink, blended with blush pink.

Reine Andre. Bright salmon, shot through with rays of apricot and rosy scarlet in the buds. Open blossoms shaded pink.

Marco. Almost identical with Shower of Gold. The brightest, glossiest foliage of any rose, glistening metallic bronze at tips and darkest holly green color on older, foliage, buds salmon-yellow, open flowers in clusters and masses, purest white and very double.

TREE ROSES

These need special care to succeed in California. We offer some young light stock of our own growing, rather small heads. These are budded on stems of the Ragged Robin which makes a good standard for this work.

We have only a limited quantity of these tree roses a good assortment of the best varieties but very few of each. The list includes: Hoosier Beauty, Sun-burst, White and Pink Cochets, Gen. McArthur, Caro-line Testout and many others. Tell us the color you wish and let us select the variety.

The stems range in height from 20 to 36 inches. Prices according to length of stem and size of top—ranging from \$1.25 to \$3.00 each, in 3 gal. or 5 gal.

Later in the season we will probably have larger tree roses, \$3.00 to \$4.00 each.



LANDSCAPE DEPARTMENT

We are fully prepared to take care of anything in the line of landscape work: from simply giving advice concerning the selection of a few trees and shrubs for a small city lot, to the complete planning and planting of a hundred-acre foothill estate, or a municipal park.

Our landscape artists and draughtsmen will supply complete plans drawn to scale at a moderate charge. We make simple, free-hand sketches and indicate the correct location for setting plants on the ground of customers who purchase their plants from us, without making any extra charge for this service.

We are always glad to be consulted in connection with the selection of suitable trees and plants. Our experience may often prevent planting stock whose ultimate growth or whose cultural requirements would make certain varieties inadvisable.

Our planting department is in charge of a trained gardener of many years' experience. We will undertake your complete planting if desired; but on less extensive jobs we believe it will be more economical for the owner to have all the rough work (grading, digging holes, etc.), done by less expensive labor and allow us to finish the planting of the trees and shrubs.

We install sprinkling systems for lawns, which are guaranteed to give satisfaction. Get our estimates.

We supply not only the nursery stock needed, but also all necessary incidentals, such as fertilizer, peat, grass seed, etc. We can also furnish outdoor garden furniture such as garden seats, bird hatches, sundials, vases, urns, etc. We construct lily ponds, rockeries, etc., and can give estimates on swimming pools, stepping stone paths and cement work of all kinds.

A PAGE OF HELPS

IN ANSWER TO THE QUESTIONS "WHAT SHALL I PLANT HERE"
AND "WHERE SHALL I PLANT THIS"

HEDGE PLANTS

Monterey Cypress Arizona Cypress All Privets Myrtus Pyracanthas Most of Cotoneaster Guava Feijoa. Carissa Prunus illicifolia Prunus integrifolia Laurustinus Spireas Berberis Wilsonae Berberis Thunbergi Acacia verticcilata Boxwood Genista Canariensis. Erica Melanthera

Hibiscus Lantana Cherokee Roses Cydonia Lime

Diosina Grevillea Thelemaniana Dwf. Flg. Pomegranate Heliotrope Marguerite English Laurel Leptospernum Pittosporum Mahonia Nahonia Melaleuca Nandina Syringa Rhapiolepis Cuphea Rosemary

Malvaviscus Weigelia NEAR POOLS

Lavender

Tamarix

Streptosolyn

Papyrus Cyperus
Weeping Evergreen Elm
Weeping Willow Iris Morea Bamboo Dracaena

ORNAMENTAL BERRIES All Pyracantha All Crataegus All Cotoneaster Holly Arbutus Uneedo Mahonia Jerusalem Cherry Chinese Pepper Euonymous Europeus Snowberry

Snowberry
WINDBREAKS
Euc. Globulus
Euc. Rostrata
Euc. Rudis
Euc. Viminalis
Euc. Robusta
Monterey Cypress
Monterey Pine
Arizona Cypress
Evergreen Tamarix
Deciduous Tamarix
Dlack Locust Black Locust Mulberry Poplar Arizona Ash Arundo Donax

FOR THE DESERT Euc. Rudis Euc. Rostrata Euc. Viminalis

Phoenix Canariensis Date Palm Washingtonia Fan Palm Blue Fan Palm Cocos Australis Palm Arizona Cypress Mulberry Black Locust Arizona Ash Black Walnut All Tamarix Umbrella Myrtle Honeysuckle Roses Grapes

TROPICAL EFFECT

Bamboo Caladium Canna Ranana Palms Arundo Aralia Artichoke Pampas Philodendron Eulalia Erythrina

STAND FROSTS 18 deg. Fahrenheit

Feijoa Most Acacias Camphor Euc. Rostrata Euc. Rudis Grevillea Robusta Magnolia Pepper Live Oaks Bottle Trees Abelia Barberry Boxwood Callistemon Camelia Choisea Coronilla Cotoneaster Pyracantha Eleagnus Erica Cinera Escalonia Euonymous Genista Holly Hydrangea Hypericum Jasmine Revolutum Jasmine Primulinum Kerria Lauristinus Privet
Mahonia
Most Melaleuca
Myrtle

Rhapiolepis Veronica Most Deciduous Cistus Eupatorium Nandina Matilija Poppy Swainsonia Aucuba. Primula Rhododendron Gazania Pansy

Pittosporum Tobira

Polygala

Violets Santolina

Stocks Snapdragons

Calendula Yucca

Prunus

Pampas Grass Golden Bamboo Phormium Century Plant Bignonia Tweediana Honeysuckle Rhyncospernum Tecoma McKenni All Hardy Palms All Roses

DRY PLACES

Grapes Almonds Apricots Feijoa Carob Cypress Most Pines Redwoods Cedrus Deodora Libocedrus Junipers Arbor Vitae Acacia—several Casuarina Bottle Tree Eucalyptus Lyonathamnus Pepper California Holly Bottle Brush Ceanothus Genista Jincea Lantana Melaleuca Oleander Catalina Cherry California Cherry Rhamnus Box Elder Black Locust Sycamore Umbrella Tamarix Matilija Poppy Pampas Grass Hardy Palms Parkinsonia Century Plant Yucca Mesembryanthemum Arundo

Phormium TALL SLENDER
Arizona Cypress
Italian Cypress
Pinus Canariensis
Libocedrus

Jabocedrus
Redwood
Taxodium
Juniper Virginians
Irish Juniper
Irish Yew
Thuya Elegantissima
Lawson Cyp. Alumi
Lombardv Poplar
Several Eucalptus
Casuarina Stricts Casuarina Stricta Eugenia Myrtifolia Euonymous Stricta

Flowers for SUNNY BEDS (Irrigated)

Lantana Plumbago Hibiscus Cannas Streptosolyn Gazania Gaillardia Balsam Cosmos Zinnia Aster Gerbera Perennial Phlox SHADE Camelia Euonymous Aucuba Aralia Japonica Rhododendron

Azalea Primula Ferns Begonia Smilax Asparagus Rhyncospermin

HOLLY FOLIAGE Calif, Wild Cherry Mahonia Berberis-several

Berberis—several Chorizema Live Oaks—several California Holly English Holly American Holly Osmanthus

BROAD GLOSSY FOLIAGE Magnolia Rubber Camelia Choisya Carissa Euonymous Gardenia Hibiscus English Laurel Japanese Privet Ligustrum Ciliatum Pittosporum Tobira Pittosporum Undulatum Rhoprolepis Viburnum Japonicum Aralia Japonica Jacobinia Aucuba

FINE

INE NEEDLE FOLI-AGE Many Conifers Acacia Verticillata Ericas Diosma Many Melaleucas Grevillea Thelemania Cassia Artemesioides Hakea Pectinata

FOR SEASHORE

Lagunaria Monterey Cypress Monterey Pine Mesembryanthemum Melaleucas Eucalyptus Geraniums Coprosma Abelia

WET GROUND

Willow Magnolia Bamboo Arundo Papyrus Iris

RED FLOWERING
Euc. Ficifolia
Scarlet Bottle Brush
Scarlet Hibiscus Japanese Quince Malvaviscus Camelia Begonia Gerbera Verbena Grevillea Thelemania Several Salvias Flowering Pomegranate Trumpet Vine Tecoma Capensis

INDEX

| Abelia |
|--|
| Abelia - Abies 16 Abutilon 23 |
| Abutilon 23 Acacia 20-23 |
| |
| Acer 31 Achyranthes 38 Adiantum 40 Agara 50 |
| Agave 50 |
| Ageratum |
| Allamanda |
| Allgator Pear, see Avocado |
| Almond |
| Almond, Flowering |
| Agave 50 Ageratum 41 Allamanda 23 Alligator Pear, see Avocado |
| Amaryllis |
| Ampelopsis50-53 |
| Angel Lily see Crinum 13 |
| Antigonon 53 |
| Antirrhinum 41 |
| Apple |
| Apricot 8 |
| Aralia 24 |
| Araucaria 16 Arbor Vitae, see Thuya 19 |
| Arbutus 23 |
| Arizona Cypress, see Cypress |
| Armeria 41 Artichoke 13 |
| |
| Ash |
| Asparagus13-39 |
| Ash 32 Asparagus 13-39 Aspidistra 39 Aspidium 40 |
| Aspidium 40 Asplenium 40 |
| Aster |
| Aspidium |
| Australian Blue Bell, see Sollya |
| Australian Fan Palm, see Corypha 48 |
| Australian Flame Tree, see Sterculia 23 |
| Austranan Sne Oak, see Casuarma |
| Austrian Pine, see Pinus 17 Avocado 11-21 |
| Azalea |
| Avalea 39 Baby's Breath, see Gypsophila and Spirea 36-37 Baby Marguerite, see Erigeron 41 |
| |
| |
| Bamboo |
| Damana Edible 15 99 |
| |
| Banana—Ornamental 38 |
| Danana—Ornamental |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beefwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus 28 Beard Tongue, see Penstemon 37 BEDDING PLANTS 41 Beech 32 Beetwood Tree, see Casuarina 21 Begonia 39 |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bard Tongue, see Penstemon. 37 BEDDING PLANTS 41 Beechood Tree, see Casuarina. 21 Beedmood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Betula, see Birch. 32-24 Big Cone Pine, see Pinus. 18 Bignonia. 51-53 Birch. 32-34 Blackberry. 12 Blakberry see Galllardia. 37 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Boston Ivy, Decfduous, see Ampelopsis. 58 |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 22 Bay Tree, see elso Laurus. 28 Beard Tongue, see Penstemon. 37 BEDDING PLANTS. 41 Beechood Tree, see Casuarina. 22 Begonia 39 Bellis. 41 Berberis. 24 Betula, see Birch. 32-34 Big Cone Pine, see Pinus. 18 Birch 32-34 Blackberry 12 Blanket Flower, see Galllardia. 37 Bue Fan Palm, see Erythea. 49 Boston Ivy, Decgleen, see Ampelopsis. 50 Bottle. Brush, see Callistemon and 42-28 Bether and State of the State of |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 22 Bay Tree, see elso Laurus. 28 Beard Tongue, see Penstemon. 37 BEDDING PLANTS. 41 Beechood Tree, see Casuarina. 22 Begonia 39 Bellis. 41 Berberis. 24 Betula, see Birch. 32-34 Big Cone Pine, see Pinus. 18 Birch 32-34 Blackberry 12 Blanket Flower, see Galllardia. 37 Bue Fan Palm, see Erythea. 49 Boston Ivy, Decgleen, see Ampelopsis. 50 Bottle. Brush, see Callistemon and 42-28 Bether and State of the State of |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 22 Bay Tree, see elso Laurus. 28 Beard Tongue, see Penstemon. 37 BEDDING PLANTS. 41 Beechood Tree, see Casuarina. 22 Begonia 39 Bellis. 41 Berberis. 24 Betula, see Birch. 32-34 Big Cone Pine, see Pinus. 18 Birch 32-34 Blackberry 12 Blanket Flower, see Galllardia. 37 Bue Fan Palm, see Erythea. 49 Boston Ivy, Decgleen, see Ampelopsis. 50 Bottle. Brush, see Callistemon and 42-28 Bether and State of the State of |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bard Tree, see Penstemon. 37 BEDDING PLANTS 41 Beech. 32 Beefwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Betula, see Birch. 32-34 Big Cone Pine, see Pinus. 18 Bignonia. 51-58 Birch. 32-34 Blackberry. 12 Blanket Flower, see Gaillardia. 37 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Boston Ivy, Deciduous, see Ampelosis. 53 Bottle, Brush, see Callistemon and 42-28 Bottle Tree, see Sterculia. 23 Bougainvillea. 51 Bougainvillea. 52 Boack of Boxwood, Fee Buxus. 24-99 |
| Basswood, see Tilia |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 22 Bay Tree, see Casuarina. 21 Becommon. 37 BECDING PLANTS. 41 Beech. 32 Beedwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Betula, see Birch. 32 - 34 Big Cone Pine, see Pinus. 18 Birgnonia. 51 - 53 Birch. 32 - 34 Blackberry. 12 Blanket Flower, see Galllardia. 37 Blue Fan Palm, see Erythea. 49 Boston Ivy, Deciduous, see Ampelopsis. 50 Bottle, Brush, see Callistemon and Melaleuca. 24 - 28 Bottle, Brush, see Sterculia. 23 Box or Boxwood, see Buxus. 24 - 39 Brackpychiton, see Sterculia'. 23 Breath of Heaven, see Dionna. 25 Bridal Wreath, see Spirea. 36 |
| Basswood, see Tilia |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bay Tree, see Penstemon. 37 Beed Tongue, see Penstemon. 31 Beedwood Tree, see Casuarina. 21 Beedwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Bedula, see Birch. 32-24 Big Cone Pine, see Pinus. 18 Bignonia. 51-53 Birch. 32-34 Big Cone Pine, see Pinus. 49 Boton France, see Gaillardia. 37 Blackberry. 12 Blackberry. 12 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Streculia. 24-39 Brachychiton, see Sterculia. 25 Bougainvillea. 51 Box or Boxwood, see Busus. 24-39 |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bay Tree, see Penstemon. 37 Beed Tongue, see Penstemon. 31 Beedwood Tree, see Casuarina. 21 Beedwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Bedula, see Birch. 32-24 Big Cone Pine, see Pinus. 18 Bignonia. 51-53 Birch. 32-34 Big Cone Pine, see Pinus. 49 Boton France, see Gaillardia. 37 Blackberry. 12 Blackberry. 12 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Streculia. 24-39 Brachychiton, see Sterculia. 25 Bougainvillea. 51 Box or Boxwood, see Busus. 24-39 |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bay Tree, see Penstemon. 37 Beed Tongue, see Penstemon. 31 Beedwood Tree, see Casuarina. 21 Beedwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Bedula, see Birch. 32-24 Big Cone Pine, see Pinus. 18 Bignonia. 51-53 Birch. 32-34 Big Cone Pine, see Pinus. 49 Boton France, see Gaillardia. 37 Blackberry. 12 Blackberry. 12 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Streculia. 24-39 Brachychiton, see Sterculia. 25 Bougainvillea. 51 Box or Boxwood, see Busus. 24-39 |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bay Tree, see Penstemon. 37 Beed Tongue, see Penstemon. 31 Beedwood Tree, see Casuarina. 21 Beedwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Bedula, see Birch. 32-24 Big Cone Pine, see Pinus. 18 Bignonia. 51-53 Birch. 32-34 Big Cone Pine, see Pinus. 49 Boton France, see Gaillardia. 37 Blackberry. 12 Blackberry. 12 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Streculia. 24-39 Brachychiton, see Sterculia. 25 Bougainvillea. 51 Box or Boxwood, see Busus. 24-39 |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bay Tree, see Penstemon. 37 Beed Tongue, see Penstemon. 31 Beedwood Tree, see Casuarina. 21 Beedwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Bedula, see Birch. 32-24 Big Cone Pine, see Pinus. 18 Bignonia. 51-53 Birch. 32-34 Big Cone Pine, see Pinus. 49 Boton France, see Gaillardia. 37 Blackberry. 12 Blackberry. 12 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Streculia. 24-39 Brachychiton, see Sterculia. 25 Bougainvillea. 51 Box or Boxwood, see Busus. 24-39 |
| Basswood, see Tilia. 34 |
| Basswood, see Tilia. 34 Bauhinia 21 Bay Tree, see also Laurus. 28 Bay Tree, see Penstemon. 37 Beed Tongue, see Penstemon. 31 Beedwood Tree, see Casuarina. 21 Beedwood Tree, see Casuarina. 21 Begonia. 39 Bellis. 41 Berberis. 24 Bedula, see Birch. 32-24 Big Cone Pine, see Pinus. 18 Bignonia. 51-53 Birch. 32-34 Big Cone Pine, see Pinus. 49 Boton France, see Gaillardia. 37 Blackberry. 12 Blackberry. 12 Blue Fan Palm, see Erythea. 49 Boston Ivy, Evergreen, see Ampelopsis. 50 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Callistemon and 42-28 Bottle, Brush, see Streculia. 24-39 Brachychiton, see Sterculia. 25 Bougainvillea. 51 Box or Boxwood, see Busus. 24-39 |

| IIIDEX | |
|--|--|
| Camelia | 24 |
| Campanula | 21 |
| Camplor Tree | . 21 . 52 . 48 |
| Canary Island Date Paim, see Phoenix | . 17 |
| | |
| Canterbury Bells | . 26 |
| Carex | 41 |
| Carissa 1 | 1-2 |
| Carob Tree 1: | 5-2. |
| Carissa Carnations Carob Tree Carolina Yellow Jasmine, see Gelsemium Carpet of Snow, see Cerastium Casimiroa Licente | . 52 |
| Carpet of Snow, see Cerastium | 5-2 |
| Cassia | . 2 |
| Casuarina | . 2: |
| Catalna Cherry, see Prunus | . 25 |
| Cauliflower | . 13 |
| Cedar of Lebanon see Cedrus | 17 |
| Cedrus | . 16 |
| Centaurea | . 41 . 50 |
| Cephalotaxus | |
| Cerastium | 41 |
| Ceratonia, see Carob Tree | . 24 |
| Chamaecynaris | . 17 |
| Chamaerops Chapultepec Cypress, see Taxodium Chayleys | . 47 18 |
| Chaste Tree, see Vitex | . 36 |
| | |
| Cherry Chestnut | 11 |
| Chestnut Chilean Jasmine, see Mandevillea Chilean Wine Palm, see Jubea Chinese Juniper, see Juniperus. Chinese Weeping Evergreen Elm Choisya Chorizema | . 11 . 52 . 49 |
| Chilean Wine Palm, see Jubea | . 49 |
| Chinese Weeping Evergreen Elm | . 19 |
| Choisya | . 24 |
| Choisya Chorizema Christmas Pepper, see Solanum. Chrysanthemum Cigar Plant, see Cuphea. Cineraria Cissus Cistus | . 24 |
| Christmas Pepper, see Solanum | . 38 . 36 |
| Cigar Plant, see Cuphea | 4 |
| Cineraria | . 39 |
| Cleans | . 92 |
| CITRUS 15 | -14 |
| Cissus Citrus 10 Clematis 11 C | . 53 |
| Clerodendron Climbing Hydrangea, see Decumaria | 35 58 |
| | |
| Clivia | . 4: |
| Clivia Cluster Pine, see Pinus | . 43 |
| Cluster Pine, see Pinus | . 48 . 18 |
| Cluster Pine, see Pinus | . 48 . 18 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia Cocos 4 Colorado Spruce, see Picea 4 Colorado Spruce, see Picea | . 48 . 18 . 18 |
| Cluster Pine, see Pinus Coast Redwood, see Sequofa. Cocos 4 Colorado Spruce, see Picea. CONE BFARING EVERGREEN SHRUBS 1 | . 48 . 18 7-48 |
| Cluster Pine, see Pinus Coast Redwood, see Sequola. Cocos Colorado Spruce, see Picea CONE BFARING EVERGREEN SHRUBS CONE BEARING EVERGREEN CONE BEARING EVERGREEN | . 18 - 18 - 48 - 17 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4. Colorado Spruce, see Picea CONE BEARING EVERGREEN SHRUBS 1. CONE BEARING EVERGREEN TREES 1. | 18 18 1-48 1-48 17 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4' Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1' CONE BEARING EVERGREEN TREES COPTOSMA | - 48 - 18 - 48 - 17 - 48 - 17 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4' Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1' CONE BEARING EVERGREEN TREES COPTOSMA | - 48 - 18 - 48 - 17 - 48 - 17 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4' Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1' CONE BEARING EVERGREEN TREES COPTOSMA | - 48 - 18 - 48 - 17 - 48 - 17 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4' Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1' CONE BEARING EVERGREEN TREES COPTOSMA | 18 - 18 - 18 - 18 - 18 - 18 - 18 - 18 - |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coreopsis Cork, Maple, see Liquidambar Cornflowr Aster, see Stokesia. Coronilla Coronilla Coronil | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Clivia Cluster Pine, see Pinus. Coast Redwood, see Sequoia Cocos Cocos Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coropsis Cork, Maple, see Liquidambar Corndina Coronilla Coronilla Coronilla Coronilla Coronils | 18 19 - 20 - 20 - 21 - 35 - 35 - 35 - 35 - 35 - 35 - 35 - 3 |
| Cluster Pine, see Pinus Coast Redwood, see Sequola. Cocos | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Cluster Pine, see Pinus Coast Redwood, see Sequola. Cocos | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequola. Cocos | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4 Colorado Spruce, see Picea CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina Coreopsis Cork, Maple, see Liquidambar Cornoflia Cornoflia Cornoflia Cornus Corypha Cotolorado See Populus. Cottonwood, see Populus. Crataegus Creeping Rubber, see Flus Repens Crape Myttle. | 15 - 48 - 17 - 48 - 17 - 48 - 17 - 48 - 17 - 48 - 17 - 48 - 17 - 48 - 17 - 48 - 17 - 48 - 17 - 17 - 17 - 17 - 17 - 17 - 17 - 1 |
| Cluster Pine, see Pinus Coast Redwood, see Sequoia. Cocos 4* Colorado Spruce, see Picea CONE BEARING EVERGREEN SHRUBS 1* CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina Coreopsis Cork, Maple, see Liquidambar Cornolita Cornolita Coronita Co | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequoia. Cocos 4' Colorado Spruce, see Picea. CONE BFARING EVERGREEN SHRUBS 1' CONE BEARING EVERGREEN TREES COPOSIMA CORDINATE CONTROL CONTROL COPOSIMA CORDINATE CONTROL CORDINATE CONTROL CONT | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa. Cocos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Correopsis Cork, Maple, see Liquidambar Cornflower Aster, see Stokesia. Coronilla Coron | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa Cocos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Correopsis Cork, Maple, see Liquidambar Cornolita Corronilia Coronilia Coronili | 18. 18. 17. 48. 17. 48. 17. 48. 18. 18. 18. 18. 18. 18. 18. 18. 18. 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa Cocos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coral Tree, see Erythrina. Correopsis Cork, Maple, see Liquidambar Cornila Cornomia Cornila Coronila Co | 18. 18. 17. 48. 17. 48. 17. 48. 18. 18. 18. 18. 18. 18. 18. 18. 18. 1 |
| Clivia Cluster Pine, see Pinus. Coast Redwood, see Sequola Cocos Cocos Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Cororologis Cork Maple, see Liquidambar Cornflower Aster, see Stokesia. Cornolla Coronila Coroni | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Clivia Cluster Pine, see Pinus. Coast Redwood, see Sequola Cocos Cocos Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Cororologis Cork Maple, see Liquidambar Cornflower Aster, see Stokesia. Cornolla Coronila Coroni | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Clivia Cluster Pine, see Pinus. Coast Redwood, see Sequola Cocos Cocos Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Cororologis Cork Maple, see Liquidambar Cornflower Aster, see Stokesia. Cornolla Coronila Coroni | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Clivia Cluster Pine, see Pinus. Coast Redwood, see Sequola Cocos Cocos Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Cororologis Cork Maple, see Liquidambar Cornflower Aster, see Stokesia. Cornolla Coronila Coroni | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Clivia Cluster Pine, see Pinus. Coast Redwood, see Sequola Cocos Cocos Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Cororologis Cork Maple, see Liquidambar Cornflower Aster, see Stokesia. Cornolla Coronila Coroni | 18 18 18 18 18 18 18 18 18 18 18 18 18 1 |
| Cityta Cluster Pine, see Pinus. Coast Redwood, see Sequoia Cocos COCOS COCOS COLORAD SPRUCE, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES COPTONIA COPICAL COPI | 18. 18. 18. 17. 43. 18. 18. 18. 18. 18. 18. 18. 18. 18. 18 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa Cocos Cocos Struce, see Picea. CONE BFARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coral Tree, see Erythrina. Corroposis Cork, Maple, see Liquidambar Cornida Coronida C | 185-41 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa. Cocos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1: CONE BEARING EVERGREEN TREES COPOSITION CONTROLL | 18 18 17 - 48 17 - 48 18 18 18 18 18 18 18 18 18 18 18 18 18 |
| Clivia Cluster Pine, see Pinus. Coast Redwood, see Sequoia Cocos Cocos Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES COPLOSIONA COPART OF SEE SET OF SEE SEE SET OF SEE SEE SET OF SEE SEE SET OF SEE SEE SEE SEE SEE SEE SEE SEE SEE SE | 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequoia Coccos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coral Tree, see Erythrina. Corroposis Cork, Maple, see Liquidambar Cornida Coronida C | 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequoia Coccos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coral Tree, see Erythrina. Corroposis Cork, Maple, see Liquidambar Cornida Coronida C | 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequoia Coccos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coral Tree, see Erythrina. Corroposis Cork, Maple, see Liquidambar Cornida Coronida C | 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa Cocos Cocos Struce, see Picea. CONE BFARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES COPOSMA CORDINATION | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa Cocos Cocos Struce, see Picea. CONE BFARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES COPOSMA CORDINATION | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa Cocos Cocos Struce, see Picea. CONE BFARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES COPOSMA CORDINATION | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequofa Cocos Cocos Struce, see Picea. CONE BFARING EVERGREEN SHRUBS CONE BEARING EVERGREEN TREES COPOSMA CORDINATION | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequoia Coccos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coral Tree, see Erythrina. Coroposis Cork, Maple, see Liquidambar Cornilia Coronilia Co | 1848. 11. 11. 11. 11. 11. 11. 11. 11. 11. 1 |
| Cluster Pine, see Pinus. Coast Redwood, see Sequoia Coccos 4 Colorado Spruce, see Picea. CONE BEARING EVERGREEN SHRUBS 1 CONE BEARING EVERGREEN TREES Coprosma Coral Tree, see Erythrina. Coral Tree, see Erythrina. Corroposis Cork, Maple, see Liquidambar Cornida Coronida C | 1848. 11. 11. 11. 11. 11. 11. 11. 11. 11. 1 |


| • | |
|--|--|
| Duranta | 25 |
| Dusty Miller | . 41 |
| Dusty Miller Dutchman's Pipe Dwarf Fan Palm, see Cnamaerops Echeveria | 53 |
| Echeveria | 41 13 |
| Egg Plant | 13 |
| Egyptian Paper Plant, see Papyrus | 47 25 43 |
| Elegnus Electronic Ear, see Caladium | Δ: Δ: |
| Elephant's Ear, see CaladiumElm—Evergreen | 21 |
| Elm—Deciduous | . 3 |
| Engleman's Spruce, see Picea | . 3: 17 41 |
| English Daisy, see Bellis | . 41 |
| English Ivy, see Ivy | . 52 . 30 |
| Engleman's Spruce, see Picea English Daisy, see Bellis English Ivy, see Ivy English Laurel, see Prunus Erica 2 | . au 5-28 |
| Erigonum | 41 |
| Erythea | , 49 |
| Erythrina | . 35 |
| Escallonia | . 26 |
| Eucalyptus | . 21 |
| Eugenia Eulalia | 46 |
| Euonymus2 | 5-26 |
| Eupatorium | . 37 |
| Eurya, see Distylium | 2 5 |
| Evergreen, Grape | . 58 . 26 |
| Fagus, see Beech | 35 |
| False Holly, see O-manthus | 32 |
| Fale Monkey Puzzle, see Araucaria | |
| Bidwilli | . 10 |
| Feljoa | 15 |
| Figure 91 | -59 |
| Ficus Repens. | 52 |
| Fiery or Evergreen Thorn see | |
| Pyracantha | . 30 |
| Figs | 9-10 |
| Fir, see Abies | . 16 |
| FLOWERING AND DECORATIVE- | |
| IN-DOORS | . 39 |
| FLOWERING AND DECORATIVE- | |
| OUT-OF-DOORS | . 38 |
| Flowering Almond | |
| Flowering Apple, see Apple Flowering | . 3 |
| Flowering Maple, see Abutilon | . 3: . 3: . 2: |
| Flowering Peach, see Peach Flowering | . 33 |
| Flowering Pomegranate | . 3 |
| Flowering Quince, see Cydonia Fog Plant, see Lippia | . 3. |
| Forsythia | 3 |
| Foxglove | . 4: |
| | |
| Fraser's Balsam Fir, see Abies | . 1 |
| Fraxinus, see Ash | . 3 |
| Fraxinus, see Ash | . 3 |
| Fraxinus, see Ash | . 10 . 3: . 4: 5-1: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex. | . 10 . 3: . 4 5-1: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex. Galllardia | . 10 . 3: . 4 . 5-1: . 3: . 3: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galliardia GARDEN | . 10 . 3: . 4 . 3: . 3: . 3: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia | . 10 . 3: . 4 . 3: . 3: . 3: . 3: . 1: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galliardia GARDEN GARDEN Gardenia Gazanía | . 10 . 3: . 4. 5-1: . 3: . 3: . 3: . 1: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia | . 10 . 3: . 4: . 3: . 3: . 3: . 3: . 2: . 4: . 5: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Furchsia Frurze, see Ulex Galllardia GARDEN Gardenia Gazanfa Gelsemiun Genista 9 Geranium | . 10 . 3: . 4. . 3: . 3: . 3: . 3: . 3: . 3: . 3: . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Fuzze, see Ulex Galllardia GARDEN Gardenia Gazanfa Genista 2 Gerbera | 3: 4: 5: 1: 3: 3: 3: 4: 5: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3: 3: |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ules Gaillardia GARDEN Gardenia Gazanfa Gel-emium Genista Geranium Gerebera Ginkgo | . 10 . 33 . 4 . 4 . 35 . 31 . 31 . 31 . 31 . 4 . 4 . 5 . 5 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-emium Genista Geranfum Gerpera Ginkgo Gladiolus Gladiolus Glosinia | . 10 . 33 . 4 . 5 . 1 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-semiun Genista Gerbera Ginkgo Gladiolus Gloxinia 3 Gold Flower, see Hypericum | . 10 . 33 . 4 . 5 . 15 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-semiun Genista Gerbera Ginkgo Gladiolus Gloxinia 3 Gold Flower, see Hypericum | . 10 . 33 . 4 . 5 . 15 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gezania Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Gold Flower, see Hypericum Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Golden Gellagia | . 10 . 33 . 44 . 55 . 11 . 20 . 31 21 25 35 . 35 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazania Gel-emiun Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Gloxinia Golder Dewlrop, see Hypericum Golden Bell, see Forsythia Golden Glow, see Rudbeckia Golden Golow, see Rudbeckia | . 10 . 33 . 4 . 5 . 10 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-emiun Geenista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Bell, see Forsythia Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia | . 10 . 33 . 4 . 5 . 15 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-emiun Geenista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Bell, see Forsythia Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia | . 10 . 33 . 4 . 5 . 15 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-emiun Geenista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Bell, see Forsythia Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia | . 10 . 33 . 4 . 5 . 15 . 3 . 3 . 3 . 3 . 3 . 3 . 3 . 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanfa Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Glokinia Golden Bell, see Forsythia Golden Dewdrop, see Duranta Golden Rod Goo-eberry Gorse, see Ulex Governor's Thorn, see Carissa GRAPES, BERRIES, ETC Grane Fruit see Pomelo | . 10 . 3 . 4 . 4 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanfa Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Glokinia Golden Bell, see Forsythia Golden Dewdrop, see Duranta Golden Rod Goo-eberry Gorse, see Ulex Governor's Thorn, see Carissa GRAPES, BERRIES, ETC Grane Fruit see Pomelo | . 10 . 3 . 4 . 4 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Glodinia Golden Bell, see Forsythia Golden Dewdrop, see Duranta Golden Bell, see Forsythia Golden Rod Goo-eberry Gorse, see Ulex Governor's Thorn, see Carissa. 1 GRAPES, BERRIES, ETC. Grape Fruit, see Pomelo. Greynline Grussel Strukes Grape Fruit, see Pomelo. Greynline Grape Fruit, see Pomelo. Greynline Grape Fruit, see Pomelo. Greynline Grape Fruit, see Pomelo. | . 11. 33. 44. 55. 11. 20. 33. 33. 33. 33. 34. 35. 22. 33. 35. 35. 22. 35. 35. 22. 35. 35. 22. 24. 35. 22. 24. 35. 24. 35. 24. 35. 24. 35. 24. 35. 35. 24. 35. 35. 35. 35. 35. 35. 35. 35. 35. 35 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanfa Gel-semium Gerhera Geranium Gerhera Ginkgo Glodin Flower, see Hypericum Golden Bell, see Forsythia Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Go-eberry Gorse, see Ulex Governor's Thorn, see Carissa GRAPES, BERRIES, ETC. Grape Fruit, see Pomelo. Grevillia Guadalupe Fan Palm, see Erythea Gum Tree, see Euclaptus. | . 10 3: 44 5: -15 -15 -15 -15 -15 -15 -15 -15 -15 -15 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazania Gel-semium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Flower, see Hypericum Golden Bell, see Forsythia Golden Glow, see Duranta Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Governor's Tinorn, see Carissa GRAPES, BERRIES, ETC Grape Fruit, see Pomelo. Greyllia Gruadalup Fan Palm, see Erythea Gum Tree, see Eucalyptus | . 10 33 44 55 -11 35 -13 1 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazania Gel-semium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Flower, see Hypericum Golden Bell, see Forsythia Golden Glow, see Duranta Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Governor's Tinorn, see Carissa GRAPES, BERRIES, ETC Grape Fruit, see Pomelo. Greyllia Gruadalup Fan Palm, see Erythea Gum Tree, see Eucalyptus | . 10 33 44 55 -11 35 -13 1 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazania Gel-semium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Flower, see Hypericum Golden Bell, see Forsythia Golden Glow, see Duranta Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Governor's Tinorn, see Carissa GRAPES, BERRIES, ETC Grape Fruit, see Pomelo. Greyllia Gruadalup Fan Palm, see Erythea Gum Tree, see Eucalyptus | . 10 33 44 55 -11 35 -13 1 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazania Gel-semium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Flower, see Hypericum Golden Bell, see Forsythia Golden Glow, see Duranta Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Governor's Tinorn, see Carissa GRAPES, BERRIES, ETC Grape Fruit, see Pomelo. Greyllia Gruadalup Fan Palm, see Erythea Gum Tree, see Eucalyptus | . 10 33 44 55 -11 35 -13 1 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazania Gel-semium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Flower, see Hypericum Golden Bell, see Forsythia Golden Glow, see Duranta Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Governor's Tinorn, see Carissa GRAPES, BERRIES, ETC Grape Fruit, see Pomelo. Greyllia Gruadalup Fan Palm, see Erythea Gum Tree, see Eucalyptus | . 10 33 44 55 -11 35 -13 1 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fluchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazania Gel-semium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golder Flower, see Hypericum Golden Bell, see Forsythia Golden Glow, see Duranta Golden Glow, see Rudbeckia Golden Glow, see Rudbeckia Golden Governor's Tinorn, see Carissa GRAPES, BERRIES, ETC Grape Fruit, see Pomelo. Greyllia Gruadalup Fan Palm, see Erythea Gum Tree, see Eucalyptus | . 10 33 44 55 -11 35 -13 1 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-semium Genista Geranium Gerpanium Gerpera Ginkgo Gladiolus Gloxina G | 10 3 3 4 4 5 5 5 2 3 3 3 3 4 4 5 5 5 5 2 1 1 2 2 4 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gel-semium Genista Geranium Gerpanium Gerpera Ginkgo Gladiolus Gloxina G | 10 3 3 4 4 5 5 5 2 3 3 3 3 4 4 5 5 5 5 2 1 1 2 2 4 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 1 2 2 2 3 3 3 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gladiolus Glokinia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden | 10 3 3 4 5 5 - 1 3 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 2 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 3 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gladiolus Glokinia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden | 10 3 3 4 5 5 - 1 3 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 2 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 3 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gladiolus Glokinia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden | 10 3 3 4 5 5 - 1 3 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 2 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 3 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gladiolus Glokinia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden | 10 3 3 4 5 5 - 1 3 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 2 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 3 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gladiolus Glokinia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden | 10 3 3 4 5 5 - 1 3 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 2 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 3 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gladiolus Glokinia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden | 10 3 3 4 5 5 - 1 3 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 2 3 3 3 3 4 4 5 5 - 1 1 2 5 - 2 2 3 3 3 1 2 5 - 3 4 4 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gelsemium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golden Bell, see Forsythia Golden Glow, see Buranta Golden Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Golden Bell, see Gratissa Golden Glow, see Forsythia Golden Bell, see Forsythia | 10 3 4 4 1 2 3 2 3 3 3 3 4 4 4 2 3 2 3 3 3 1 2 2 3 2 3 3 3 2 4 4 1 2 3 2 1 2 3 2 3 3 3 3 4 4 1 2 3 2 1 2 3 2 3 3 3 3 3 4 4 1 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gelsemium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golden Bell, see Forsythia Golden Glow, see Buranta Golden Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Golden Bell, see Gratissa Golden Glow, see Forsythia Golden Bell, see Forsythia | 10 3 4 4 1 2 3 2 3 3 3 3 4 4 4 2 3 2 3 3 3 1 2 2 3 2 3 3 3 2 4 4 1 2 3 2 1 2 3 2 3 3 3 3 4 4 1 2 3 2 1 2 3 2 3 3 3 3 3 4 4 1 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gelsemium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golden Bell, see Forsythia Golden Glow, see Buranta Golden Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Golden Bell, see Gratissa Golden Glow, see Forsythia Golden Bell, see Forsythia | 10 3 4 4 1 2 3 2 3 3 3 3 4 4 4 2 3 2 3 3 3 1 2 2 3 2 3 3 3 2 4 4 1 2 3 2 1 2 3 2 3 3 3 3 4 4 1 2 3 2 1 2 3 2 3 3 3 3 3 4 4 1 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT. Fuchsia Furze, see Ulex Gaillardia GARDEN Gardenia Gazanfa Gelsemium Genista Geranium Gerbera Ginkgo Gladiolus Gloxinia Golden Bell, see Forsythia Golden Glow, see Buranta Golden Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden Golden Bell, see Gratissa Golden Glow, see Forsythia Golden Bell, see Forsythia | 10 3 4 4 1 2 3 2 3 3 3 3 4 4 4 2 3 2 3 3 3 1 2 2 3 2 3 3 3 2 4 4 1 2 3 2 1 2 3 2 3 3 3 3 4 4 1 2 3 2 1 2 3 2 3 3 3 3 3 4 4 1 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Fraxinus, see Ash Freesia FRUIT DEPARTMENT Fuchsia Furze, see Ulex Galllardia GARDEN Gardenia Gazanía Gel-emium Genista Geranium Gerbera Ginkgo Gladiolus Gladiolus Glokinia Golden Bell, see Forsythia Golden Bell, see Forsythia Golden | 10 3 4 4 1 2 3 2 3 3 3 3 4 4 4 2 3 2 3 3 3 1 2 2 3 2 3 3 3 2 4 4 1 2 3 2 1 2 3 2 3 3 3 3 4 4 1 2 3 2 1 2 3 2 3 3 3 3 3 4 4 1 2 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |

| | 20 |
|--|--|
| Impatiens Incense Cedar, see Libocedrus | 39 |
| Incense Cedar, see Libocedrus | 27 |
| Tuio 41. | 45 |
| Irish Juniper, see Juniperus | 19 |
| Italian Cypress, see Cypress | 17 |
| lvy | 17 52 43 |
| Ixia | 40 |
| Jacobinia | 38 |
| Japanese Cedar, see Cryptomeria | 19 |
| Japanese Fan Palm, see Chamaerops | 47 |
| Japanese Grass, see Carex | 19 |
| | 19 35 24 |
| Japanese Rice Paper Tree, see Aralia | 36 |
| Japanese Wind Flower, see Anemone | 19 |
| Jasmine27- | 19 52 18 38 17 |
| Jeffrey's Pine, see Pinus | 18 |
| Jerusalem Cherry, see Solanum | 17 |
| Jerusalem Pine, see Pinus Juniperus 17 | -19 |
| | 48 |
| Kerria Koster's Blue Spruce, see Picea | 28 |
| Kerria Kostria Blue Spruce, see Picea Kudzu Vine Kumquat Kunquat | 17 53 |
| Kumquat | 53 |
| Lady Washington Geramum, see Ferais | |
| gonium | 38 |
| Lantana | 28 |
| Larkspur, see Delphinium | 37 |
| Lathyrus | 38 22 28 37 37 30 28 |
| Laurel, see Prunus | 25 |
| Laurustinus, see Viburnum | 30 |
| Lavender 13- Lavender—Cotton, see Santolina | 38 |
| Lavender—Cotton, see Santolina | 17 |
| Lawson Cypress | 17 13 46 15 35 28 17 |
| Lemon—Grass | 46 |
| Lemon—Guava | 15 |
| Lemon—Verbena | 90 |
| Leptospermum | 28 |
| Leptospermum Libocedrus | 17 |
| Ligustrum | 28 35 45 18 |
| LilacLilies, see Lilium | 45 |
| Limber Pine, see Pinus | 18 |
| Lime | 14 34 |
| Linden, see TiliaLinum | 34 |
| Lion's Tail, see Leonitis | $\frac{38}{28}$ |
| Lippia | 42 32 |
| Liquidambar | 32 |
| Liriodendron Lobelia | 32 |
| Locust, see Robinia | 32 42 33 |
| Loganberry | 12 15 52 |
| Lotus | 15 |
| Lyonathamnus | 22 |
| Macadamia Madrone, see Arbutus | 22 15 23 |
| Madrone, see Arbutus | 23 |
| Mahonia | $\frac{32}{28}$ |
| Maiden Hair Tree, see Ginkgo | 32 |
| Maiden Hair Vine, see Muchlenbeckia | 52 |
| Malay Jasmine, see Khyncospermum | 52 |
| Maple, see Acer | $\frac{52}{31}$ |
| Marguerite | 38 |
| Matilija Poppy, see Romneya | 38 53 |
| Matrimony Vine, see Delumgrin | $\frac{53}{28}$ |
| Mesembryanthemum | 42 |
| Metrosideros, see Callistemon | 24 |
| Mexican—Orange, see Choisya | 24 |
| miroa | 15 |
| Michaelmas Daisy, see Aster | 36 35 |
| Mock Orange, see Philadelphus Monkey Puzzle, see Araucaria | 35 16 |
| Monkey I uzzle, see Alaucaria | |
| Monterey Cypress, see Cypress | 18 |
| Moon Vine | 52 |
| Moreton Bay Crestnut-Macadamic | 15 |
| Morus-Mulberry 10- | 32 |
| Mountain—Ebony, see Bauhinia | 21 |
| Mourning Bride see Scabiosa 28- | 30 |
| Muehlenbeckia | 38 |
| Mugho Pine, see Pinus | 18 |
| Myrtle 10-32- | 34 |
| Nandena 29- | 20 |
| Narcissus | 45 |
| Nectarines 8 | -9 |
| New Zealand Flax see Pharmium 40- | 41 |
| Nordman's Fir, see Abies | 16 |
| Norway Spruce, see Picea | 17 |
| Moreton Bay Crestnut—Macadamia | 18 |
| NUTS | 77 |
| | TT |
| Oaks, see Quercus 23- | TT |

| | 0.0 |
|--|---|
| Oleander—Nerium | 29 29 |
| Oleaster, see Eleagnus | 25 |
| Olives | 11 |
| Orange | 11 13 |
| Oregon Cedar see Libocedrus | 17 |
| Oregon Grape, see Mahonia | 28 |
| Oriental Spruce, see Picea | 17 45 |
| Ornitholgalum | 45 |
| Osmanthus | 29 45 |
| Oxalis Pagoda Tree, see Sophora | |
| | 01 |
| PALMS AND DRACAENAS | 47 |
| | 50 |
| Palmetto Palo Verde, see Parkinsonia Pampas Grass | 22 |
| Pampas Grass | 46 |
| Pansy | 42 |
| Papyrus Parasol Tree, see Sterculia | 47 |
| Parasol Tree, see Sterculia Parkinsonia Parry's Pine, see Pinus Parsley Passion Vine, see Tacsonia Peach | 3 1 22 |
| Parkinsonia | . 22 |
| Parry's Pine, see Pinus | -49 |
| Parsley13 Passion Vine, see Tacsonia | 5% |
| Passion Vine, see Tacsonia | 6-7 |
| Peach—Flowering | 33 |
| Pear Pecan 11 | 8 |
| Pecan11 | -32 |
| | |
| Penstemon | . 51 |
| Peony | 38 |
| Pepper Tree, see Schinus | 23 |
| PERENNIALS-HARDY | 36 |
| Perennial Pea, see Lathyrus | 37 |
| Persimmons Lathyrus. | 10 |
| | |
| Philadelphus Philodendron Phoenix | 35 |
| Philodendron | 40 |
| Phlox | . 37 |
| Phoenix | 49 47 |
| Phornium Picea Pineapple—Guava, see Feljoa | 17 |
| Pincepple Cuers see Faire | 15 |
| Pines see Pinus 17 | -18 |
| Pinon see Pinus | 18 |
| Pittosporum | 29 |
| | 33 |
| | 41 |
| riumpago | 29 |
| riums | . 7 |
| Podocarpus | 19 |
| Poinsettia | 38 30 |
| Polypadium | 41 |
| Polystichum | 41 |
| | |
| Pomegranate 10-30 | -35 |
| Polypodium Polystichum Pomegranate 10-30 Pomelo | -35 13 |
| | 33 |
| | 33 41 |
| | 13 33 41 52 |
| | 13 33 41 52 40 |
| | 13 33 41 52 40 50 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum | 13 33 41 52 40 50 28 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum | 13 33 41 52 40 50 28 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prume Prume Prume Prume Prume Pranto | 13 33 41 52 40 50 28 8 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prume Prume Prume Prume Prume Pranto | 13 33 41 52 40 50 28 -33 18 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prume Prume Prume Prume Prume Pranto | 13 33 41 52 40 50 28 8 -33 18 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prune Pruns 22-30 Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus | 13 41 52 40 50 28 -33 18 41 40 33 |
| Pometo Poplar, see Populus Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prume Prume Prume Prume Prunel-Peaved Plant, see Strobilanthes Purple-Leaved Plum, see Prunus | 13 33 41 52 40 50 28 8 -33 18 41 40 33 30 |
| Pometo Poplar, see Populus Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prume Prume Prume Prume Prunel-Peaved Plant, see Strobilanthes Purple-Leaved Plum, see Prunus | 13 33 41 52 40 50 28 -33 41 40 33 30 19 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prune Prune 22-30 Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia | 13 33 41 52 40 50 28 -33 41 40 33 30 19 |
| Pometo Poplar, see Populus Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prume Prume Prume Prume Prume Pruedotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Pyracantha Pyracantha Pyramidal English Yew, see Taxus. Queensland Nut, see Macadamia Queercus 23: | 13 33 41 52 40 50 28 -33 18 41 40 33 30 19 15 33 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Prunus Preris Purple-Leaved Plant, see Strobilanthes Purple-Leaved Plum, see Prunus Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queecus 23 Quince L. Rannegulus | 133 41 52 40 50 28 8 -33 41 40 33 30 19 15 33 9 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Prunus Preris Purple-Leaved Plant, see Strobilanthes Purple-Leaved Plum, see Prunus Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queecus 23 Quince L. Rannegulus | 133 41 52 40 50 28 8 -33 41 40 33 19 15 -33 45 45 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Prunus Preris Purple-Leaved Plant, see Strobilanthes Purple-Leaved Plum, see Prunus Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queecus 23 Quince L. Rannegulus | 133 41 52 40 50 28 8 -33 41 40 33 19 15 -33 45 45 45 45 45 45 45 45 45 45 45 46 46 47 47 47 47 47 47 47 47 47 47 47 47 47 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Prunus Preris Purple-Leaved Plant, see Strobilanthes Purple-Leaved Plum, see Prunus Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queecus 23 Quince L. Rannegulus | 133 41 52 40 50 28 8 -33 41 40 33 19 15 -33 45 45 45 45 45 45 45 45 45 45 45 46 46 47 47 47 47 47 47 47 47 47 47 47 47 47 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Prunus Preris Purple-Leaved Plant, see Strobilanthes Purple-Leaved Plum, see Prunus Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queecus 23 Quince L. Rannegulus | 13 33 41 52 40 50 50 50 8 8 41 40 33 30 19 15 33 45 45 45 40 40 40 40 40 40 40 40 40 40 |
| Pometo Poplar, see Populus Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune 22-30 Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyraamidal English Yew, see Taxus. Queensland Nut, see Macadamia Guercus Gueneland Nut, see Macadamia Guercus Guince L | 13 33 41 52 50 28 8 -33 18 41 40 33 30 19 15 33 45 21 17 19 30 |
| Pometo Poplar, see Populus Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune 22-30 Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyraamidal English Yew, see Taxus. Queensland Nut, see Macadamia Guercus Gueneland Nut, see Macadamia Guercus Guince L | 13 33 41 50 28 8 -33 41 40 33 30 19 15 21 17 19 30 30 30 30 30 30 30 40 40 40 40 40 40 40 40 40 4 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primrose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prune Prune Prune Prune Preudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queensland Nut, see Macadamia Guercus Ranunculus Ranunculus Raspberry Red Box, see Eucalyptus. Red Cedar, see Juniperus Retinospora Retinospora Rhamnus Rhapiolepis Rhodendron | 13 33 41 52 40 50 28 8 -33 18 40 33 30 19 15 21 17 17 19 30 30 30 30 30 30 30 30 30 30 30 30 30 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Pru | 13 34 41 52 40 50 28 8 -33 18 40 33 30 19 15 33 45 21 17 19 30 30 30 30 30 30 30 30 30 30 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune 22-30 Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queensland Nut, see Macadamia Guercus Ranunculus Raspberry Red Box, see Eucalyptus Red Cedar, see Juniperus Red Cedar, see Juniperus Red Cedar, see Juniperus Red Cadar, see Juniperus Rhamnus Rhamnus Rhamlolepis Rhodendron Rhubarb | 13 34 41 40 50 28 8 33 41 40 33 31 9 45 12 17 19 30 30 13 33 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune 22-30 Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Queensland Nut, see Macadamia Guercus Ranunculus Raspberry Red Box, see Eucalyptus Red Cedar, see Juniperus Red Cedar, see Juniperus Red Cedar, see Juniperus Red Cadar, see Juniperus Rhamnus Rhamnus Rhamlolepis Rhodendron Rhubarb | 13 34 14 40 50 28 83 41 40 33 40 33 40 40 33 40 40 40 40 40 40 40 40 40 40 |
| Pometo Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes Pyracantha Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Quercus Quercus Rapberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Gedar, see Juniperus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Rook Rose, see Cistus Romneya Rose Apple, see Eurenia | 133 341 52 40 50 8 8 19 15 13 19 45 12 11 17 19 30 30 19 30 13 33 45 21 13 30 30 30 30 30 30 30 30 30 30 30 30 30 |
| Pometo Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes Pyracantha Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Quercus Quercus Rapberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Gedar, see Juniperus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Rook Rose, see Cistus Romneya Rose Apple, see Eurenia | 133 341 52 40 50 8 8 19 15 13 19 45 12 11 17 19 30 30 19 30 13 33 45 21 13 30 30 30 30 30 30 30 30 30 30 30 30 30 |
| Pometo Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes Pyracantha Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Quercus Quercus Rapberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Gedar, see Juniperus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Rook Rose, see Cistus Romneya Rose Apple, see Eurenia | 133 341 52 40 50 8 8 19 15 13 19 45 12 11 17 19 30 30 19 30 13 33 45 21 13 30 30 30 30 30 30 30 30 30 30 30 30 30 |
| Pometo Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes Pyracantha Pyracantha Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Quercus Quercus Rapberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Gedar, see Juniperus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Rook Rose, see Cistus Romneya Rose Apple, see Eurenia | 133 341 52 40 50 8 8 19 15 13 19 45 12 11 17 19 30 30 19 30 13 33 45 21 13 30 30 30 30 30 30 30 30 30 30 30 30 30 |
| Pometo Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarda Pramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Quince L. Ranunculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Fundiperus Redinospora Rhamnus Rhapiolepis Rhodendron Rhubarb Robinia Rook Rose, see Cistus Romneya Rose Apple, see Eugenia Rose Apple, see Eugenia Rose of Sharon, see Althea ROSES | 133 41 52 40 50 528 8 31 41 40 33 31 9 15 32 12 17 17 9 30 31 33 32 5 34 12 17 17 9 30 31 33 32 5 33 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Pru | 133 41 52 400 50 528 8 -338 441 440 330 19 15 339 45 21 217 19 30 330 13 335 38 15 -388 15 -386 34 -57 |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{array}{c} 13\\ 3\\ 41\\ 52\\ 40\\ 0\\ 28\\ 8\\ 3\\ 30\\ 19\\ 5\\ 3\\ 3\\ 41\\ 21\\ 21\\ 17\\ 130\\ 30\\ 31\\ 33\\ 25\\ 8\\ 15\\ 38\\ 45\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 40\\ 40\\ 30\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 4$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{array}{c} 13\\ 3\\ 41\\ 52\\ 40\\ 0\\ 28\\ 8\\ 3\\ 30\\ 19\\ 5\\ 3\\ 3\\ 41\\ 21\\ 21\\ 17\\ 130\\ 30\\ 31\\ 33\\ 25\\ 8\\ 15\\ 38\\ 45\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 40\\ 40\\ 30\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 4$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{array}{c} 13\\ 3\\ 41\\ 52\\ 40\\ 0\\ 28\\ 8\\ 3\\ 30\\ 19\\ 5\\ 3\\ 3\\ 41\\ 21\\ 21\\ 17\\ 130\\ 30\\ 31\\ 33\\ 25\\ 8\\ 15\\ 38\\ 45\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 40\\ 40\\ 30\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 4$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{array}{c} 13\\ 3\\ 41\\ 52\\ 40\\ 0\\ 28\\ 8\\ 3\\ 30\\ 19\\ 5\\ 3\\ 3\\ 41\\ 21\\ 21\\ 17\\ 130\\ 30\\ 31\\ 33\\ 25\\ 8\\ 15\\ 38\\ 45\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 40\\ 40\\ 30\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 4$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{array}{c} 13\\ 3\\ 41\\ 52\\ 40\\ 0\\ 28\\ 8\\ 3\\ 30\\ 19\\ 5\\ 3\\ 3\\ 41\\ 21\\ 21\\ 17\\ 130\\ 30\\ 31\\ 33\\ 25\\ 8\\ 15\\ 38\\ 45\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 40\\ 40\\ 30\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 4$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{array}{c} 13\\ 3\\ 41\\ 52\\ 40\\ 0\\ 28\\ 8\\ 3\\ 30\\ 19\\ 5\\ 3\\ 3\\ 41\\ 21\\ 21\\ 17\\ 130\\ 30\\ 31\\ 33\\ 25\\ 8\\ 15\\ 38\\ 45\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 40\\ 40\\ 30\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 4$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{array}{c} 13\\ 3\\ 41\\ 52\\ 40\\ 0\\ 28\\ 8\\ 3\\ 30\\ 19\\ 5\\ 3\\ 3\\ 41\\ 21\\ 21\\ 17\\ 130\\ 30\\ 31\\ 33\\ 25\\ 8\\ 15\\ 38\\ 45\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 45\\ 21\\ 21\\ 17\\ 9\\ 30\\ 30\\ 30\\ 31\\ 33\\ 32\\ 58\\ 40\\ 40\\ 30\\ 40\\ 30\\ 40\\ 40\\ 30\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 40\\ 4$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Prune Pracarde Plant, see Strobilanthes Purple-Leaved Plant, see Prunus Pyraamidal English Yew, see Taxus Queensland Nut, see Macadamia Guercus Quensland Nut, see Macadamia Guercus Rannuculus Raspberry Red Box, see Eucalyptus Red Box, see Eucalyptus Red Box, see Funiperus Red Box, see Funiperus Red Box, see Gistus Rhapiolepis Rhodendron Rhapiolepis Rhodendron Rhubarb Robinia Rose Apple, see Eugenia Rose Mose, see Cistus Romneya Rose of Sharon, see Althea ROSES ROSES SOSES SOSE SOSES SOSE S | $\begin{smallmatrix} 133\\41\\52\\83\\41\\20\\50\\83\\80\\195\\33\\94\\12\\17\\19\\30\\33\\03\\13\\32\\58\\35\\4\\57\\21\\21\\19\\30\\30\\31\\33\\25\\83\\45\\15\\34\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Pru | $\begin{smallmatrix} 133\\41\\52\\83\\41\\20\\50\\83\\80\\195\\33\\94\\12\\17\\19\\30\\33\\03\\13\\32\\58\\35\\4\\57\\21\\21\\19\\30\\30\\31\\33\\25\\83\\45\\15\\34\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\21\\$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Pru | $\begin{array}{c} 133\\412\\52\\8\\33\\8\\19\\53\\9\\5\\21\\7\\19\\30\\0\\33\\3\\25\\8\\31\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\3\\$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune | $\begin{smallmatrix} 133\\41\\52\\83\\41\\21\\7\\190\\31\\33\\30\\45\\217\\190\\31\\33\\53\\31\\33\\53\\31\\33\\53\\31\\33\\53\\31\\33\\53\\31\\33\\53\\31\\33\\53\\31\\33\\53\\31\\33\\33\\33\\33\\33\\33\\33\\33\\33\\33\\33\\33$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune | $\begin{smallmatrix} 133\\41\\540\\52\\83\\841\\21\\179\\30\\033\\133\\25\\81\\37\\135\\135\\34\\217\\130\\033\\133\\25\\81\\35\\34\\217\\23\\133\\25\\81\\35\\34\\217\\34\\133\\25\\81\\35\\34\\217\\34\\15\\34\\$ |
| Pomelo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Queensland Nut, see Macadamia Raunuculus Ranunculus Ranunculus Rapberry Red Box, see Eucalyptus. Red Cedar, see Juniperus. Red Cedar, see Juniperus Red Cedar, see Juniperus Rhamnus Rhapiolepis Rhodendron Rhubarb Robinia Rock Rose, see Cistus Romneya Rose Apple, see Eugenia Rose of the Mountains, see Antigonon Rose of Sharon, see Althea ROSES Rubber Tree, see Ficus Rudbeckia Sabal Sabal Sabin Juniper, see Juniperus Sacred Bamboo, see Nandina Sago, see claso Salvia 13-36 Sago Palm, see Cycas Saint John's Bread, see Carob Tree 15 Salvia Sapotoe Scatiosa Scotich Pine, see Pinus | $\begin{smallmatrix} 133\\41\\540\\528\\83\\41\\21\\17\\130\\30\\133\\53\\138\\34\\137\\141\\839\\421\\171\\190\\330\\31\\335\\33\\33\\33\\33\\33\\33\\33\\33\\33\\33\\33\\33$ |
| Pomelo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Queensland Nut, see Macadamia Raunuculus Ranunculus Ranunculus Rapberry Red Box, see Eucalyptus. Red Cedar, see Juniperus. Red Cedar, see Juniperus Red Cedar, see Juniperus Rhamnus Rhapiolepis Rhodendron Rhubarb Robinia Rock Rose, see Cistus Romneya Rose Apple, see Eugenia Rose of the Mountains, see Antigonon Rose of Sharon, see Althea ROSES Rubber Tree, see Ficus Rudbeckia Sabal Sabal Sabin Juniper, see Juniperus Sacred Bamboo, see Nandina Sago, see claso Salvia 13-36 Sago Palm, see Cycas Saint John's Bread, see Carob Tree 15 Salvia Sapotoe Scatiosa Scotich Pine, see Pinus | $\begin{smallmatrix} 133\\41\\540\\ 52\\83\\841\\330\\915\\3\\945\\211\\19\\300\\33\\23\\85\\34\\57\\217\\99\\38\\81\\38\\23\\85\\84\\17\\138\\23\\85\\84\\17\\138\\23\\85\\84\\17\\138\\23\\86\\138\\24\\148\\148\\24\\148\\148\\24\\148\\148\\24\\24\\148\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\$ |
| Pomelo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune Prunus Pseudotsuga Pteris Purple-Leaved Plant, see Strobilanthes. Purple-Leaved Plum, see Prunus Pyracantha Pyramidal English Yew, see Taxus Queensland Nut, see Macadamia Quercus Queensland Nut, see Macadamia Raunuculus Ranunculus Ranunculus Rapberry Red Box, see Eucalyptus. Red Cedar, see Juniperus. Red Cedar, see Juniperus Red Cedar, see Juniperus Rhamnus Rhapiolepis Rhodendron Rhubarb Robinia Rock Rose, see Cistus Romneya Rose Apple, see Eugenia Rose of the Mountains, see Antigonon Rose of Sharon, see Althea ROSES Rubber Tree, see Ficus Rudbeckia Sabal Sabal Sabin Juniper, see Juniperus Sacred Bamboo, see Nandina Sago, see claso Salvia 13-36 Sago Palm, see Cycas Saint John's Bread, see Carob Tree 15 Salvia Sapotoe Scatiosa Scotich Pine, see Pinus | $\begin{smallmatrix} 133\\41\\540\\528\\83\\19\\115\\3\\9\\412\\17\\19\\330\\33\\33\\28\\15\\83\\4\\7\\23\\15\\18\\31\\18\\31\\18\\31\\18\\31\\18\\31\\18\\31\\18\\31\\18\\31\\18\\31\\31\\31\\31\\31\\31\\31\\31\\31\\31\\31\\31\\31\\$ |
| Pometo Poplar, see Populus Pot Marigold, see Calendula Pot Marigold, see Calendula Pot Marigold, see Calendula Potato Jasmine, see Solanum Primnose, see Primula Primnose, see Primula Pritchardia, see Washingtonia Privet, see Ligustrum Prune | $\begin{smallmatrix} 133\\41\\540\\ 52\\83\\841\\330\\915\\3\\945\\211\\19\\300\\33\\23\\85\\34\\57\\217\\99\\38\\81\\38\\23\\85\\84\\17\\138\\23\\85\\84\\17\\138\\23\\85\\84\\17\\138\\23\\86\\138\\24\\148\\148\\24\\148\\148\\24\\148\\148\\24\\24\\148\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\24\\$ |

| Smilay | 5 |
|--|---|
| Snap Dragon see Antirrhinum | 4 |
| Snowball | 30 |
| Smilax Snap Dragon, see Antirrhinum. Snowball Snowberry, see Symphoricarpus. Solanum Solanum Solidago, see Golden Rod. Sollya | . 3 |
| Solanum38 | -5 |
| Solidago, see Golden Rod | . 3 |
| Sollya Sophora | . b |
| Sophora South African Daisy, see Gerbera South Carolina Cherry, see Prunus Spanish Bayonet, see Yucca Sparaxis Spearmint Spindle Tree, see Eunonymous Spites | 3 |
| South African Daisy, see Gerbera | 3 2 |
| South Carolina Cherry, see Frunus | . a |
| Spanish Bayonet, see 1 ucca | . 4 |
| Sparmint | 1 |
| Spindle Tree see Eunopymous | 3 |
| Spiride Tree, see Eunonymous | 3 |
| Sprice see Picea | 1 |
| Spirea Spruce, see Picea Star of Bethlehem, see Ornithogalum Star Pine, see Araucaria Stauntonia Stauntonia | 4 |
| Star Pine, see Araucaria | 1 |
| Stauntonia | . 5 |
| Sterculia | . 2 |
| | |
| Stocks | . 4 |
| Strawberry | . 1 |
| Strawberry, Guava | . 1 |
| Sugmaphyllon Stroks Strawberry Strawberry, Guava Strawberry, Ornamental Strawberry Tree. 23 Streptosolen Strobilanthes | . 4 |
| Strawherry Tree23 | -15i |
| Streptosolen | . 4 |
| | 4 |
| Sunshine and Shadow, see Gazania Swainsona | 3 |
| Swamp Mahogany, see Eucalyptus | 9 |
| Swainsona Swamp Mahogany, see Eucalyptus Sweet Gum, see Liquidambar Sweet Marjoram | 3 |
| Sweet Marjoram | . 1 |
| | |
| Sweet Potato | . 3 |
| Sweet Shrub, see Calycanthus | . 3 |
| Sweet Sultan, see Impatiens | . 3 |
| Sweet William Sycamore, see Platanus Sycamore Leaved Cineraria, see Senecio Symphoricarpus Syringa, see Lilac and Philadelphus | . 3 |
| Sycamore, see Platanus | 3 |
| Sycamore Leaved Cineraria, see Senecio | 3 |
| Symphoricarpus | . 0 |
| Tagonia | - 5 |
| Tacsonia 2: Targerin 2: Tangerin 3: Tangerin 4: Tangerin 5: Tangerin 5: Tangerin 6: Tangerin 6: Tangerin 7: Tanger | 2 |
| Tangerina | 1 |
| Tane Plant see Muchlenbeckia | 3 |
| Taxodium Taxus | 1 |
| Taxus | 1 |
| Tea Olive, see Olea | . 2 |
| Tecoma30-52 | -5 |
| Texas Umbrella | 3 |
| Thrift, see Ameria | 4 |
| Thuya | -11 |
| Thuyopsis | 2 |
| Tax Tea Olive, see Olea | -4 |
| Tilia | 3 |
| Tomata | |
| Tomato | 1 |
| Trailing Bellflower, see Campanula | 3 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus see Lotus | 3:15 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Myttle see Vinca | 3 1 5 5 |
| Tomato Trailing Beliflower, see Campanula Trailing Juniper, see Juniperus. Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy see Gerberg. | 3 1 5 5 3 |
| Tomato Trailing Beliflower, see Campanula Trailing Juniper, see Juniperus. Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy see Gerberg. | 3 1 5 5 3 |
| Tomato Trailing Beliflower, see Campanula Trailing Juniper, see Juniperus. Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy see Gerberg. | 3 1 5 5 3 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia | 3 1 5 3 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia | 3 1 5 3 4 |
| Tonato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS | 1 5 5 3 4 -1 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Trainsvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Trumpet Vines. | 1 3 1 5 5 3 3 4 -1 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose | 1 3 1 5 5 3 3 4 -1 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose | 1 3 1 5 5 3 3 4 -1 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose | 1 3 1 5 5 3 3 4 -1 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose | 1 3 1 5 5 3 3 4 -1 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose | 1 3 1 5 5 3 3 4 -1 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose | 1 3 1 5 5 3 3 4 -1 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tumpet Vines Tuberous Begonia | 1 3 1 5 5 3 4 4 -1 5 4 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tumpet Vines Tuberous Begonia | 1 3 1 5 5 3 4 4 -1 5 4 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tumpet Vines Tuberous Begonia | 1 3 1 5 5 3 4 4 -1 5 4 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tumpet Vines Tuberous Begonia | 1 3 1 5 5 3 4 4 -1 5 4 3 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Tulip Tree, see Liriodendron Turit's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbella Plant, see Cyperus. Valreian Valreian Valreian Variegated Cane, see Arundo. | 1 3 1 5 5 5 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tuberose Tuberose Tuberose Tuberose Tulip Tree, see Liriodendron Turit's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbrella Umbrella Umbrella Umbrella Umbrella Umbrella Plant, see Cyperus. Valerian Variegated Cane, see Arundo Verbena Veronica | 1 3 1 5 5 5 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus. Trailing Lotus, see Lotus. Trailing Myrtle, see Vinca Trailing Myrtle, see Vinca Trainsvall Daisy, see Gerbera Trinonia, see Freesia Tritonia, see Freesia Tritonia, see Freesia Tritonia, see Freesia Truperose Tuberose Tuberous Begonia | 1 3 1 5 5 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Vinca Trailing Myrtle, see Vinca Transvall Daisy, see Gerbera Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS TRUPET TUDETOSE TUDE | 1 3 1 5 5 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus. Trailing Lotus, see Lotus. Trailing Myrtle, see Vinca Trailing Myrtle, see Vinca Trainsvall Daisy, see Gerbera Trinonia, see Freesia Tritonia, see Emiliodendron Tulip Tulip Tree, see Liriodendron Turk's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbrella Umbrella Umbrella Tumbrella Plant, see Cyperus. Valerian Variegated Cane, see Arundo. Verbena Veronica Viburnum Vinca | 13155334 -1544333333344433655 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS TRUIPS TUBEROSE T | 1 3 1 5 5 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Trainsvall Daisy, see Gerbera Trimmed Box. TROPICAL AND SEMI-TROPICAL FRUITS TRUPPER TUBEROSE TUBE | 13155334 -1544333333444234443355555555555555555555 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS TRUIP Trumpet Vines. Tuberous Begonia. 35 Tulip Tuberous Begonia. 35 Tulip Tulip Tree, see Liriodendron Turit's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbrella Plant, see Cyperus. Valerian Valerian Valerian Valerian Valerian Veronica Vines AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—EVER- GREEN. 50-51 | 13 15 55 33 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS TRUIP Trumpet Vines. Tuberous Begonia. 35 Tulip Tuberous Begonia. 35 Tulip Tulip Tree, see Liriodendron Turit's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbrella Plant, see Cyperus. Valerian Valerian Valerian Valerian Valerian Veronica Vines AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—EVER- GREEN. 50-51 | 13 15 55 33 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS TRUIP Trumpet Vines. Tuberous Begonia. 35 Tulip Tuberous Begonia. 35 Tulip Tulip Tree, see Liriodendron Turit's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbrella Plant, see Cyperus. Valerian Valerian Valerian Valerian Valerian Veronica Vines AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—EVER- GREEN. 50-51 | 13 15 55 33 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS TRUIP Trumpet Vines. Tuberous Begonia. 35 Tulip Tuberous Begonia. 35 Tulip Tulip Tree, see Liriodendron Turit's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbrella Plant, see Cyperus. Valerian Valerian Valerian Valerian Valerian Veronica Vines AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—EVER- GREEN. 50-51 | 13 15 55 33 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS TRUIP Trumpet Vines. Tuberous Begonia. 35 Tulip Tuberous Begonia. 35 Tulip Tulip Tree, see Liriodendron Turit's Cap, see Malaviscus. Ulex Ulmus, see Elm Umbrella Plant, see Cyperus. Valerian Valerian Valerian Valerian Valerian Veronica Vines AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—DECIDUOUS. VINES AND CLIMBERS—EVER- GREEN. 50-51 | 13 15 55 33 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tonato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Yinca Trailing Myrtle, see Yinca Trailing Myrtle, see Gerbera Trimmed Box Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS 14 Trumpet Vines Tuberose Tuberose Begonia | 131 55 5334 -1 54 43 2333 3 44 44 43 35 5 5 5 45 5 5 5 5 5 5 5 |
| Tonato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Yinca Trailing Myrtle, see Yinca Trailing Myrtle, see Gerbera Trimmed Box Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS 14 Trumpet Vines Tuberose Tuberose Begonia | 133 3 4 4 4 4 4 4 3 3 3 3 3 3 3 3 3 3 3 |
| Tonato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Yinca Trailing Myrtle, see Yinca Trailing Myrtle, see Gerbera Trimmed Box Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS 14 Trumpet Vines Tuberose Tuberose Begonia | 13.3.1.1.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3. |
| Tonato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus Trailing Myrtle, see Yinca Trailing Myrtle, see Yinca Trailing Myrtle, see Gerbera Trimmed Box Trimmed Box Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS 14 Trumpet Vines Tuberose Tuberose Begonia | 133 3 4 4 4 4 4 4 3 3 3 3 3 3 3 3 3 3 3 |
| Tomato Trailing Bellflower, see Campanula Trailing Juniper, see Juniperus Trailing Lotus, see Lotus. Trailing Lotus, see Lotus. Trailing Myrtle, see Yinca Transvall Daisy, see Gerbera Trimmed Box. Tritonia, see Freesia TROPICAL AND SEMI-TROPICAL FRUITS Tutherous Tu | 13.3.1.1.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3. |

How much money would <u>you</u> take for this tree if it stood on your ground?



CORK OAK

(Quercus suber)

The BEST street, lawn or shade tree in California. Stands heat, cold, drought or wet without affecting its growth

The tree pictured above is twenty years old and stands forty feet high. When you plant an an Oak you are not only planting for yourself but for your children and your grandchildren

(see page 33)

PLEASE USE THIS BLANK IN ORDERING

PIONEER NURSERY OF MONROVIA

MONROVIA, CALIFORNIA

SINCE 1876

MAIN 421

| | | DATE | | | 1923 |
|---|---------------------------|----------|------------------------|---|--|
| ENCLOSED | PLEASE FIND \$FOR WH | нсн ѕнір | ON = | DATE WA | NTED |
| | STREET AND NUMBER | | rea to tw sta | d instruction our custom o, as any anding may | ring please ons"a word ners" page misunder- be avoided llowed to |
| | | | sul | ostitute if v | variety and tre exhaus- |
| CITY STATE size order ted please STATE box and ROUTE NUMBER Yes or N SHIP BY WRITE FREIGHTEXPRESSPARCEL POSTTRUCK and the that show prove try ORDERED BY Pioneer N be liable | | | | s or No | dicate here ally agreed purchaser eer Nursery stock not name the ry shall not any greater id for the |
| QUANTITY | NAME OF PLANT | SIZE | EACH | PPICE | TAL |
| | | | | | |
| | | | | | |
| | OVER FOR BALANCE OF ORDER | | | | |

| QUANTITY | NAMEOFF | LANI | SIZE | EACH | тот | FAL |
|----------------|------------------------------------|----------------------------------|-----------|----------|-------------|------|
| | | Am't. BROUGHT FOR'D | | | | |
| | | | | | | |
| | | - | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | , | | | | | |
| | | | | | · · · · · · | |
| | | | | | | |
| | | | | <u> </u> | <u> </u> | } |
| SIGNATURE OF P | URCHASER | | TOTAL | | | |
| WILL YOU | PLEASE GIVE BELOW N WOULD BE IN | AME AND ADDRESS TERESTED IN THIS | S OF ANYO | NE WHOI | M YOU T | HINK |
| | NAME | ADI | DRESS | | s | TATE |
| | | | | | | |
| | | | | | | |
| - | | | | | | |
| | | | | | | |
| | | | , | | | |
| | | | | | | |

NAME OF PLANT

QUANTITY

PRICE

SIZE





A tree whose by Against the earth.
A tree that looks at do.
And lifts ber leafy arm.
A tree that may in summer.
A nest of robins in ber bair;
Upon whose bosom snow has lain.
Who intimately lives with rain.
Poems are made by fools like me,
But only God can make a tree.

— Boyce Kilmer